



ALTRES PUBLICACIONS OTRAS PUBLICACIONES OTHER PUBLICATIONS

• Rodríguez-Asiain A, Ruiz-Babot G, Romero W, Cubí R, Erazo T, Biondi RM, Bayascas JR, Aguilera J, Gómez N, Gil C, Claro E, Lizcano JM.

Brain specific kinase-1 BRSK1/SAD-B associates with lipid rafts: modulation of kinase activity by lipid environment.

Biochim Biophys Acta. 2011 Dec;1811(12):1124-3. Epub 2011

• Barcelo-Torns, M; Lewis, AM.; Gubern, A

NAADP mediates ATP-induced Ca(2+) signals in astrocytes

Febs Letters Volume: 585 Issue: 14 Pages: 2300-2306,2011

- Y. Tian, C. Pate, A.G. Andreolotti, L. Wang, E. Tuomanen, K. Boyd, E. Claro, S. Jackowski. *Cytokine Secretion Requires Phosphatidylcholine Synthesis*.

 J Cell Biol. **2008**;181(6):945-57.
- I. Fernández-Ulibarri, M. Vilella, F. Lázaro-Diéguez, S.E. Martínez, N. Jiménez, E. Claro, I.Mérida, Koert N.J. Burger, G. Egea. Diacylglycerol is required for the formation of Cop1 vesicles in the golgi-to-er transport pathway. Mol. Biol. Cell. **2007**, 3250-63.
- Martinez, SE; Lazaro-Dieguez, F; Selva, J; et al.
 Lysophosphatidic acid rescues RhoA activation and phosphoinositides levels in astrocytes exposed to ethanol
 Journal of Neurochemistry, 1044-1052 2007
- Tian, Y; Pate, C; Gunter, C; et al.

 Role of CCT alpha in macrophage secretion

 Faseb Journal , A603.2007
- Claro, E

 Analyzing ligand depletion in a saturation equilibrium binding experiment

 Biochemistry and molecular biology education, 428-431, 2006





- Pardo, R; Andreolotti, AG; Ramos, B; et al.

 Opposed effects of lithium on the MEK-ERK pathway in neural cells: inhibition in astrocytes and stimulation in neurons by GSK3 independent mechanisms

 Journal of Neurochemistry, 417-426,2003
- Ramos, B; Lahti, JM; Claro, E; et al.

 Prevalence of necrosis in C-2-ceramide-induced cytotoxicity in NB16 neuroblastoma cells

 Molecular Pharmacology,502-511,2003