



ALTRES PUBLICACIONS OTRAS PUBLICACIONES OTHER PUBLICATIONS

• Laura Fernández-Fernández, Montse Solé, Irene Bolea, Tony Valente, José C.E.Serrano, Mariona Jové, Bartolomé Ramirez, Neus Anglés, Jordi Reguant, José Ramón Morelló, Reinald Pamplona, Manuel Portero-Otin and Mercedes Unzeta.

The Antioxidant Effect of LMN Diet, Rich in Polyphenols and Polyunsaturated Fatty Acids, in Alzheimer's Disease.

Diet and Nutrition in Dementia and Cognitive Decline. ISBN: 978-0-12-407824-6. Chapter 78, pages 847-857. **2014**

• Solé M, Miñano-Molina AJ, Unzeta M.

A cross-talk between A6 and endothelial SSAO/VAP-1 accelerates vascular damage ad A6 aggregation related to CAA-AD.

Neurobiol Aging. 2014 [Epub ahead of print]

• Bautista-Aguilera OM, Esteban G, Chioua M, Nikolic K, Agbaba D, Moraleda I, Iriepa I, Soriano E, Samadi A, Unzeta M, Marco-Contelles J.

Multipotent cholinesterase/monoamine oxidase inhibitors for the treatment of Alzheimer's disease: design, synthesis, biochemical evaluation, ADMET, molecular modeling, and QSAR analysis of novel donepezil-pyridyl hybrids.

Drug Des Devel Ther.8:1893-910,2014 eCollection 2014.

• Wang L, Esteban G, Ojima M, Bautista-Aguilera OM, Inokuchi T, Moraleda I, Iriepa I, Samadi A, Youdim MB, Romero A, Soriano E, Herrero R, Fernández Fernández AP, Ricardo-Martínez-Murillo, Marco-Contelles J, Unzeta M.

Donepezil + propargylamine + 8-hydroxyquinoline hybrids as new multifunctional metal-chelators, ChE and MAO inhibitors for the potential treatment of Alzheimer's disease.

Eur J Med Chem. **2014**;80:543-61.

- Bolea I, Colivicchi MA, Ballini C, Marco-Contelles J, Tipton KF, Unzeta M, Della Corte L. Neuroprotective effects of the MAO-B inhibitor, PF9601N, in an in vivo model of excitotoxicity CNS Neurosci Ther. **2014**;20(7):641-50.
- Fogel WA, Stasiak A, Maksymowicz M, Kobos J, Unzeta M, Mussur M. Hepatocyte transplants improve liver function and encephalopathy in portacaval shunted rats. CNS Neurosci Ther. **2014**;20(7):685-91.





- Esteban G, Allan J, Samadi A, Mattevi A, Unzeta M, Marco-Contelles J, Binda C, Ramsay RR. Kinetic and structural analysis of the irreversible inhibition of human monoamine oxidases by ASS234, a multi-target compound designed for use in Alzheimer's disease. Biochim Biophys Acta. **2014**;1844(6):1104-10.
- Bautista-Aguilera OM, Esteban G, Bolea I, Nikolic K, Agbaba D, Moraleda I, Iriepa I, Samadi A, Soriano E, Unzeta M, Marco-Contelles J.

Design, synthesis, pharmacological evaluation, QSAR analysis, molecular modeling and ADMET of novel donepezil-indolyl hybrids as multipotent cholinesterase/monoamine oxidase inhibitors for the potential treatment of Alzheimer's disease.

Eur J Med Chem. **2014**;75:82-95.

- Sun P, Solé M, Unzeta M. Involvement of SSAO/VAP-1 in oxygen-glucose deprivation-mediated damage using the endothelial hSSAO/VAP-1-expressing cells as experimental model of cerebral ischemia. Cerebrovasc Dis. **2014**;37(3):171-80.
- Stasiak A, Mussur M, Unzeta M, Samadi A, Marco-Contelles JL, Fogel WA. Effects of novel monoamine oxidases and cholinesterases targeting compounds on brain neurotransmitters and behavior in rat model of vascular dementia. Curr Pharm Des. **2014**;20(2):161-71.
- Bolea I, Gella A, Monjas L, Pérez C, Rodríguez-Franco MI, Marco-Contelles J, Samadi A, Unzeta M. Multipotent, permeable drug ASS234 inhibits A6 aggregation, possesses antioxidant properties and protects from A6-induced apoptosis in vitro.

 Curr Alzheimer Res. 2013;10(8):797-808.
- Hadjipavlou-Litina D, Samadi A, Unzeta M, Marco-Contelles J.

 Analysis of the antioxidant properties of differently substituted 2- and 3-indolyl carbohydrazides and related derivatives.

Eur J Med Chem. 2013;63:670-4.

- Gella A, Solé M, Bolea I, Ventriglia M, Siotto M, Durany N, Squitti R, Unzeta M. A comparison between radiometric and fluorimetric methods for measuring SSAO activity. J Neural Transm. **2013**;120(6):1015-8.
- Giralt M, Ramos R, Quintana A, Ferrer B, Erta M, Castro-Freire M, Comes G, Sanz E, Unzeta M, Pifarré P, García A, Campbell IL, Hidalgo J.

Induction of atypical EAE mediated by transgenic production of IL-6 in astrocytes in the absence of systemic IL-6.

Glia. 2013;61(4):587-600.





• Esteban G, Bolea I, Sun P, Solé M, Samadi A, Marco-Contelles J, Unzeta M.

A therapeutic approach to cerebrovascular diseases based on indole substituted hydrazides and hydrazines able to interact with human vascular adhesion protein-1, monoamine oxidases (A and B), AChE and BuChE.

J Neural Transm. 2013;120(6):911-8.

Bolea I, Gella A, Unzeta M

Propargylamine-derived multitarget-directed ligands: fighting Alzheimer's disease with monoamine oxidase inhibitors.

J Neural Transm. 2012

• Valente T, Gella A, Solé M, Durany N, Unzeta M. Immunohistochemical study of semicarbazide-sensitive amine oxidase/vascular adhesion protein-1 in the hippocampal vasculature: pathological synergy of Alzheimer's disease and diabetes mellitus. J Neurosci Res. **2012**;90(10):1989-96.

• Samadi A, de Los Ríos C, Bolea I, Chioua M, Iriepa I, Moraleda I, Bartolini M, Andrisano V, Gálvez E, Valderas C, Unzeta M, Marco-Contelles J.

Multipotent MAO and cholinesterase inhibitors for the treatment of Alzheimer's disease: Synthesis, pharmacological analysis and molecular modeling of heterocyclic substituted alkyl and cycloalkyl propargyl amine.

Eur J Med Chem. 2012;52:251-62.

- Hernandez-Guillamon M, Solé M, Delgado P, García-Bonilla L, Giralt D, Boada C, Penalba A, García S, Flores A, Ribó M, Alvarez-Sabin J, Ortega-Aznar A, Unzeta M, Montaner J. VAP-1/SSAO plasma activity and brain expression in human hemorrhagic stroke. Cerebrovasc Dis. **2012**;33(1):55-63.
- Fernández-Fernández L, Comes G, Bolea I, Valente T, Ruiz J, Murtra P, Ramirez B, Anglés N, Reguant J, Morelló JR, Boada M, Hidalgo J, Escorihuela RM, Unzeta M. LMN diet, rich in polyphenols and polyunsaturated fatty acids, improves mouse cognitive decline associated with aging and Alzheimer's disease.

 Behav Brain Res. 2012.17;228(2):261-71.
- Stasiak A, Mussur M, Unzeta M, Lazewska D, Kiec-Kononowicz K, Fogel WA. *The central histamine level in rat model of vascular dementia.*J Physiol Pharmacol. **2011**;62(5):549-58.





• Samadi A, Chioua M, Bolea I, de los Ríos C, Iriepa I, Moraleda I, Bastida A, Esteban G, Unzeta M, Gálvez E, Contelles J.M.

Synthesis, biological assessment and molecular modeling of new multipotent MAO and cholinesterase inhibitors as potential drugs for the treatment of Alzheimer's disease. Eur J Med Chem. **2011**;46(9):4665-8.

• Unzeta M, Sanz E.

Novel MAO-B inhibitors potential therapeutic use of the selective MAO-B inhibitor PF9601N in Parkinson's disease.

Int Rev Neurobiol. 2011;100:217-36.

• Solé M, Unzeta M.

Vascular cell lines expressing SSAO/VAP-1: a new experimental tool to study its involvement in vascular diseases.

Biol Cell. 2011;103(11):543-57.

• Bolea I, Juárez-Jiménez J, de Los R??os C, Chioua M, Pouplana R, Luque FJ, Unzeta M, Marco-Contelles J, Samadi A.

Synthesis, Biological Evaluation, and Molecular Modeling of Donepezil and N-[(5-(Benzyloxy)-1-methyl-1H-indol-2-yl)methyl]-N-methylprop-2-yn-1-amine Hybrids as New Multipotent Cholinesterase/Monoamine Oxidase Inhibitors for the Treatment of Alzheimer's Disease.

J Med Chem. **2011** 22;54(24):8251-8270.

• Valente T, Solé M, Gella A, Durany N, Unzeta M.

SSAO and A BETA in the vascular damage of the temporal cortex from alzheimer and alzheimer with diabetes patients

Alzheimer's disease research journal, **2011**, 3.

• M, Ortega-Aznar A, Domínguez C, Rubiera M, Ribó M, Quintana M, Molina CA, Alvarez-Sabín J, Rosell A, Unzeta M, Montaner J.

Plasma VAP-1/SSAO activity predicts intracranial hemorrhages and adverse neurological outcome after tissue plasminogen activator treatment in stroke.

Stroke. **2010**; 41(7):1528-35.

Bellik L, Dragoni S, Pessina F, Sanz E, Unzeta M, Valoti M.

Antioxidant properties of PF9601N, a novel MAO-B inhibitor: assessment of its ability to interact with reactive nitrogen species.

Acta Biochim Pol. 2010; 57(2):235-9.





• Valente T, Gella A, Fernàndez-Busquets X, Unzeta M, Durany N. Immunohistolochemical analysis of human brain suggests pathological synergism of Alzheimer's disease and diabetes mellitus.

Neurobiol Dis. 2010; 37(1):67-76.

• Sanz E, Quintana A, Valente T, Manso Y, Hidalgo J, Unzeta M. Monoamine oxidase-B activity is not involved in the neuroinflammatory response elicited by a focal freeze brain injury.

J Neurosci Res. **2009**.15;87(3):784-94.

• Sanz E, Quintana A, Hidalgo J, Marco JL, Unzeta M. PF9601N [N-(2-propynyl)-2-(5-benzyloxy-indolyl) methylamine] confers MAO-B independent neuroprotection in ER stress-induced cell death. Mol Cell Neurosci. **2009**;41(1):19-31.

• Valente T, Hidalgo J, Bolea I, Ramírez B, Anglés N, Reguant J, Morelló JR, Gutiérrez C, Boada M, Unzeta M.

A Diet Enriched in Polyphenols and Polyunsaturated Fatty Acids, LMN Diet, Induces Neurogenesis in the Subventricular Zone and Hippocampus of Adult Mouse Brain.

Alzheimers Dis. 2009;18:849-865

• Sanz E, Hofer MJ, Unzeta M, Campbell IL. Minimal role for STAT1 in interleukin-6 signaling and actions in the murine brain. Glia. **2008**;56(2):190-9.

• Sanz E, Quintana A, Battaglia V, Toninello A, Hidalgo J, Ambrosio S, valoti M, marco JL, Tipton KF, Unzeta M

Anti-apoptotic effect of MAO B inhibitor PF 9601N[N-(2-propynyl)-2-(5-benzyloxy-indolyl)methylamine] is mediated by p53 pathway inhibition by MPP+ tretaed SHSY5Y human dopaminergic cells.

J Neurochem. 2008; 105: 2404-2417.

• Solé M, Hernandez-Guillamon M, Boada M, Unzeta M. p53 phosphorylation is involved in vascular cell death induced by the catralytic activity of membrane-bound SSAO/VAP-1.

Biochim Biophys Acta 1783, 1985-1994 2008





• Valente T, Solé M, Unzeta M.

SSAO/VAP-1 protein expression during mouse embryonic development.

Dev Dyn. 2008;237(9):2585-93.

• Dragoni S, Materozzi G, Pessina F, Frosini M, Marco JL, Unzeta M, Sgaragli G and Valoti M. *CYP-dependent metabolism of PF9601N, a new monoamine oxidase-B inhibitor, by C57BL/6 mouse and human liver microsomes.*

J Pharm Pharm Sci. 2007; 10(4): 473-85.

• Sanz E, Hofer MJ, Unzeta M and Campbell IL. Minimal role for STAT1 in interleukin-6 signaling and actions in the murine brain. Glia. **2008**; 56(2): 190-9.

• Hernandez-Guillamon M, Bolea I, Solé M, Boada M, Tipton KF and Unzeta M. Sodium bicarbonate enhances membrane-bound and soluble human semicarbazide-sensitive amine oxidase activity in vitro.

J Biochem. 2007; 142(5): 571-6.

• Prévot D, Soltesz Z, Abello V, Wanecq E, Valet P, Unzeta M and Carpéné C. Prolonged treatment with aminoguanidine strongly inhibits adipocyte semicarbazide-sensitive amine oxidase and slightly reduces fat deposition in obese Zucker rats. Pharmacol Res. **2007**; 56(1): 70-9.

• Jones TZ, Balsa D, Unzeta M and Ramsay RR.

Variations in activity and inhibition with pH: the protonated amine is the substrate for monoamine oxidase, but uncharged inhibitors bind better.

J Neural Transm. 2007; 114(6): 707-12.

• Solé M, Hernandez M, Boada M and Unzeta M.

Characterization of A7r5 cell line transfected in a stable form by hSSAO/VAP-1 gene (A7r5 hSSAO/VAP-1 cell line).

J Neural Transm. 2007; 114(6): 763-7.

• Unzeta M, Solé M, Boada M and Hernández M.

Semicarbazide-sensitive amine oxidase (SSAO) and its possible contribution to vascular damage in Alzheimer's disease.

J Neural Transm. 2007; 114(6): 857-62.





• Battaglia V, Sanz E, Salvi M, Unzeta M and Toninello A. Protective effect of N-(2-propynyl)-2-(5-benzyloxy-indolyl)methylamine (PF9601N) on mitochondrial permeability transition.

Cell Mol Life Sci. **2006**; 63(12): 1440-8.

• Giménez-Xavier P, Gomez-Santos C, Castaño E, Francisco R, Boada J, Unzeta M, Sanz E and Ambrosio S.

The decrease of NAD(P)H has a prominent role in dopamine toxicity. Biochim Biophys Acta. **2006**; 1762(5): 564-74.

• Hernandez M, Solé M, Boada M and Unzeta M. Soluble semicarbazide sensitive amine oxidase (SSAO) catalysis induces apoptosis in vascular smooth muscle cells.

Biochim Biophys Acta. **2006**; 1763(2): 164-73.

• del Mar Hernandez M, Esteban M, Szabo P, Boada M and Unzeta M. Human plasma semicarbazide sensitive amine oxidases (SSAO), beta-amyloid protein and aging. Neurosci Lett. **2005**; 384(1-2): 183-7.