



## ALTRES PUBLICACIONS SELECCIONADES (2013-2008) OTRAS PUBLICACIONES SELECCIONADAS (2013-2008) OTHER SELECTED PUBLICATIONS (2013-2008)

• Daviu N, Rabasa C, Nadal R, Armario A. Comparison of the effects of single and daily repeated immobilization stress on resting activity and heterotypic sensitization of the hypothalamic-pituitary-adrenal axis. Stress. **2014**, 17(2):176-85

• Echeverry-Alzate V, Giné E, Bühler KM, Calleja-Conde J, Olmos P, Gorriti MA, Nadal R, Rodríguez de Fonseca F, López-Moreno JA.

The Effects of Topiramate on Ethanol-Cocaine Interactions and DNA Methyltransferase Gene Expression in the Rat Prefrontal Cortex.

Br J Pharmacol. 2014; 171 (12): 3023-36

• Gagliano H, Delgado-Morales R, Sanz-Garcia A, Armario A. High doses of the histone deacetylase inhibitor sodium butyrate trigger a stress-like response.

Neuropharmacology. 2014;79:75-82.

Armario A, Nadal R.

Searching for biological markers of personality: are there neuroendocrine markers of anxiety?

In: Durbano F (Ed.) New insights into anxiety disorders. InTech, 2013, 71-104.

• Armario A, Nadal R.

Individual differences and the characterization of animal models of psychopathology: a strong challenge and a good opportunity.

Front Pharmacol. **2013**;4:137.

• Rabasa C, Delgado-Morales R, Gómez-Román A, Nadal R, Armario A. Adaptation of the pituitary-adrenal axis to daily repeated forced swim exposure in rats is dependent on the temperature of water.

Stress. 2013;16(6):698-705.

• Feliu-Soler A, Pascual JC, Borràs X, Portella MJ, Martín-Blanco A, Armario A, Alvarez E, Pérez V, Soler J.

Effects of Dialectical Behaviour Therapy-Mindfulness Training on Emotional Reactivity in Borderline Personality Disorder: Preliminary Results.

Clin Psychol Psychother. 2013. Epub ahead of print





• Rotllant D, Pastor-Ciurana J, Armario A.

Stress-induced brain histone H3 phosphorylation: contribution of the intensity of stressors and length of exposure.

J Neurochem. 2013;125(4):599-609.

• Daviu N, Delgado?Morales R, Nadal R, Armario A.

Not all stressors are equal: behavioural and endocrine evidence for development of contextual fear conditioning after a single session of footshocks but not of immobilization. Front Behavioral Neurosci, **2012**, 6: 69

• Fodor A, Klausz B, Pintér O, Daviu N, Rabasa C, Rotllant D, Balazsfi D, Kovacs KB, Nadal R, Zelena D.

Maternal neglect with reduced depressive-like behavior and blunted c-fos activation in Brattleboro mothers, the role of central vasopressin.

Horm Behav. 2012; 62(4): 539-51.

• Belda X, Daviu N, Nadal R, Armario A.

Acute-stress induced sensitization of the pituitary-adrenal response to heterotypic stressors: independence of glucocorticoid release and activation of CRH1 receptors. Horm Behav, **2012**; 62(4): 515-24.

• Lalanza JF, Sanchez-Roige S, Gagliano H, Fuentes S, Bayod S, Camins A, Pallàs M, Armario A, Escorihuela RM.

Physiological and behavioural consequences of long-term moderate treadmill exercise. Psychoneuroendocrinology. **2012**; 37 (11): 1745-54.

• Armario A, Daviu N, Muñoz-Abellán C, Rabasa C, Fuentes S, Belda X, Gagliano H, Nadal R. What can we know from pituitary-adrenal hormones about the nature and consequences of exposure to emotional stressors?

Cell Mol Neurobiol. 2012; 32 (5): 749-58.

• Delgado-Morales R, del Río E, Gómez-Román A, Bisagno V, Nadal R, de Felipe C, Armario A.

Adrenocortical and behavioural response to chronic restraint stress in neurokinin-1 receptor knockout mice.

Physiol Behav. 2012;105(3): 669-75.

• Andero R, Daviu N, Escorihuela RM, Nadal R, Armario A.

7,8-dihydroxyflavone, a TrkB receptor agonist, blocks long-term spatial memory impairment caused by immobilization stress in rats.

Hippocampus. 2012;22(3): 399-408.





• Rotllant D, Armario A.

Brain pattern of histone H3 phosphorylation after acute amphetamine administration: Its relationship to brain c-fos induction is strongly dependent on the particular brain area. Neuropharmacology. **2012**;62(2):1073-81.

• López-Gallardo M, López-Rodríguez AB, Llorente-Berzal Á, Rotllant D, Mackie K, Armario A, Nadal R, Viveros MP.

Maternal deprivation and adolescent cannabinoid exposure impact hippocampal astrocytes, CB1 receptors and brain-derived neurotrophic factor in a sexually dimorphic fashion.

Neuroscience. 2012;204:90-103.

• Ribeiro Do Couto B, Daza-Losada M, Rodríguez-Arias M, Nadal R, Guerri C, Summavielle T, Miñarro J, Aguilar MA.

Adolescent pre-exposure to ethanol and 3,4-methylenedioxymethylamphetamine (MDMA) increases conditioned rewarding ffects of MDMA and drug-induced reinstatement. Addict Biol. **2012**;17(3):588-600.

• Hoffmann HM, Nadal R, Vignes M, Ortiz J.

Chronic cocaine self-administration modulates ERK1/2 and CREB responses to dopamine receptor agonists in striatal slices.

Addict Biol. 2012;17(3):565-75.

- Muñoz-Abellán C, Rabasa C, Daviu N, Nadal R, Armario A. Behavioral and endocrine consequences of simultaneous exposure to two different stressors in rats: interaction or independence? PLoS One. **2011**;6(6):e21426.
- Llorente-Berzal A, Fuentes S, Gagliano H, López-Gallardo M, Armario A, Viveros MP, Nadal R.

Sex-dependent effects of maternal deprivation and adolescent cannabinoid treatment on adult rat behaviour.

Addict Biol. 2011; 16(4):624-637.

• Alobid I, de Pablo J, Mullol J, Centellas S, Parramon G, Carrasco J, Armario A, Bernal-Sprekelsen M.

Increased cardiovascular and anxiety outcomes but not endocrine biomarkers of stress during performance of endoscopic sinus surgery: a pilot study among novice surgeons. Arch Otolaryngol Head Neck Surg. **2011**;137(5):487-92.





• Do Couto BR, Rodríguez-Arias M, Fuentes S, Gagliano H, Armario A, Miñarro J, Aguilar MA

Adolescent pre-exposure to ethanol or MDMA prolongs the conditioned rewarding effects of MDMA.

Physiol Behav. 2011;103(5):585-93.

- Rabasa C, Muñoz-Abellán C, Daviu N, Nadal R, Armario A. Repeated exposure to immobilization or two different footshock intensities reveals differential adaptation of the hypothalamic-pituitary-adrenal axis. Physiol Behav. **2011**; 103(2):125-33.
- Rabasa C, Delgado-Morales R, Muñoz-Abellán C, Nadal R, Armario A. Adaptation of the hypothalamic-pituitary-adrenal axis and glucose to repeated immobilization or restraint stress is not influenced by associative signals. Behav Brain Res. **2011**; 217(1):232-9.
- Andero R, Heldt SA, Ye K, Liu X, Armario A, Ressler KJ. Effect of 7,8-Dihydroxyflavone, a Small-Molecule TrkB Agonist, on Emotional Learning. Am J Psychiatry. **2011**;168(2):163-72.
- Ons S, Rotllant D, Marín-Blasco IJ, Armario A. Immediate-early gene response to repeated immobilization: Fos protein and arc mRNA levels appear to be less sensitive than c-fos mRNA to adaptation. Eur J Neurosci. **2010**;31(11):2043-52.
- Armario A.

Activation of the hypothalamic-pituitary-adrenal axis by addictive drugs: different pathways, common outcome.

Trends Pharmacol Sci. **2010**;31(7):318-25.

• Daviu N, Fuentes S, Nadal R, Armario A.

A single footshock causes long-lasting hypoactivity in unknown environments that is dependent on the development of contextual fear conditioning. Neurobiol Learn Mem. **2010**;94(2):183-90.

• Peña Y, Prunell M, Rotllant D, Armario A, Escorihuela RM. Enduring effects of environmental enrichment from weaning to adulthood on pituitary-adrenal function, pre-pulse inhibition and learning in male and female rats. Psychoneuroendocrinology. **2009**;34(9):1390-404.





- Belda X, Rotllant D, Fuentes S, Delgado R, Nadal R, Armario A. Exposure to severe stressors causes long-lasting dysregulation of resting and stress-induced activation of the hypothalamic-pituitary-adrenal axis. Ann N Y Acad Sci. **2008**;1148:165-73.
- Belda X, Fuentes S, Nadal R, Armario A. A single exposure to immobilization causes long-lasting pituitary-adrenal and behavioral sensitization to mild stressors. Horm Behav. **2008**;54(5):654-61.
- Muñoz-Abellán C, Andero R, Nadal R, Armario A.

  Marked dissociation between hypothalamic-pituitary-adrenal activation and long-term behavioral effects in rats exposed to immobilization or cat odor.

  Psychoneuroendocrinology. 2008;33(8):1139-50.
- Armario A, Escorihuela RM, Nadal R.
   Long-term neuroendocrine and behavioural effects of a single exposure to stress in adult animals.
   Neurosci Biobehav Rev. 2008;32(6):1121-35.
- Carrasco J, Márquez C, Nadal R, Tobeña A, Fernández-Teruel A, Armario A. Characterization of central and peripheral components of the hypothalamus-pituitary-adrenal axis in the inbred Roman rat strains.

  Psychoneuroendocrinology. **2008**;33(4):437-45.
- Gagliano H, Fuentes S, Nadal R, Armario A. Previous exposure to immobilisation and repeated exposure to a novel environment demonstrate a marked dissociation between behavioral and pituitary-adrenal responses. Behav Brain Res. **2008**;187(2):239-45.