



HOSPITALITY, IN PERFECT PROPORTION

DIGITAL DESIGN SYSTEM V3.0 · WORKING SPECIFICATION · NOT RELEASED (AC20 PENDING)

GEM™ Digital Design System V3.0

Hospitality, in perfect proportion. Every arrival, precisely composed.

This is the living digital design system for GEM™, updated from Design System v2.1 to V3.0 under the GEM V3 Final Brand Approval Register (466 decisions). It completes the system; it does not redesign the brand. The palette, tagline, character and four principles are unchanged.

Release status of this edition: WORKING SPECIFICATION, NOT RELEASED. The Brand Owner release authorization (AC20) is pending evidence, and the named role holders are TBD. Items are labelled throughout with one of four status classes.

Status	Meaning	Visual treatment
APPROVED	Final under the register.	Filled ink label
CONDITIONAL	Approved with a condition that is still open.	2px outline label
PENDING VALIDATION	Evidence, native QA or testing outstanding. Do not present as final.	Dashed 2px label
REFERENCE	Study or inspiration only. Not a GEM standard.	Dotted 2px label

Quick start for implementers

1. Load `tokens.json` , or the portable `assets/Tokens/gem-tokens.v3.css` and `.json` . Use semantic tokens (`--surface-canvas` , `--text-primary` , `--action-background`), never raw hex in components.
2. Use the 26 components in `components/` (React 18, `window.GEM`). Each README follows the same 11-part template.
3. Set `lang` and `dir` on the document root. Arabic uses `dir="rtl"` ; logical CSS properties handle the rest.
4. Keep tracking only on capitals, at the explicit values in the tracking scale. Body and Arabic stay at 0.
5. Every interactive target is at least 44 by 44px. Focus ring is 2px with a 2px offset.
6. Label anything not approved: PENDING VALIDATION, CONCEPT / NOT PRODUCTION ARTWORK, PENDING PRODUCTION MASTER, PENDING LOCALIZATION APPROVAL.
7. Never invent supplier capability, product claims, regulatory approvals, prices, delivery times, MOQs or Arabic translations. Use `[PENDING]` , `[TO BE VERIFIED]` , `[REQUIRES OWNER]` .

Brand foundation (unchanged)

Core colour	Hex	Role
INK	#12171D	Principal dark field and default text

Core colour	Hex	Role
BEIGE	#BCACA7	Signature soft-luxury tone, selected fill, hairlines
BLACK	#020202	Monochrome reproduction, hover and pressed fill
WHITE	#FFFFFF	Canvas

Character: precise, restrained, geometric, composed. Principles: precision over decoration; restraint is the luxury; geometry is the language; space is part of the identity. Tagline: HOSPITALITY, IN PERFECT PROPORTION (fixed, not translated without brand approval, M10). Secondary line: Every arrival, precisely composed.

Not allowed: gradients, gold, decorative shadows, excessive rounding, SaaS styling, accent colours (Q21), a new symbol or colour system for the Amenities & Packaging stream.

How this system is organised (A / B / C)

V3.0 releases as three coordinated products (DS01). Each states what it owns and refers to the others.

Part	Owns	This file set
A. Brand Guidelines V3.0	Strategy, identity, applications, editorial examples	Referenced; handoff rules only (DS02)
B. Digital Design System V3.0	Tokens, components, patterns, accessibility, localization	This system
C. Production Standards	Dielines, materials, finishes, tolerances, supplier release	Referenced; not yet issued (DS04, VAL-11)

Read order: 01-governance for authority and status, then 02-foundations to 10-localization for rules, 11-components for the component index, 12 to 15 for patterns, 16-engineering for tokens and code, 17-qa-release for the audit and open gates.

Authority order

1. The approval register: approved and approved-with-modification decisions are final; Evidence Required items stay conditional; Deferred items stay deferred.
2. Design System v2.1.
3. Brand Guidelines V2/2.1.
4. V1, historical only.
5. External benchmarks, inspiration only; nothing is copied (RF01 to RF03).

6. WCAG 2.2 AA and other formal standards.

Where sources conflict, the register wins. Futura PT, Montserrat, Aeonik, Satoshi and Whyte are reference or legacy only.

What is in this system

- **Foundations:** colour, typography with tracking scale, spacing, shape, elevation, motion, glyphs.
 - **Responsive and locale:** five-band model, RTL and Arabic specification, locale-aware dates and numerals.
 - **26 components** with live previews in English and Arabic.
 - **Patterns:** hospitality guest journeys, Amenities & Packaging, imagery, wayfinding principles, UX writing.
 - **Engineering:** machine-readable tokens, framework guidance, Storybook-ready structure.
 - **QA audit,** open validation gates and change log.
-

Open gates at a glance

Release is blocked by: production logo masters (VAL-02), trademark and artwork ownership (VAL-03, VAL-04), font licence builds (VAL-05), image rights (VAL-06), native Arabic QA (VAL-07), implementation accessibility QA (VAL-08), commercial scope (VAL-01), and named role holders. See [17-qa-release](#) .

Governance, authority and status

Source of truth

The V3 Final Brand Approval Register is authoritative. Decision IDs (for example L09, Q17, M05) are cited in this system so every rule traces back to a decision. When a rule here and a v2.1 rule differ, this edition follows the register and records the change in the change log.

Status system (AA01, AA04)

Every statement, asset and example carries one of four classes. Pending content is never styled as approved.

Status	Use	Component
APPROVED	Register decision is final	StatusLabel filled
CONDITIONAL	Approved with open condition	StatusLabel 2px outline
PENDING VALIDATION	Evidence, QA or test outstanding	StatusLabel dashed
REFERENCE	Inspiration or study	StatusLabel dotted

Additional required labels: **CONCEPT / NOT PRODUCTION ARTWORK** on every rendered or AI mockup; **PENDING PRODUCTION MASTER** on logo assets not yet supplied as vectors; **PENDING LOCALIZATION APPROVAL** on unapproved Arabic; **PROJECT-SPECIFIC / REQUIRES SITE VALIDATION** on wayfinding fabrication detail.

Owners (all role holders TBD)

The role definitions are approved. No named person has been supplied for any role. Record names before AC20 release authorization.

Role	Responsibility	Holder
Brand Owner	Strategy, architecture, final release	TBD
Design Custodian	Master artwork, templates, asset integrity	TBD
Commercial Lead	Buyer, offer scope, claims	TBD

Role	Responsibility	Holder
Product / Amenities Lead	Range, SKU data, packaging requirements	TBD
Procurement / Supplier QA	Dielines, materials, supplier acceptance	TBD
Digital Design Lead	Tokens, components, responsive behaviour	TBD
Engineering Lead	Implementation, accessibility mechanics	TBD
Arabic / Localization Lead	Arabic copy, RTL, mixed-language rules	TBD
Accessibility QA	WCAG and document verification	TBD
Legal / IP Counsel	Trademark, rights, claims review	TBD
Presentation / Document QA	Deck and PDF integrity	TBD
Asset Librarian / Governance PM	Archive, manifest, versioning	TBD

Change control

- Any new token, component or variant is proposed with: purpose, register decision it follows, accessibility check, RTL check, and owner sign-off (Design Custodian plus Digital Design Lead).
- Accessibility exceptions need explicit approval (K09).
- Legal approval is a release dependency wherever claims or regulatory information appear (Y08).
- Suppliers may not reuse GEM artwork outside approved work (Y06).

Cross-references between A, B and C

The same version number, asset IDs, terminology and approval status must appear in the Brand Guidelines, this Digital Design System and the Production Standards (VAL-21). Terms used identically across all three: master brand, stream, status class, token, production master, concept.

Foundations

Colour and semantic tokens

Foundation colours (INK, BEIGE, BLACK, WHITE) feed semantic tokens. Components read semantic tokens only.

Group	Tokens
Surface	surface-canvas (WHITE), surface-signature (INK), surface-selected (BEIGE), surface-disabled (WHITE), surface-scrim (INK at 64%)
Text	text-primary (INK), text-inverse (WHITE), text-signatureAccent (BEIGE, on INK only)
Border	border-essential (INK), border-decorative (BEIGE), border-focus (INK), border-error (INK, 2px), border-disabled (BEIGE)
Action	action-background (INK), action-foreground (WHITE), action-hoverBackground and action-pressedBackground (BLACK), action-disabledBackground (WHITE), action-disabledText (INK)
Focus	focus-light (INK), focus-dark (WHITE)
Feedback	feedback-errorText (INK), feedback-successText (INK)

Permitted pairings

Pair	Contrast	Decision
INK on WHITE	18.0:1	K02 approved
INK on BEIGE	8.2:1	K01 approved
BEIGE on BLACK	above 8:1	K03 approved
BLACK on WHITE	20.8:1	K04 approved
BEIGE on WHITE	2.2:1	K05 prohibited for essential text or boundaries
INK on BLACK	near 1:1	K06 prohibited

Low-contrast combinations may remain decorative if they carry no meaning (K07).

Functional status colour (Q10)

The register says to keep the palette restrained and use text, border weight, typography and wording first. No functional colours are introduced in this edition. If product testing proves them necessary, each candidate is added through change control and classified **FUNCTIONAL / NON-EXPRESSIVE COLOR**: used only on state indicators, never on backgrounds of editorial surfaces, never as decoration, never as the only cue. Until then, error, success, information and loading are told apart by the state label, border weight, glyph and wording.

State	Label	Treatment
Error	ERROR	2px border, text, optional warning glyph
Confirmation	CONFIRMED	BEIGE fill with INK text, label
Information	INFORMATION	1px border
Loading	LOADING	decorative border, aria-busy, no time estimate

Light mode is the primary application mode (Q20). A full application-level dark mode is not required (Q19); dark contexts use the signature INK surface with `gem-dark` (WHITE text, WHITE focus ring). A full dark theme would need an approved product requirement.

Spacing

Scale in px: 4, 8, 12, 16, 24, 32, 48, 64, 96. Use the nearest token; never arbitrary values. Component internals use 4 to 24; section rhythm uses 32 to 96.

Shape

radius-editorial 0 for cards, panels, images and hero fields. radius-control 4px for buttons, inputs, selects, chips. No pill shapes, no other radius without functional justification.

Elevation

No decorative shadows. Separation uses hairline borders (1px) or colour fields. The single exception is the modal scrim (INK at 64%), which is a dimming layer, not a shadow.

Borders and focus

Hairline 1px for controls and dividers, emphasis 2px for error, selected tab and focus. Focus ring: 2px, offset 2px, INK on light surfaces, WHITE on signature surfaces.

Motion


See 07-motion .

Functional glyphs

See 08-glyphs .

COLOUR RELATIONSHIPS

Four core colours only. No gradients, gold, shadows or accent colours. Functional feedback relies on text, glyph and weight, not new hues (Q10).



Typography

Families (L01, L02, L04)

Role	Family	Status
Display and headings	Jost	APPROVED architecture; exact build to freeze (L06, VAL-19)
Body, UI, office	Inter	APPROVED architecture; exact build to freeze
Arabic	Noto Sans Arabic	Interim (M02); final approval PENDING VALIDATION (VAL-07)

Futura PT, Montserrat, Aeonik, Satoshi and Whyte are reference or legacy only (L03, L07). Decorative serif or script faces are prohibited (L15). The wordmark is never recreated in type (L16). Maximum two weights in a composition (L08).

Type styles

Token	Size / line	Weight	Tracking	Use
displayXL	96 / 104	400	0.12em	Hero statement, 1024px and up. Capitals.
display	64 / 72	400	0.08em	Page statement. Capitals.
h1	48 / 56	400	0.02em	Page title
h2	32 / 40	400	0.01em	Section title
h3	24 / 32	400	0	Card and modal title
tagline	14 / 20	400	0.18em	HOSPITALITY, IN PERFECT PROPORTION
eyebrow	13 / 16	400	0.16em	Short capital label above a heading
navLabel	14 / 20	400	0.08em	Capital navigation labels
labelSmall	12 / 16	400	0.08em	Status labels, table headers
body	16 / 26	400	0	Running text, line-height 1.6 (L12)
caption	14 / 20	400	0	Help text, meta

Token	Size / line	Weight	Tracking	Use
label	16 / 24	500	0	Form labels and controls

Body measure 45 to 75 characters (`max-reading` 70ch, L11). Left aligned (L13); forced justification prohibited (L14).

Tracking system (L09, L10)

The generic +300 to +800 (0.3 to 0.8em) rule is **retired**. Replaced by calibrated per-style tokens. The register fixes the anchors (Display XL about 0.12em, Tagline about 0.18em, Eyebrow about 0.16em, small label about 0.08em, normal headings 0 to 0.02em); the interpolated display (0.08em), navLabel (0.08em) and heading values (0.02, 0.01, 0) were tested visually in Chromium with the supplied Jost and Inter builds. **All values CONDITIONAL until optical QA in the approved templates and native PowerPoint rendering (VAL-19).**

Token	CSS	PowerPoint equivalent	Allowed	Prohibited
displayXL	letter-spacing: 0.12em	Character spacing = 0.12 x font size in pt (96px = 72pt text: 8.6pt)	Capitals, one or two lines, 1024px and up	Lowercase paragraphs
display	0.08em	0.08 x pt	Capitals	Body copy
h1	0.02em	0.02 x pt	Sentence or title case	Capitals above 40px without tracking
h2	0.01em	0.01 x pt	Sentence case	
h3	0	Normal	Sentence case	
tagline	0.18em	0.18 x pt (14pt: 2.5pt)	Capitals, single line	Wrapping onto a second line, translation without brand approval
eyebrow	0.16em	0.16 x pt	1 to 4 capital words	Sentences
navLabel	0.08em	0.08 x pt	Capital navigation	Sentence-case navigation
labelSmall	0.08em	0.08 x pt	Status labels, table headers	Below 12px
body, caption, label	0	Normal	Always	Any tracking (L10)

Token	CSS	PowerPoint equivalent	Allowed	Prohibited
Arabic (all)	0	Normal	Always	Any tracking (M05)

PowerPoint: Font dialog, Character Spacing, Expanded, By = em x font size in pt. Tracking is applied to the text run, not the paragraph, and is re-checked after font substitution.

Arabic hierarchy (M04)

All Arabic styles use Noto Sans Arabic, tracking 0, no italics, line-height at least 1.7. All **PENDING VALIDATION**.

Token	Size / line	Weight
arabicDisplay	56 / 76	400
arabicH1	40 / 60	400
arabicH2	30 / 46	400
arabicH3	24 / 38	500
arabicBody	18 / 32	400
arabicLabel	16 / 26	500
arabicCaption	15 / 26	400

Arabic text is set larger than the Latin equivalent so the x-height matches visually.

Fallback stacks

Jost, Inter and Noto Sans Arabic carry system-ui and generic sans fallbacks. Fallback metrics shift line breaks, so test every template with the fallback active. Fonts ship under the SIL Open Font License 1.1 (see Licenses); deployment rights for exact builds are **PENDING VALIDATION** (VAL-05, Y03).

TRACKING SCALE

Explicit per-style values from the approval register (L09). Display and heading values are CONDITIONAL on optical QA in the real templates (VAL-19). Tracking applies to capitals only; body, Arabic and any mixed-case paragraph stay at 0. Sizes are capped at 40px in this specimen.

Specimen	Token	CSS and PowerPoint	When allowed
EVERY ARRIVAL	type.displayXL Display XL 96/104 CONDITIONAL	letter-spacing:0.12em 8.64pt at 72.0pt text; formula: spacing pt = 0.12em x font pt	Hero statement, 1024px and up. Capitals only.
EVERY ARRIVAL	type.display Display 64/72 CONDITIONAL	letter-spacing:0.08em 3.84pt at 48.0pt text; formula: spacing pt = 0.08em x font pt	Page statement. Capitals.
Every arrival	type.h1 Heading 1 48/56 CONDITIONAL	letter-spacing:0.02em 0.72pt at 36.0pt text; formula: spacing pt = 0.02em x font pt	Sentence or title case. Never capitals above 48 without tracking.
Every arrival	type.h2 Heading 2 32/40 CONDITIONAL	letter-spacing:0.01em 0.24pt at 24.0pt text; formula: spacing pt = 0.01em x font pt	Sentence case.
Every arrival	type.h3 Heading 3 24/32 CONDITIONAL	letter-spacing:0em Normal (0pt)	Sentence case.
EVERY ARRIVAL	type.tagline Tagline 14/20 APPROVED	letter-spacing:0.18em 1.89pt at 10.5pt text; formula: spacing pt = 0.18em x font pt	HOSPITALITY, IN PERFECT PROPORTION. Capitals, one line.
EVERY ARRIVAL	type.eyebrow Eyebrow 13/16 CONDITIONAL	letter-spacing:0.16em 1.56pt at 9.8pt text; formula: spacing pt = 0.16em x font pt	Short capital label above a heading. 1 to 4 words.
EVERY ARRIVAL	type.navLabel Nav label 14/20 CONDITIONAL	letter-spacing:0.08em 0.84pt at 10.5pt text; formula: spacing pt = 0.08em x font pt	Navigation and tabs in capitals; 16px sentence case at tracking 0 is the default.
EVERY ARRIVAL	type.labelSmall Label small 12/16 CONDITIONAL	letter-spacing:0.08em 0.72pt at 9.0pt text; formula: spacing pt = 0.08em x font pt	Status labels and table headers in capitals.
Every arrival	type.body	letter-spacing:0em	Running text. Never

	Body 16/26 APPROVED	Normal (Opt)	tracked.
نص تجريبي	type.arabic Arabic, all styles PENDING VALIDATION	Letter-spacing:0em Normal (Opt)	Tracking is always 0. Letter-spacing breaks Arabic joining.
Prohibited. 0.3 to 0.8em tracking; tracking on lowercase running text, on Arabic, or on any text below 12px; tracking added to fit a word on a line.			

Arabic and RTL specification

Status: PENDING VALIDATION. Arabic is required for Saudi/GCC use in V3.0 (M01) but is not production-ready until native RTL, localization, mixed-language and accessibility QA pass (VAL-07). Every Arabic string in this system is a **working layout string, PENDING LOCALIZATION APPROVAL**. Professional Arabic copyediting is mandatory before release (M16). The tagline is not translated without explicit brand approval (M10).

Principles

Rule	Decision
True RTL text flow and <code>dir="rtl"</code> on the document	M06
Mirror page composition where semantically appropriate	M07
Never mirror the GEM logo or symbol	M08
No Latin tracking on Arabic	M05
Product names translated case by case	M09
Arabic-Indic numerals for guest-facing Arabic copy where appropriate; Latin 0 to 9 for SKUs, codes, URLs, phones, cross-system references	M11
Standardised codes stay LTR inside RTL layouts	M12
Wayfinding: Arabic first and right, English secondary and left, by default	S07

What mirrors

Mirrors	Does not mirror
Layout order, columns, navigation order	Logo and symbol
Text alignment (start edge)	Photographs, artwork
Progress direction	Clocks, play and media controls
Previous and next glyphs (only)	Search, calendar, language, check, plus, minus glyphs
Form label and input alignment	SKU, URL, email, phone, batch codes
Table column order	Numbers inside a code

Implementation: logical properties only (`margin-inline-start` , `padding-inline-end` , `text-align: start` , `inset-inline`).
No `left` or `right` in component CSS. `Glyph mirrors` `previous` and `next` through `data-mirror` .

Mixed-language content

- Wrap embedded Latin in `<bdi>` or `<span dir="ltr">` ; wrap embedded Arabic in an LTR line the same way.
 - Keep punctuation with the language it belongs to.
 - Codes such as `GEM-[PENDING]` stay LTR and visually separated.
 - Do not force Latin and Arabic into one run at different sizes; use the Arabic scale.
-

Direction and focus

Tab order follows reading order. In RTL, Left and Right arrow keys swap in tablists and date grids. Focus ring is not mirrored; it is symmetric.

Examples

See the `BilingualLayout` card and the component previews: every component preview shows English and Arabic side by side, with the Arabic side flagged PENDING LOCALIZATION APPROVAL. Bilingual signage, packaging and UI examples are required by M13 to M15; the digital UI examples are included here; signage and packaging examples follow `13-amenities-packaging` and `15-wayfinding` as layout principles only.

Responsive RTL (Q18)

Reflow, order, mixed-language content and focus behaviour are verified at each of the five bands. This is **PENDING VALIDATION** until native QA, including screen-reader reading order (V14).

Release gate

Arabic is either signed off after native QA or explicitly deferred from the production release (AC10 is Evidence Required). Until then it must never be shown as final.

ENGLISH, ARABIC, BILINGUAL

[PENDING LOCALIZATION APPROVAL] Arabic strings are working layout strings for geometry only. The tagline is not translated. Final copy needs native Arabic QA (VAL-07).

YOUR STAY

Review your booking

Check the dates and room before you confirm.

Review booking

إقامتك

راجع حجزك

تحقق من التواريخ والغرفة قبل التأكيد.

مراجعة الحجز

Rule	Value
Mirror	Layout, reading order, navigation, progress, chevrons (previous and next only), form alignment.
Do not mirror	Logo, photographs, clocks, play controls, Latin technical strings, phone numbers, SKUs.
Numerals	Latin for SKU, codes, URLs, phones; Arabic-Indic for guest-facing Arabic copy where appropriate (CONDITIONAL).
Arabic type	Noto Sans Arabic, line-height at least 1.7, tracking 0, no italics, no capitals styling.

Layout, spacing and responsive model

Breakpoints (Q17, APPROVED)

Class	Width	Columns	Gutter	Margin	Max content
Compact	up to 479px	4	16	16	fluid
Mobile	480 to 719px	4	16	24	fluid
Tablet	720 to 1023px	8	24	32	fluid
Desktop	1024px and up	12	24	48	1080px
Wide	1440px and up	12	24	48	1280px, centred

Breakpoints are APPROVED. Columns, gutters, margins and max widths are **CONDITIONAL** until validated in representative templates. Wide is a max-width enhancement, not a separate interaction model. Reading order is preserved across every class.

Behaviour by component family

Family	Compact and Mobile	Tablet	Desktop and Wide
Page layout	One column, margins 16 or 24	8-column grid	12-column grid, max 1080 or 1280
Type	Display steps down; body stays 16px	Display 64	Display XL 96
Cards	Stacked, full width	Two-up	Three-up or four-up in content width
Navigation	Collapsed to a disclosure; targets 44px	Collapsed or inline	Inline, primary items visible
Modals	Full width minus 24px margin; actions stack	Centred, max 440	Centred, max 440
Forms	Single column, labels above	Single column, optional two-up for short fields	Single column; two-up for paired fields

Family	Compact and Mobile	Tablet	Desktop and Wide
Images	3:2 rooms, 4:5 products, 16:9 hero bands (proposed, CONDITIONAL)	same	same
Tables	Scroll inside a labelled region or restack rows as label/value pairs	Horizontal scroll if needed	Full table

Reflow and zoom

Content reflows at 320 CSS px width and at 400% zoom without scrolling in two directions (WCAG 1.4.10), except for data tables, maps and images that require two dimensions. Text spacing overrides must not clip content. Never fix heights on text containers.

Spacing logic

Space is part of the identity. Use the scale 4, 8, 12, 16, 24, 32, 48, 64, 96. Component padding: 12 to 24. Section separation: 48 to 96 at Desktop, 32 to 64 at Mobile. Whitespace is not filled for density; remove content before reducing space.

Grid and alignment

Align to the start edge of the grid (left in LTR, right in RTL). Cards and images use square corners (radius-editorial). Optical alignment: capital tracking leaves trailing space after the last letter; compensate by trimming equal to the tracking value when centring tracked capitals.

RTL at every band

Run the same matrix mirrored: order, focus, navigation and mixed-language reflow (Q18, VAL-20).

RESPONSIVE MODEL

Breakpoints 480, 720, 1024 and 1440 are APPROVED (Q17). Column counts, gutters, margins and content widths are CONDITIONAL until validated in real templates. Reflow at 320px width and 400% zoom without two-direction scrolling.

Band	Width	Columns	Gutter	Margin	Behaviour
Compact	0 to 479	4	16px	16px	Single column. Navigation collapses. Primary action full width.
Mobile	480 to 719	4	16px	24px	Single column; two-up only for glyph grids and image pairs.
Tablet	720 to 1023	8	24px	32px	Two-up cards. Navigation may stay collapsed.
Desktop	1024 and up	12	24px	48px	Content max 1080px. Full navigation.
Wide	1440 and up	12	24px	48px	Content max 1280px; centred, margins grow. Not a separate model.



Desktop 12-column grid, 24px gutter.

Type scaling: CONDITIONAL Display XL 96 applies at 1024px and up. Proposed step-downs for template validation: Display 64 at 720px, 48 at 480px, 40 at Compact. Body stays 16px at every width. Proposed image ratios: 3:2 rooms, 4:5 products, 16:9 hero bands; social starter ratios 1:1, 4:5, 9:16, 16:9 (W07).

Accessibility

Target: **WCAG 2.2 AA minimum** (K08, V01). Implementation QA is mandatory and in progress (VAL-08). Exceptions require explicit approval (K09).

Requirements and where they live

Requirement	Rule	Token or component
Colour contrast	Text 4.5:1, large text and UI boundaries 3:1; see approved pairings	Semantic colour tokens
Not by colour alone	Every state has text, border weight or glyph (V10, Q10)	Alert, Field, StatusLabel
Target size	44 by 44 CSS px minimum (V12)	<code>size.target-min</code>
Focus visible	2px ring, 2px offset, INK light or WHITE dark (V08)	<code>focus-width</code> , <code>focus-offset</code> , <code>focus-light</code> , <code>focus-dark</code>
Keyboard	Everything operable; no traps (V09, Q16)	All components
Focus order	Matches visual and reading order	Layout
Current location	<code>aria-current="page"</code> on navigation	Navigation
Selection	<code>aria-selected</code> on tabs, <code>aria-pressed</code> on toggle buttons and date days	Tabs, ToggleButton, DatePicker
Invalid	<code>aria-invalid="true"</code> plus <code>aria-describedby</code> to the error text	Field, Select, Textarea
Required and optional	Marked in text; native <code>required</code> where blocking	Field
Alerts	Errors use <code>role="alert"</code> ; other states <code>role="status"</code>	Alert
Loading	<code>aria-busy</code> , visible label, no invented time	Button, Progress, Alert
Dialogs	<code>role="dialog"</code> , <code>aria-modal</code> , label, focus moved in, trapped, Escape closes, focus returns to the opener	Modal
Disabled	<code>aria-disabled</code> keeps the control focusable and explains why in text	Button
Tables	<code>th scope</code> , caption	SpecificationTable

Requirement	Rule	Token or component
Links	Descriptive; external links announce a new window	Link
Images	Meaningful alt text mandatory (V02); decorative geometry marked decorative (V03)	RoomCard, ProductCard
Reduced motion	Mandatory (V11): durations go to 0ms	duration-instant
Language	lang on the document and on foreign-language runs	Locale
Reading order	Logical in DOM, also in RTL (V05, V14)	Layout

Contrast notes

BEIGE on WHITE is 2.2:1 and prohibited for essential text and control boundaries (K05). It appears only as decoration or as a fill behind INK text. Disabled controls must still be understandable: they keep INK text and a BEIGE border, and a visible sentence says what unlocks them. Disabled controls are exempt from contrast rules in WCAG but are not hidden from assistive technology here.

Testing

Per release: automated checks (axe-core), keyboard-only pass, screen-reader pass in English and Arabic, zoom to 400%, 320px reflow, reduced-motion and forced-colours checks. PDF publications that are official need tagging (V13). Physical signage needs legibility testing (V15, VAL-12).

Motion

Token	Value	Status	Use
duration-instant	0ms	APPROVED	Every transition under reduced motion
duration-hover	150ms	APPROVED	Hover colour change
duration-confirmation	180ms	APPROVED	Confirmation state appearing
duration-modal	200ms	APPROVED	Modal appearing
duration-reveal	1500ms	APPROVED	Full mark reveal (P02)
reveal-ring	900ms from 0	CONDITIONAL	Ring draws on
reveal-spark	200ms from 900ms	CONDITIONAL	Spark flashes
reveal-quarter	400ms from 1100ms	CONDITIONAL	Quarter fills
easing-out	cubic-bezier(0.22, 0.61, 0.36, 1)	APPROVED	The only easing; reversed for exits

Rules: no bounce, elastic or overshoot; no parallax or autoplay loops; motion explains a change, never decorates. Animate opacity and colour only on UI controls; position changes are limited to modal fade.

Reduced motion

`@media (prefers-reduced-motion: reduce)` sets every duration to 0 and removes keyframe animation. The state change is kept; the movement is not. Equivalents: modal appears instantly; the reveal shows the final mark; progress shows static value and text.

Motion masters (video, Lottie, PowerPoint transitions) and their reduced-motion equivalents are **PENDING VALIDATION** (VAL-14); only the tokens and rules are released here.

Functional Glyph System

Chapter title per Z11. This is a functional set, not a decorative icon library. Glyphs carry meaning or action; none is added for ornament, and no glyph replaces a text label on its own.

Specification

- 27 outline glyphs, 24px optical box on a 24px grid, 2px stroke, square caps and miter joins, ink only.
- Sizes: 16 (inline with text), 20 (controls), 24 (default), 32 (amenity pictograms and the smallest standalone size, H11).
- No fills, no gradients, no two-tone. Colour follows text (`currentColor`).
- Optical padding: shapes sit 2px inside the box. Round shapes overshoot by 0.5px to look equal to squares.
- Keep to the single stroke weight; never scale a glyph to change its stroke.

Categories

Category	Glyphs	Status
Interface	close, previous, next, expand, collapse, check, plus, minus, calendar, search, download, external, language	CONDITIONAL (geometry QA, VAL-13)
Contact and guest	location, phone, email, guest, bed	CONDITIONAL
Amenity and service	accessibility, wifi, dining, spa, pool, fitness, transport	PENDING VALIDATION
Status	currency, warning	PENDING VALIDATION

The accessibility glyph must be reviewed against recognised accessibility symbol guidance and local signage rules before use on signage.

Accessibility

Decorative glyphs are `aria-hidden` . A glyph that stands alone has an accessible name (`label`). Targets that contain a glyph meet the 44px minimum.

RTL

Only **previous** and **next** mirror. Search, calendar, language, check, plus, minus and others do not mirror. Currency and location do not mirror.

Production

SVG files in the Glyphs asset group are working geometry, drawn here. They are not final supplier artwork; final masters follow the approved source geometry (DS05).

FUNCTIONAL GLYPH SET

Single-weight outline glyphs, 24px optical box, 2px stroke, square caps, ink only. Glyphs carry function, never decoration, and never replace a text label alone. Only previous and next mirror in RTL. Interface glyphs are **CONDITIONAL** on geometry QA (VAL-13); amenity pictograms are **PENDING VALIDATION** and are not for wayfinding signage.

 close CONDITIONAL	 previous CONDITIONAL	 next CONDITIONAL	 expand CONDITIONAL	 collapse CONDITIONAL	 check CONDITIONAL	 plus CONDITIONAL
 minus CONDITIONAL	 calendar CONDITIONAL	 search CONDITIONAL	 download CONDITIONAL	 external CONDITIONAL	 language CONDITIONAL	 currency PENDING VALIDATION
 location CONDITIONAL	 phone CONDITIONAL	 email CONDITIONAL	 guest CONDITIONAL	 bed CONDITIONAL	 accessibility PENDING VALIDATION	 wifi PENDING VALIDATION
 dining PENDING VALIDATION	 spa PENDING VALIDATION	 pool PENDING VALIDATION	 fitness PENDING VALIDATION	 transport PENDING VALIDATION	 warning PENDING VALIDATION	

UX writing and feedback

Voice (G01 to G10)

Measured. Warm, not effusive. Quietly confident. Precise about detail. Short sentences. State rather than sell. No exclamation marks except a genuine functional need. No unsupported superlatives.

Approved vocabulary: arrival, stay, proportion, composed, measured, quiet, exact, welcome, crafted.
Avoid: luxurious, world-class, indulge, oasis, escape, pamper, unforgettable, best.

Arabic follows the same character and is written for Arabic, not translated word for word (G18). All Arabic is PENDING LOCALIZATION APPROVAL.

Feedback hierarchy (Q10)

Every feedback message has three layers, in this order:

- 1. **STATE LABEL**, a capital label: INFORMATION, ERROR, CONFIRMED, LOADING.
- 2. **Title**, one short sentence stating what happened.
- 3. **Actionable sentence**, what the person can do next, or what is happening.

State	Label	Title	Actionable sentence
Error	ERROR	Availability has changed.	Review your room selection.
Confirmation	CONFIRMED	Booking confirmed.	Reference: [booking ID].
Loading	LOADING	Checking availability...	No estimated completion time is available.
Information	INFORMATION	Request received.	We'll confirm the delivery time here.

Never write a time estimate, delivery promise or price that is not supplied by the system.

Field errors

State the fix, not the fault. Place the message under the field, linked with `aria-describedby`, announced with `role="alert"`.

Instead of	Write
Invalid date	Choose an arrival date before the departure date.

Instead of	Write
Required	Enter the guest name as it appears on the booking.
Error	Enter an email address, for example name@example.com.

Examples by journey

All examples use placeholders in square brackets for facts GEM must supply. None states a property fact.

Context	Example	Note
Booking	Review booking · Choose your dates · Keep dates	Verb phrases naming the outcome
Room	[Approved room name] · [Size], [Bed type], [Occupancy]	Facts from the property only
Concierge	Your concierge is [name]. Message them here.	Name from the system
Dining	Reserve a table · [Venue] · Seating for [number]	No availability promise
Service recovery	We're sorry the room wasn't ready. We have noted it and [action]	[Action] filled by the property; no compensation stated
Reservation	Your reservation is confirmed. Reference: [ID].	
Amenities	Request samples · Core collection · Property edition	Names from the approved product list
B2B inquiry	Tell us about your property or project. We'll reply to [email address].	No response time unless supplied
Sampling	Sampling is selected. Choose the products to sample.	Pairs with ToggleButton status
Quotation	Request a quotation · Quotation reference: [ID]	No price shown until supplied
Packaging	Packaging brief · Artwork version [PENDING]	
Delivery and replenishment	Replenishment programme: [TO BE VERIFIED]	No MOQ, schedule or lead time stated

Buttons and links

Sentence case, outcome verbs, one primary per view. No "Click here", no "Learn more" alone; give the destination. External links announce the new window.

Prohibited

Exclamations as decoration, "luxury" vocabulary above, claims such as best, leading, number one, world-class (F01, F02), sustainability, safety, origin or performance claims without evidence (F03 to F07), and any unverified claim in a final template (F08).

Localization and locale-aware behaviour

Source language: English (D03). Arabic for Saudi/GCC (`ar-SA`) is PENDING VALIDATION (VAL-07).

Locale tokens

Token	Value	Status
locale-source	en	APPROVED
locale-arabic	ar-SA	PENDING VALIDATION
numerals-technical	latn	APPROVED
numerals-guest-arabic	arab	CONDITIONAL
calendar-default	gregory	CONDITIONAL; Hijri display policy [REQUIRES OWNER: Arabic / Localization Lead]

Rules

- Format dates, numbers and currency with `Intl.DateTimeFormat` and `Intl.NumberFormat` , never string concatenation.
- Week start comes from `Intl.Locale.weekInfo` for the locale; do not hardcode Monday or Sunday. A `firstDay` override exists for property policy.
- Latin digits for SKUs, codes, URLs, phones and cross-system references in every locale (M11, M12).
- Currency: show currency code or symbol per locale; no price is invented. `[PENDING]` until supplied.
- Names are never forced into a single "first and last" pattern.
- Text expansion: allow 30 to 40% more width for translated strings; never fix widths on labels.
- Language selector shows each language in its own language and sets `lang` and `dir` .

Date picker (single and range)

- `DatePicker` accepts `locale` , `mode` (`single` or `range`), ISO `value` , `min` , `max` , `isUnavailable` , `firstDay` , `showText` .
- A text summary below the grid states the selected date or range in full; selected state is not conveyed by fill alone (selected cells have a 2px border).
- Unavailable dates are struck through and disabled, and carry text in the accessible name.

- Arrow keys move by day and week; direction swaps in RTL. Page Up and Page Down change month.
 - Range mode: first click sets arrival, second sets departure; the range is filled BEIGE with INK text (8.2:1).
-

Content review

Arabic copy: professional copyediting (M16), mixed-language check, screen-reader reading order (V14).
Do not release before AC10 is resolved.

Components

26 components in `components/` , exposed as `window.GEM` (React 18), typed in `index.d.ts` . Each README follows the same 11-part template: **Purpose, Anatomy, Tokens, Variants, States, Content, Accessibility, Responsive, RTL, Do/Don't, Code**. Each preview shows English and Arabic (Arabic flagged PENDING LOCALIZATION APPROVAL).

Component status: tokens and behaviour are **APPROVED in principle, implementation CONDITIONAL** on VAL-13 (independent implementation QA) and VAL-20 (responsive, locale and living-docs QA).

Index

Component	Purpose
Alert	Reports a state with a label, a title and an actionable sentence.
Button	Starts or confirms one action. One primary Button per view; label states the outcome.
Checkbox	Records independent yes or no choices.
DatePicker	Chooses one date or a date range using the active locale.
Disclosure	Reveals secondary content such as cancellation terms or product care.
EmptyState	Explains an empty list and offers the next step.
Field	Collects one short text value.
FilterChip	Shows an applied filter that can be removed.
Glyph	Renders one glyph from the GEM Functional Glyph System. Not a decorative icon library.
IconButton	A compact control whose meaning is a functional glyph: close, previous, next, plus, minus.
LanguageSelector	Switches language and direction.
Link	Navigates. Underlined, weight 500, ink.
Modal	Asks for a decision that blocks the page.
Navigation	Moves between sections.
ProductCard	Presents one Amenities & Packaging SKU in the approved hierarchy: GEM, collection or tier, product and function, size, instructions, SKU and artwork version.

Component	Purpose
Progress	Shows progress of a known or unknown task without implying a time.
QuantityStepper	Sets a small whole number: guests, rooms, sample units, SKU quantity.
RadioGroup	Chooses exactly one option from a short visible set.
RoomCard	Presents one room option with verified facts and a single action.
SearchField	Finds content or products.
Select	Chooses one option from a short fixed list.
SpecificationTable	Shows a controlled product or packaging specification as a real table.
StatusLabel	Marks the approval status of a rule, specimen or asset so that pending content never looks approved.
Tabs	Switches views in place: Overview, Room details.
Textarea	Collects free text such as a bespoke brief or a service note.
ToggleButton	Switches one choice on or off, such as adding sampling to a brief.

Evaluation matrix

How each family was checked before inclusion. "Tested" means exercised in a local render harness (Chromium, axe-core 4, scripted keyboard checks), not by an independent QA team.

Check	Result
Semantic tokens only, no raw hex in component CSS	Pass (automated scan: no undefined or raw colour variables)
44px minimum targets	Pass by automated measurement in all previews. Checkbox and radio inputs are 24px; the whole label row (44px high) is the target
Focus ring visible on light and dark	Pass by token; dark surfaces use <code>gem-dark</code>
Keyboard operation	Arrow-key movement checked by script for Tabs and DatePicker; focusable aria-disabled Button checked. Screen-reader testing PENDING (VAL-08)
RTL	Logical properties; previews render in <code>dir="rtl"</code> ; native QA PENDING (VAL-07)

Check	Result
Reduced motion	Transitions removed under the media query
Colour not the only cue	State label, border weight, glyph and text on every state
Console errors	None in the 26 component previews
axe-core (WCAG 2.2 AA and best-practice rules)	No violations in component markup. Known harness notes: the colour card contains an intentional K05 negative example; two previews repeat a navigation or search landmark because English and Arabic sit side by side

Not yet included

Destructive button, toast, tooltip, popover, data table with sorting, file upload, carousel, date-time picker, and a full dark theme. None has a product requirement in the register; add through change control.

Using the bundle

```
const {Button, Field, DatePicker, Alert} = window.GEM;  
h(Field, {label: 'Guest name', error: 'Enter the guest name as it appears on the booking.'});  
h(DatePicker, {locale: 'ar-SA', mode: 'range', value: {start: '2026-10-07', end: '2026-10-10'}, onChange: setRange});
```

Wrap dark surfaces in `.gem-dark` so focus and text invert.

Hospitality patterns

Representative application patterns (RF11, R01 to R17). Digital patterns are built here from components. Physical applications (key card, sleeve, door hanger, stationery, menus) follow the Brand Guidelines (Part A) and Production Standards (Part C); here they are listed with their digital counterparts and open dependencies. Vehicle livery is **Deferred** (R17). Uniform and badge, spa and wellness: only if relevant.

Pattern	Components	Status and notes
Booking flow	Field, Select, DatePicker (range), QuantityStepper, Button, Alert, Progress	CONDITIONAL. No price or availability invented.
Room selection	RoomCard, SpecificationTable, Tabs	PENDING VALIDATION. Needs verified room photography, names and access details.
Reservation confirmation	Alert (CONFIRMED), SpecificationTable, Link	Reference shown as [booking ID].
Concierge and digital arrival	Navigation, Field, Button, Disclosure	PENDING VALIDATION. Services come from the property.
Dining	Navigation, Tabs, Field, DatePicker	Menu pricing [PENDING].
Service recovery	Alert, Button	Wording is [action] to be filled by the property; no compensation language.
Email communications	Typography scale, Button, Link	Email-safe font stacks: Arial or system-ui fallback; layout is single column.
Social	Social starter ratios 1:1, 4:5, 9:16, 16:9 (W07)	Templates are Part A deliverables.
Presentations and proposals	Part A templates; tracking scale PowerPoint equivalents	Native QA PENDING (VAL-15).

Page anatomy

1. Header: logo (minimum 120px wide, H10), navigation, language selector.
2. Content band: eyebrow, heading, one sentence, one primary action.
3. Supporting geometry: one oversized ring or quarter cropped off the edge (N06, N07), never touching the logo (N08), at most one spark per composition (N11).
4. Footer: language, legal [PENDING], contact [REQUIRES OWNER].

Principle, specimen, rule, application

Each pattern is presented in this order across the system: the principle (why), a specimen (what it looks like), the rule (what is fixed), the application (where it is used). The component READMEs and the showcase cards follow the same rhythm.

Amenities & Packaging

GEM™ — Amenities & Packaging is the primary B2B business stream under the single master brand (T01, AC02). It is a descriptive stream, not a sub-brand: **no new symbol, no new colour system, no stream logo**. GEM is positioned as a supplier and partner, not a hotel operator. Public capability claims stay **CONDITIONAL** until commercial and operational validation (VAL-01).

Naming and hierarchy (T04, T05)

GEM → collection or tier → product name and function → quantity and size → instructions and required market information → SKU and artwork version.

Property or bespoke naming must not create a new sub-brand logo.

Pilot family (T02, T03)

Bath and body amenity family: Shampoo, Conditioner, Body Wash, Body Lotion, Hand Wash. Pack sizes, formulation and regulatory fields are supplier and market inputs, shown as [PENDING].

Field	Rule	Status
Name and function	Functional, in English; Arabic per T11	CONDITIONAL
Quantity	Metric first: mL, g, count (T06); secondary unit only where required	CONDITIONAL
Instructions and market information	From verified data only	[PENDING]
Ingredients / formulation	Regulated personal care; verified product data only (T10)	[PENDING]
Batch and lot	Reserved controlled field where traceability is required (T08)	Reserved
Barcode / GTIN	Only where retail, logistics or client systems require; secondary zone (T07)	Reserved
Country of origin	Where required by destination market or client; verified per SKU (F06, T09)	[TO BE VERIFIED]
Arabic	Plan as mandatory for Saudi-market packaging unless qualified regulatory review confirms an exception (T11)	PENDING VALIDATION
SKU and artwork version	Printed and held in production records (T22)	[PENDING]

The `ProductCard` and `SpecificationTable` components show this structure with placeholders and the **CONCEPT / NOT PRODUCTION ARTWORK** label.

Packaging architecture (principles only)

Safe zones and bleeds are standardised (T13). Surfaces: uncoated, warm neutral paper; deep INK board; selective deboss or blind emboss; soft-touch selectively; precision die-cut; foil only if specifically approved; no chrome, holographic or high-gloss as core expression; gold is not a GEM colour (U01 to U10). Minimum stroke and mark size per process must be tested and documented (U11).

Release controls

Before mass production: supplier dieline per SKU (T12), material, finish, print process, colour tolerances (T14 to T19), physical proof (T17), signed reference sample archived (U13), supplier acceptance (T20), brand sign-off (T21). A concept mockup is never production approval (T23).

Not stated here

Supplier or manufacturing capability, MOQs, prices, delivery or lead times, replenishment schedules, sustainability or recyclability claims, regulatory approvals and country-of-origin facts are not stated. Each is [TO BE VERIFIED] or [REQUIRES OWNER] until its gate closes (VAL-01, VAL-09 to VAL-11).

Sampling, quotation and delivery UX

Sampling uses a `ToggleButton` with visible status. Quotation requests carry no price until supplied. Delivery and replenishment pages show [TO BE VERIFIED] fields rather than schedules. Copy examples are in `09-ux-writing`.

Imagery and art direction

Status of the library: PENDING. A dedicated, rights-cleared GEM photography library is to be commissioned and curated before final V3.0 launch (O19). No production photography exists in this system. The images shown here are **rendered art-direction studies, status REFERENCE, labelled CONCEPT / NOT PRODUCTION ARTWORK.** They show crop, grade and light only, and must not be used as property, product or marketing imagery. AI or rendered mockups are never presented as photography (O17).

Direction (APPROVED)

- Editorial, architectural, restrained (O01).
 - The guest is shown obliquely: hands, ritual, material, thresholds (O04).
 - Strong negative space (O05). Controlled single-source light (O06). Warm-neutral or near-monochrome grade (O07).
-

Required categories

Architecture (O11), material detail (O12), arrival and threshold (O13), amenities and product (O15); dining and staff or service where relevant (O14, O16).

Prohibited and avoided

Generic stock hospitality imagery (O02), posed smiling guests as default (O03), oversaturated imagery (O08), social-media filters (O09), artificial glow (O10), gold highlights, and text placed over busy areas.

Crops and ratios

Approved do and don't crops are required (O20). Proposed ratios, **CONDITIONAL**: 3:2 rooms and architecture, 4:5 products, 16:9 hero bands, with 1:1, 4:5, 9:16, 16:9 for social starters (W07). Do: keep the subject on a third line, leave at least one quarter of the frame empty, crop to the edge of an object rather than through it. Don't: centre-and-fill every frame, crop through faces, crop the logo.

Grade

Near-neutral with a warm bias; whites stay slightly warm, blacks lift to INK. Saturation held low; never push BEIGE toward gold. Apply one grade per set.

Lighting

One dominant source, soft edge, long shadow. Avoid mixed colour temperatures and lens flare.

Rights metadata (O18, VAL-06, Y04)


Every approved production image carries source, photographer or creator, licence, usage scope, model and property release status, date and version. Images without complete metadata stay REFERENCE.

Alt text (V02)


Every meaningful image has alt text that says what the image shows in the context of the page. Decorative geometry is marked decorative (V03). Mockups say so in the caption.

IMAGERY DIRECTION

REFERENCE **[CONCEPT / NOT PRODUCTION ARTWORK]** Rendered studies that show crop, grade and light only. No rights-cleared GEM photography exists yet (O19, VAL-06). Do not use these as property or product imagery.



Threshold. Arrival. Low horizon, one source of light, space above the subject.



Material. Close crop. Texture and edge, no logo in frame.




Table. Overhead, still life. Quiet, three objects at most.



Room. Eye level, symmetrical, light entering from one side.

Do

Restrained palette close to INK and BEIGE. Generous negative space. One focal subject.

Don't

Saturated grade, lens flare, gold highlights, stock-style smiling groups, text over busy areas, filters that add colour.

Wayfinding and environmental identity

Scope. V3.0 contains an environmental-identity framework and representative principles (S01).

Production-ready, site-specific wayfinding is deferred until a live property brief exists (VAL-12). All fabrication detail on this page is **PROJECT-SPECIFIC / REQUIRES SITE VALIDATION**. External property signage is Deferred (S02).

Principles

Principle	Rule
Hierarchy	Lobby (S03), directional (S04), room-number (S05), amenity and facility (S06)
Bilingual order	Saudi/GCC: Arabic first and right, English secondary and left, with equivalent information and legibility; adapt only where regulation or operations require (S07)
Glyphs	Amenity pictograms at 32px minimum in digital wayfinding (H11); signage pictograms need their own validated set
Contrast	INK on WHITE or BEIGE; WHITE or BEIGE on INK; no BEIGE on WHITE
Type	Jost capitals with tracking only for headings; Inter for instructions; Noto Sans Arabic for Arabic (interim)
Accessibility	Tactile and Braille where required by market or building rules (S08, S09); legibility testing required (V15)
Geometry	One oversized ring or quarter per surface at most; never behind text

Not defined here

Viewing distances, letter heights, illumination, materials, mounting heights and fabrication drawings are [REQUIRES SITE VALIDATION] and belong to the Production Standards (Part C) once a project exists. No supplier or fabrication capability is claimed.

Starter templates

Reusable layout and specification sheets, without site-specific fabrication data (W12), are Part A and C deliverables.

Machine-readable tokens (Q01 to Q09)

`tokens.json` is the source. The portable copies are `assets/Tokens/gem-tokens.v3.json` (nested) and `gem-tokens.v3.css` (CSS custom properties with a `--gem-` prefix).

```
{
  "foundation": { "color": { "ink": "#12171D", "beige": "#BCACA7", "black": "#020202", "white": "#FFFFFF" } },
  "semantic": {
    "surface": { "canvas": "{foundation.color.white}", "signature": "{foundation.color.ink}", "selected": "{foundation.color.beige}" },
    "text": { "primary": "{foundation.color.ink}", "inverse": "{foundation.color.white}" },
    "border": { "essential": "{foundation.color.ink}", "decorative": "{foundation.color.beige}", "focus": "{foundation.color.ink}" },
    "action": { "background": "{foundation.color.ink}", "foreground": "{foundation.color.white}" },
    "focus": { "light": "{foundation.color.ink}", "dark": "{foundation.color.white}" }
  },
  "type": { "family": {}, "size": {}, "lineHeight": {}, "weight": {}, "tracking": {} },
  "space": {}, "radius": {}, "size": { "target": { "min": "44px" } },
  "motion": { "duration": {}, "easing": {} },
  "layout": { "breakpoint": {}, "gutter": {}, "maxWidth": {}, "columns": {} },
  "locale": {}
}
```

Alias syntax is `{path}`. Status is in the token description (`[APPROVED]` , `[CONDITIONAL]` , `[PENDING VALIDATION]`). Names never change meaning between versions; renames are listed in the change log.

Implementation guidance (framework-aware)

- **React reference.** `window.GEM` bundle for React 18. Functional components, controlled and uncontrolled props, forwarded native attributes. Keep it a reference; port to the production stack's component model.
- **Semantic HTML first.** `button` , `a` , `label` , `fieldset` , `table` , `nav` , `dialog` semantics before ARIA. ARIA only where no native element exists.
- **CSS custom properties** for every token; no raw hex or px in components; logical properties for direction.
- **RTL.** `dir` on the document, logical properties, mirrored glyph data attribute, `bdi` for embedded Latin.
- **Reduced motion.** One media query zeroes durations.
- **Localization hooks.** Every user-facing string is a prop (labels, status text, remove and next labels). `Intl` for dates and numbers. No string concatenation for sentences.
- **Focus.** `:focus-visible` with the focus tokens; modal traps focus and returns it.
- **Testing.** `axe-core`, keyboard script, visual regression at five widths in LTR and RTL.

Storybook-ready structure (DS03, VAL-20)

Living documentation is the target; this system is a working equivalent.

```
tokens/      foundation, semantic, type, space, motion, layout, locale
components/<Name>/ <Name>.tsx, <Name>.css, <Name>.stories.tsx, README.md (11 parts), <Name>.test.tsx
docs/        governance, foundations, localization, patterns
```

Each story shows: default, every state, EN, AR (RTL), reduced motion, 320px and 1440px. Controls expose the documented props. A story is not done until axe passes and the keyboard script passes. **A running Storybook does not exist yet (DS03 evidence remains open).**

Versioning

Semantic version for the system (V3.0.0). Token or behaviour change that breaks usage is major; new components or tokens minor; fixes patch. Every release lists: version, date, decisions touched, files changed.

QA audit, open gates and release

Final QA audit

Result of a self-audit by the authoring team against the V3 brief. "Pass" means met in this edition; "Open" means it cannot be closed without owner evidence.

Area	Result	Notes
Brand	Pass	Palette, tagline, character, principles, logo unchanged; no gradients, gold, shadows, accent colours
Consistency	Pass	One status vocabulary; tokens used everywhere; component READMEs share one template
Accessibility	Pass with open item	WCAG 2.2 AA design rules, 44px targets, focus tokens, ARIA, reduced motion, automated and scripted checks; screen-reader and Arabic reading order untested (VAL-08, V14)
Responsive	Pass with open item	Five bands defined; template validation outstanding (VAL-20)
Localization	Open	Arabic working strings only; native QA not started (VAL-07)
Content	Pass	Placeholders for every unverified fact; no claims invented
Production	Open	Raster logos only; no supplier data; Production Standards not issued (VAL-02, VAL-09 to VAL-11)
Governance	Open	All role holders TBD; release authorization pending (AC20)
Implementation	Open	Reference bundle exists; no independent QA or Storybook (VAL-13, DS03)
Quality	Pass with open item	Tracking values are CONDITIONAL on optical QA (VAL-19)

Open validation gates

ID	Gate	Owner	Status
VAL-01	Architecture and commercial scope	Brand Owner + Commercial Lead	In progress

ID	Gate	Owner	Status
VAL-02	Production logo masters (SVG, PDF, EPS, PNG; no-spark micro mark)	Design Custodian	Not started
VAL-03	Trademark and distinctiveness review	Legal / IP Counsel	Not started
VAL-04	Logo artwork ownership evidence	Brand Owner / Legal	Not started
VAL-05	Font licence and deployment	Design Custodian / Legal	In progress
VAL-06	Image, model, property rights register	Art Direction / Legal	Not started
VAL-07	Arabic and RTL native QA	Arabic / Localization Lead	Not started
VAL-08	Accessibility implementation QA	Accessibility QA	In progress
VAL-09	Packaging pilot physical proof	Product + Procurement + Supplier QA	Not started
VAL-10	Packaging regulatory and claims review	Product / Regulatory / Legal	Not started
VAL-11	Supplier production acceptance	Procurement + Supplier QA	Not started
VAL-12	Wayfinding fabrication QA	Environmental Design + Accessibility QA	Deferred
VAL-13	Digital tokens and component implementation	Digital Design + Engineering	In progress
VAL-14	Motion and reduced-motion masters	Motion / Digital Lead	In progress
VAL-15	Native presentation and PDF QA	Presentation Production / QA	Not started
VAL-16	Controlled release manifest	Asset Librarian	Not started
VAL-17	Guideline usability test	Brand Governance	Not started

ID	Gate	Owner	Status
VAL-19	Typography and tracking QA	Design Custodian / Presentation QA	In progress
VAL-20	Responsive, locale and living docs QA	Digital Design + Engineering + Localization QA	Not started
VAL-21	Cross-document release consistency	Brand Governance / Design Custodian	Not started

Release checklist

1. All role holders named.
2. VAL-02 to VAL-07 closed or formally deferred.
3. VAL-08, VAL-13, VAL-19, VAL-20 closed.
4. Arabic signed off or explicitly excluded (AC10).
5. Production specifications approved (AC17).
6. Cross-document consistency check against Parts A and C (VAL-21).
7. Release manifest and checksums (VAL-16).
8. Brand Owner authorization (AC20).

Change log

Version	Change
3.0.0-draft	Updated from v2.1 under the V3 approval register. Added: tracking scale, Arabic hierarchy, semantic tokens (surface, text, border, action, focus, feedback), breakpoint and layout tokens, 27 functional glyphs, 26 components (from 12), locale-aware DatePicker, feedback hierarchy, Amenities & Packaging patterns, imagery studies, QA audit. Changed: Futura PT and Montserrat to reference only; 0.3 to 0.8em tracking retired; Arabic kept PENDING VALIDATION. Removed: unconditional manufacturing and warehousing statements.
2.1	Initial system from brand guidelines and digital tokens v2.1.

Register trace

Decisions applied by group: Typography L01 to L16; Accessibility K01 to K09, V01 to V15; Digital Q01 to Q21; Arabic M01 to M16; Motion P01 to P09; Graphic language N01 to N16; Imagery O01 to O20; Amenities

& Packaging T01 to T23, F01 to F10; Wayfinding S01 to S09; Verbal G01 to G18; Governance AC01 to AC20, Y01 to Y08, DS01 to DS05, AA01 to AA04.

Logos

Status: PENDING PRODUCTION MASTER. The five artworks below are the supplied raster PNGs (transparent, single ink). They are working references for digital layout. They are **not** production masters: no print, fabrication, embroidery, engraving or favicon release may use them (DS05). Raster artwork is never auto-traced or redrawn to produce a vector.

File	Ink	Use	Status
GEM_Logo_Horizontal_Beige.png	BEIGE #BCACA7	Signature lockup on INK. 654 x 207.	PENDING PRODUCTION MASTER
GEM_Logo_Horizontal_Black.png	BLACK #020202	Monochrome lockup on white. 654 × 207.	PENDING PRODUCTION MASTER
GEM_Logo_Horizontal_White.png	WHITE #FFFFFF	Reversed on INK or black only. 654 × 207.	PENDING PRODUCTION MASTER
GEM_Symbol_Beige.png	BEIGE	Standalone symbol on INK. 229 x 207.	PENDING PRODUCTION MASTER
GEM_Symbol_Black.png	BLACK	Standalone symbol on white. 229 × 207.	PENDING PRODUCTION MASTER

Approved rules (register H10 to H15)

- Primary lockup minimum digital width: 120px. Standalone symbol minimum: 32px.
- Below 32px use the no-spark micro mark (H12), which is **not supplied**.
- Clearspace u equals the G-ring radius; minimum one u, preferred two u.
- Never mirror the logo or symbol, including in RTL (M08). Never recreate the wordmark in type (L16).

Required but not supplied

SVG, PDF, EPS and PNG production masters rebuilt from approved source geometry (H16, H17); the no-spark micro mark; stacked configuration; white standalone symbol; embroidery master (if uniforms or linen are used); engraving and deboss master; favicon and app-icon set (H18 to H20); master artwork ID and version embedded in file names (H21). Ownership evidence (VAL-04) and trademark review (VAL-03) are also open.

Amenities & Packaging


No stream logo exists. Use "GEM™ — Amenities & Packaging" as a descriptive line set in type, with the master lockup unchanged.




GEM_Logo_Horizontal_Beige.png · PENDING PRODUCTION MASTER



GEM_Logo_Horizontal_Black.png · PENDING PRODUCTION MASTER



GEM_Symbol_Beige.png · PENDING PRODUCTION MASTER




GEM_Symbol_Black.png · PENDING PRODUCTION MASTER

Component library

26 components. Arabic strings are working layout strings, PENDING LOCALIZATION APPROVAL.

Alert



Reports a state with a label, a title and an actionable sentence.

Purpose. Reports a state with a label, a title and an actionable sentence.

Anatomy. STATE LABEL, title, sentence, optional action. Hierarchy: label then title then sentence.

Tokens. border-essential, border-error, surface-selected, feedback-errorText, feedback-successText, border-emphasis, type labelSmall, space-16/24.

Variants. information, loading, confirmation, error. Warning is not defined: Q10 allows functional status colours only after a demonstrated need; use information with a clear action, or raise a change request.

States. Static. Error 2px border. Confirmation beige fill with ink text.

Content rules. ERROR / Availability has changed. / Review your room selection. No exclamation marks. Confirmations state the completed action. Loading states no time estimate.

Accessibility. error role=alert; others role=status; loading aria-busy. State is written text; weight and fill support it. 18:1 and 8.2:1 contrast.

Responsive. Full width up to 560px.

RTL. Label uses Arabic family at tracking 0 and no capitals.

Do. Say what to do next.


Don't. Use red, green, alert icons, or colour alone.

Code.

```
h(GEM.Alert, {tone:'error', title:'Availability has changed.'}, 'Review your room selection.')
```

Arabic strings in the preview are working layout strings, status PENDING LOCALIZATION APPROVAL.

Button



Starts or confirms one action. One primary Button per view; label states the outcome.

Purpose. Starts or confirms one action. One primary Button per view; label states the outcome.

Anatomy. Container, label, optional glyph (only where it adds function), optional disabled reason below.

Tokens. action-background, action-foreground, action-hoverBackground, action-pressedBackground, action-disabledBackground, action-disabledText, border-essential, border-disabled, radius-control, target-min, focus-light, duration-hover, easing-out, type label.

Variants. primary (filled ink), secondary (ink outline, white fill), tertiary (underlined text action). On signature surfaces use `gem-dark`. No destructive variant: the register shows no product need; add through change control.

States. default, hover, focus-visible, pressed, disabled (aria-disabled, reason shown), loading (aria-busy, loadingLabel, no time estimate).

Content rules. Verb phrase naming the result: Review booking, Request samples. Sentence case, no exclamation mark. Loading label states what is happening: Checking availability... Disabled reason says what completes the action.

Accessibility. Native button. Disabled uses aria-disabled so the control stays focusable and its reason is read through aria-describedby; click is blocked. Loading sets aria-busy. Minimum 44px target. Focus ring 2px, offset 2px.

Responsive. Compact (479px and under): add `block` for full width where the action is the page's primary. Mobile and up: content width. Keep label on one line; shorten rather than wrap.

RTL. Direction follows the document. Glyphs next/previous mirror. Arabic label uses the Arabic family at tracking 0. Do not mirror the order of a primary/secondary pair arbitrarily: primary stays at the reading start.

Do. One primary per view. Name the outcome. Explain every disabled state in text.

Don't. Add decorative icons, gradients, shadows, pills, or a second filled button beside the primary.

Code.

```
h(GEM.Button, {onClick: submit}, 'Review booking')
h(GEM.Button, {variant:'secondary'}, 'Keep dates')
h(GEM.Button, {disabled:true, disabledReason:'Choose an arrival date to continue.'}, 'Continue')
h(GEM.Button, {loading:true, loadingLabel:'Checking availability...'}, 'Check')
```

Arabic strings in the preview are working layout strings, status PENDING LOCALIZATION APPROVAL.

Checkbox

☒ Send the booking confirmation by email

PENDING LOCALIZATION APPROVAL

إرسال تأكيد الحجز بالبريد الإلكتروني >

☐ Accessible room required

غرفة مهيأة للوصول

☐

☐ Accept terms

Accept the terms to continue.

Records independent yes or no choices.

Purpose. Records independent yes or no choices.

Anatomy. 24px box, label, help, error.

Tokens. border-essential, action-background, action-foreground, radius-control, target-min.

Variants. Single. Group with a fieldset and legend.

States. unchecked, checked (ink fill and a mark), focus-visible, error, disabled.

Content rules. Label states the choice: Send the booking confirmation by email.

Accessibility. Native input. Checked state shows a mark, not colour alone. Whole 44px row is the target.

Responsive. Row wraps text.

RTL. Box moves to the reading start.

Do. Use for independent options.

Don't. Pre-tick consent. Consent copy requires legal review [REQUIRES OWNER].

Code.

```
h(GEM.Checkbox, {label:'Send the booking confirmation by email', defaultChecked:true})
```

Arabic strings in the preview are working layout strings, status PENDING LOCALIZATION APPROVAL.

DatePicker

October 2026

<

>

Mon	Tue	Wed	Thu	Fri	Sat	Sun
			1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	

Arrival: Wednesday 7 October 2026. Departure: Saturday 10 October 2026

PENDING LOCALIZATION APPROVAL

<

>

أكتوبر ٢٠٢٦

الأحد الاثنين الثلاثاء الأربعاء الخميس الجمعة السبت

٣	٢	١				
١٠	٩	٨	٧	٦	٥	٤
١٧	١٦	١٥	١٤	١٣	١٢	١١
٢٤	٢٣	٢٢	٢١	٢٠	١٩	١٨
٣١	٣٠	٢٩	٢٨	٢٧	٢٦	٢٥

الوصول: الأربعاء، ٧ أكتوبر ٢٠٢٦. المغادرة: السبت، ١٠ أكتوبر ٢٠٢٦

Chooses one date or a date range using the active locale.

Purpose. Chooses one date or a date range using the active locale.

Anatomy. Month title, previous/next IconButton, weekday header, day grid, text representation.

Tokens. surface-selected, border-essential, border-emphasis, target-min, space tokens, type body/label.

Variants. mode single; mode range (arrival and departure); min, max, isUnavailable.

States. default, hover, today (2px underline plus 'today' in the name), selected (2px border plus beige plus 'selected'), in range (beige band), unavailable (strikethrough, aria-disabled, 'unavailable' in the name), focus-visible.

Content rules. Labels are localizable: Arrival, Departure, No date selected. The chosen date is also written as text below the grid.

Accessibility. Grid with roving tabindex. Arrows move by day and week (left/right follow reading direction), Home/End week start/end, PageUp/PageDown month, Enter or Space selects. Every day has a full accessible name with weekday, date and state.

Responsive. Fills to 336px; day cells 44px minimum.

RTL. Week order, arrows and keys mirror by direction. First day of week comes from the locale (en-GB Monday, en-US and ar-SA Sunday), not code. Grid is Gregorian; Hijri display is [REQUIRES OWNER: Arabic

/ Localization Lead].

Do. Pass locale. Show the text date. Keep unavailable days focusable but inert.


Don't. Hardcode Monday-first, English months or Western digits; rely on beige fill alone.

Code.

```
h(GEM.DatePicker, {locale:'ar-SA', mode:'range', value:{start:null,end:null}, onChange, isUnavailable:d⇒blocked(d)})
```

Arabic strings in the preview are working layout strings, status PENDING LOCALIZATION APPROVAL.

Disclosure



Reveals secondary content such as cancellation terms or product care.

Purpose. Reveals secondary content such as cancellation terms or product care.

Anatomy. Heading, button with aria-expanded, glyph, region.

Tokens. border-decorative, glyph-md, target-min, type h3 scale.

Variants. Single; stack for an accordion.

States. collapsed, expanded, focus-visible.

Content rules. Title states what is inside.

Accessibility. Heading containing a button; aria-expanded, aria-controls; region labelled by title.

Responsive. Full width.

RTL. Glyph at the reading end.

Do. Keep key information outside disclosures.


Don't. Hide required product information or errors.

Code.

```
h(GEM.Disclosure, {title:'Cancellation terms'}, 'Terms [PENDING]')
```

Arabic strings in the preview are working layout strings, status PENDING LOCALIZATION APPROVAL.

EmptyState



Explains an empty list and offers the next step.

Purpose. Explains an empty list and offers the next step.

Anatomy. Hairline, h3 title, sentence, optional action.

Tokens. border-decorative, type h3/body.

Variants. Single.

States. Static.

Content rules. State what is empty and what to do: No rooms match these dates. Change your dates.

Accessibility. Heading level fits the page; action is a real button.

Responsive. Full width to 480px.

RTL. Standard.

Do. Offer one action.

Don't. Use illustrations or humour.

Code.

```
h(GEM.EmptyState, {title:'No rooms match these dates.', action:h(GEM.Button,null,'Change dates')}, 'Change your dates or guest numbers.')
```

Arabic strings in the preview are working layout strings, status PENDING LOCALIZATION APPROVAL.

Field

Property or project name

PENDING LOCALIZATION APPROVAL

Use the name as on the brief.

اسم المشروع

استخدم الاسم كما هو في الطلب.

Arrival date

Choose an arrival date.

تاريخ الوصول

اختر تاريخ الوصول.

Guest name

رقم الهاتف

Collects one short text value.

Purpose. Collects one short text value.

Anatomy. Visible label, optional marker, input, help text, error text.

Tokens. border-essential, border-focus, border-error, border-disabled, text-primary, feedback-errorText, radius-control, target-min, space-8, type label/body/caption.

Variants. text, email, tel, date (native), number. Textarea is separate.

States. default, focus-visible (2px border plus ring), error (2px border, text correction, aria-invalid), disabled.

Content rules. Label names the value. Help is optional and informative. Error states the correction: Choose an arrival date. Placeholder is never the label.

Accessibility. Label for/id; help and error joined by aria-describedby; error has role=alert. After a failed submit, move focus to the first invalid field and summarize errors in an Alert.

Responsive. Full width up to 420px max; stacks label above field at every class.

RTL. Logical padding. Phone, email, code fields use dir=ltr on the input while the label stays RTL.

Do. Keep labels visible. Name the correction.


Don't. Use placeholder as label, colour alone for errors, or hide the label.

Code.

```
h(GEM.Field, {label:'Arrival date', error:'Choose an arrival date.', required:true})
```

Arabic strings in the preview are working layout strings, status PENDING LOCALIZATION APPROVAL.

FilterChip



Shows an applied filter that can be removed.

Purpose. Shows an applied filter that can be removed.

Anatomy. Label, remove button with glyph.

Tokens. border-essential, radius-control, target-min, glyph-sm.

Variants. Single.

States. default, hover on remove, focus-visible.

Content rules. Same words as the filter control.

Accessibility. Remove button named Remove ; announce removal in a live region.

Responsive. Wraps in a flow row.

RTL. Remove sits at the reading end.

Do. Group chips in a labelled list.

Don't. Use as a status badge (use StatusLabel).

Code.

```
h(GEM.FilterChip, {onRemove}, 'Accessible room')
```

Arabic strings in the preview are working layout strings, status PENDING LOCALIZATION APPROVAL.

Glyph

 close	 previous	 next	 expand	 collapse	 check	 plus	 minus
 calendar	 search	 download	 external	 language	 currency	 location	 phone
 email	 guest	 bed	 accessibility	 wifi	 dining	 spa	 pool
 fitness	 transport	 warning					

Renders one glyph from the GEM Functional Glyph System. Not a decorative icon library.

Purpose. Renders one glyph from the GEM Functional Glyph System. Not a decorative icon library.

Anatomy. 24×24 optical box, 2px stroke, square caps, mitred joins, single colour (currentColor).

Tokens. glyph-sm, glyph-md, glyph-lg, glyph-xl, border-emphasis (stroke), text colour inherited.

Variants. 27 glyphs. Status per glyph: UI and information glyphs are CONDITIONAL; amenity pictograms are PENDING VALIDATION until legibility testing (V15).

States. Static. Colour follows the parent text colour.

Content rules. Pair with visible text, or give the control an accessible name. A standalone informative glyph needs `label`.

Accessibility. aria-hidden when decorative inside a labelled control; role=img with aria-label when it stands alone.

Responsive. Sizes 16, 20, 24, 32. Never below 16.

RTL. Mirror only direction (previous, next). Never mirror close, check, calendar, search, phone, wifi, or the GEM logo.

Do. Use at 24px by default, aligned to the optical box.


Don't. Fill, outline twice, rotate, colour, animate, or add glyphs without review.

Code.

```
h(GEM.Glyph, {name:'calendar', size:24})  
h(GEM.Glyph, {name:'wifi', label:'Wi-Fi'})
```

Arabic strings in the preview are working layout strings, status PENDING LOCALIZATION APPROVAL.

IconButton



A compact control whose meaning is a functional glyph: close, previous, next, plus, minus.

Purpose. A compact control whose meaning is a functional glyph: close, previous, next, plus, minus.

Anatomy. 44px square, 24px glyph, hairline border, accessible name.

Tokens. border-essential, surface-canvas, surface-selected, target-min, glyph-lg, radius-control.

Variants. Glyph from the Functional Glyph System via `glyph`.

States. default, hover, focus-visible, disabled (aria-disabled).

Content rules. `label` is the accessible name in the page language: Close, Next month.

Accessibility. Name always provided through aria-label. Glyph is aria-hidden. 44px target. Directional glyphs mirror in RTL.

Responsive. Fixed size at every layout class.

RTL. previous and next mirror automatically; close, plus, minus do not.

Do. Use words in the name. Use only glyphs from the approved set.

Don't. Add custom icons or emoji, or use without a label.

Code.

```
h(GEM.IconButton, {glyph:'close', label:'Close', onClick:close})
```

Arabic strings in the preview are working layout strings, status PENDING LOCALIZATION APPROVAL.

LanguageSelector

Language

English

PENDING LOCALIZATION APPROVAL

اللغة

العربية

Switches language and direction.

Purpose. Switches language and direction.

Anatomy. Label, native select with lang and dir per option.

Tokens. Field tokens.

Variants. Select. A segmented control is not added for two languages.

States. default, focus-visible.

Content rules. Each language is named in its own language: English, العربية.

Accessibility. Option lang attributes; the page updates html lang and dir on change; focus stays on the selector.

Responsive. Full width at Compact.

RTL. Changing to Arabic sets dir=rtl on the document, never a CSS mirror.

Do. Persist the choice. Keep translated content equivalent.

Don't. Auto-translate brand expressions; the tagline requires explicit approval.

Code.

```
h(GEM.LanguageSelector, {value:'en', languages:[{code:'en',label:'English',dir:'ltr'},{code:'ar',label:'العربية',dir:'rtl'}],
onChange:(c,dir)⇒setLang(c,dir)})
```

Arabic strings in the preview are working layout strings, status PENDING LOCALIZATION APPROVAL.

Link

Read the cancellation terms or
download the specification ↗.

PENDING LOCALIZATION APPROVAL

اقرأ شروط الإلغاء أو تنزيل المواصفات ↗.

Navigates. Underlined, weight 500, ink.

Purpose. Navigates. Underlined, weight 500, ink.

Anatomy. Text, underline (offset 4px), optional external glyph and hidden new-tab text.

Tokens. text-primary, focus-light, glyph-sm.

Variants. internal, external (opens a new tab, announces it).

States. default, hover (thicker underline), focus-visible, visited inherits.

Content rules. Describes the destination: Cancellation terms, not Click here.

Accessibility. Native anchor. External links add rel and visually hidden text. Inline links meet the WCAG inline-target exception; standalone links should reach 44px height with padding.

Responsive. Wraps naturally.

RTL. Underline and glyph position follow direction.

Do. Name the destination.


Don't. Use a link as a button, or remove the underline.

Code.

```
h(GEM.Link, {href:'/terms', external:true}, 'Cancellation terms')
```

Arabic strings in the preview are working layout strings, status PENDING LOCALIZATION APPROVAL.

Modal



Asks for a decision that blocks the page.

Purpose. Asks for a decision that blocks the page.

Anatomy. Scrim (functional exception), panel, title, body, actions.

Tokens. surface-scrim, surface-canvas, border-essential, duration-modal, easing-out, space-32.

Variants. Overlay (default), `inline` for specimens.

States. open; Escape closes; focus trapped; focus returns to the trigger on close.

Content rules. Title as a question: Change your dates? Actions as outcomes: Change dates / Keep dates.

Accessibility. role=dialog, aria-modal, aria-labelledby. Focus moves into the dialog, Tab cycles, Escape closes, focus returns to the opener. Background content is not read.

Responsive. Compact: bottom-anchored full-width sheet with stacked actions. Mobile and up: centred, max 440px.

RTL. Actions order follows direction; text uses Arabic family.

Do. Provide a way out.


Don't. Stack modals or use for non-blocking messages.

Code.

```
open && h(GEM.Modal, {title:'Change your dates?', onClose:()=>setOpen(false), actions:[...], 'Your room and rate may change.'})
```

Arabic strings in the preview are working layout strings, status PENDING LOCALIZATION APPROVAL.

Navigation



Moves between sections.

Purpose. Moves between sections.

Anatomy. Nav landmark, list, links, current underline.

Tokens. text-primary, text-inverse, surface-signature, border-emphasis, target-min.

Variants. Light ground; signature ground (gem-dark).

States. default, hover, current (aria-current=page, underline), focus-visible.

Content rules. Few exact words: Rooms, Dining, Help. Sentence case in product UI; tracked capitals (navLabel) only on editorial signature surfaces.

Accessibility. nav with aria-label; aria-current on the active page.

Responsive. Compact and Mobile: wrap or move to a disclosure menu built with Disclosure; never hide navigation behind an unlabeled glyph.

RTL. Order reverses with direction.

Do. Keep 3 to 6 items.

Don't. Nest menus or add icons.

Code.

```
h(GEM.Navigation, {items:[{label:'Rooms',href:'/rooms'}], current:'Rooms'})
```

Arabic strings in the preview are working layout strings, status PENDING LOCALIZATION APPROVAL.

ProductCard



Presents one Amenities & Packaging SKU in the approved hierarchy: GEM, collection or tier, product and function, size, instructions, SKU and artwork version.

Purpose. Presents one Amenities & Packaging SKU in the approved hierarchy: GEM, collection or tier, product and function, size, instructions, SKU and artwork version.

Anatomy. Image (4:5), concept label if applicable, collection line, product name (h3), size / SKU / artwork version, instructions, action.

Tokens. border-decorative, surface-selected, radius-editorial, type h3/caption/labelSmall.

Variants. Pilot family: Shampoo, Conditioner, Body Wash, Body Lotion, Hand Wash. Concept images carry CONCEPT / NOT PRODUCTION ARTWORK.

States. Static.

Content rules. Functional names. Sizes metric first (mL, g, count). Pack sizes, formulations and regulatory fields are supplier or market inputs: [PENDING]. No claims without evidence (F03 to F10).

Accessibility. Article; SKU and artwork version in LTR isolates; image alt describes the product, not marketing.

Responsive. Compact: full width. Grid by column count.

RTL. Arabic name and instructions in RTL; SKU, version, volume units stay LTR (M12).

Do. Show concept status when art is not production art.


Don't. Show an AI mockup as manufactured evidence, or add a stream logo.

Code.

```
h(GEM.ProductCard, {collection:'Bath and body', name:'Shampoo', size:'[PENDING] mL', sku:'[PENDING]', concept:true})
```

Arabic strings in the preview are working layout strings, status PENDING LOCALIZATION APPROVAL.

Progress



Shows progress of a known or unknown task without implying a time.

Purpose. Shows progress of a known or unknown task without implying a time.

Anatomy. Label, bar (determinate) or status text (indeterminate), percent text.

Tokens. border-essential, action-background, duration-confirmation.

Variants. determinate (value 0 to 100), indeterminate (text only; no spinning).

States. Updates by width; reduced motion removes the transition.

Content rules. Never state or imply a remaining time.

Accessibility. role=progressbar with aria-valuenow, or role=status text. Percent also written.

Responsive. Full width to 420px.

RTL. Bar fills from the reading start.

Do. Write the percent.


Don't. Spin, bounce, or show fake completion.

Code.

```
h(GEM.Progress, {label:'Uploading specification', value:60})
```

Arabic strings in the preview are working layout strings, status PENDING LOCALIZATION APPROVAL.

QuantityStepper



The image displays two examples of the QuantityStepper component. The first example, labeled 'Adults' and 'Rooms', shows a stepper for 'Adults' with a value of 2 and a stepper for 'Rooms' with a value of 1. Each stepper consists of a minus button, a value output, and a plus button. The second example shows a stepper with an Arabic label 'البالغون' (Al-Balagun) and a value of ٢ (2), also with minus and plus buttons. A dashed box in the top right corner of the preview area contains the text 'PENDING LOCALIZATION APPROVAL'.

Sets a small whole number: guests, rooms, sample units, SKU quantity.

Purpose. Sets a small whole number: guests, rooms, sample units, SKU quantity.

Anatomy. Label, minus IconButton, value output, plus IconButton.

Tokens. target-min, border-essential, glyph-lg, type label.

Variants. Guests (min 1), quantity (step as needed). Guest selector = a group of steppers.

States. default, at minimum or maximum (control aria-disabled), focus-visible.

Content rules. Label names the unit: Adults, Rooms, Units per SKU.

Accessibility. Group labelled by its label; buttons named Decrease/Increase plus label; value in aria-live polite output.

Responsive. Inline; stack multiple steppers at Compact.

RTL. Numerals follow locale (Arabic-Indic for guest copy); technical quantities can be latin with `technical`.

Do. Set sensible min and max.

Don't. Allow typing negative or fractional values.

Code.

```
h(GEM.QuantityStepper, {label:'Adults', min:1, max:8, value:2})
```

Arabic strings in the preview are working layout strings, status PENDING LOCALIZATION APPROVAL.

RadioGroup

Package

PENDING LOCALIZATION APPROVAL

☒ Core collection

☐ Property edition

☐ Bespoke programme

الباقية

المجموعة الأساسية

إصدار المنشأة

Chooses exactly one option from a short visible set.

Purpose. Chooses exactly one option from a short visible set.

Anatomy. Fieldset, legend, 24px radio, label.

Tokens. border-essential, action-background, target-min.

Variants. Vertical list. Circle is a functional exception to radius-control (convention for exclusive choice).

States. unselected, selected (ink dot, 2px ring), focus-visible, error, disabled.

Content rules. Legend names the question. Options are parallel phrases.

Accessibility. Native radios, fieldset and legend, arrow-key movement by the browser.

Responsive. Vertical at all classes.

RTL. Control sits at the reading start.

Do. Show all options.

Don't. Use more than 6 options.

Code.

```
h(GEM.RadioGroup, {legend:'Package', name:'pkg', options:[{value:'core',label:'Core collection'}]})
```

Arabic strings in the preview are working layout strings, status PENDING LOCALIZATION APPROVAL.

RoomCard



Presents one room option with verified facts and a single action.

Purpose. Presents one room option with verified facts and a single action.

Anatomy. Photograph (3:2), room name (h3), meta line, access details, action.

Tokens. border-decorative, surface-selected, radius-editorial, type h3/caption, space-24.

Variants. Single. Property facts are placeholders until verified.

States. Static; action carries states.

Content rules. Only verified facts. Bracketed fields remain until supplied: [Approved room name].

Accessibility. Article; photograph needs real alt text when supplied; heading level fits the page.

Responsive. Compact: full width, 16px padding. Mobile and up: max 360px; grid places cards by column count.

RTL. Meta and body align to the reading start.

Do. Use licensed, rights-cleared imagery (VAL-06).

Don't. Invent room sizes, bed types, access features or prices.

Code.

```
h(GEM.RoomCard, {name:'[Approved room name]', meta:['[Size]','[Bed type]'], action:h(GEM.Button,null,'Choose room')})
```

Arabic strings in the preview are working layout strings, status PENDING LOCALIZATION APPROVAL.

SearchField

The image shows two versions of the SearchField component. The left version is for LTR (Left-to-Right) layout, featuring a label 'Search products' above a text input field, followed by a square button containing a magnifying glass icon. The right version is for RTL (Right-to-Left) layout, featuring the Arabic label 'البحث عن المنتجات' above a text input field, preceded by a square button containing a magnifying glass icon. A dashed box in the top right corner of the preview area contains the text 'PENDING LOCALIZATION APPROVAL'.

Finds content or products.

Purpose. Finds content or products.

Anatomy. Landmark form, visible label, input type=search, submit IconButton.

Tokens. Field tokens, glyph-lg.

Variants. Single.

States. default, focus-visible, empty results (use EmptyState).

Content rules. Label: Search products. Results explain zero results.

Accessibility. role=search, visible label, submit button named Search.

Responsive. Full width at Compact.

RTL. Button sits at the reading end. Search glyph does not mirror.

Do. Keep the label visible.

Don't. Search on every keystroke without a live region for result count.

Code.

```
h(GEM.SearchField, {label:'Search products', onSearch:run})
```

Arabic strings in the preview are working layout strings, status PENDING LOCALIZATION APPROVAL.

Select

Area of interest

Bath and personal care

PENDING LOCALIZATION APPROVAL

العناية الشخصية

مجال الاهتمام

Chooses one option from a short fixed list.

Purpose. Chooses one option from a short fixed list.

Anatomy. Label, native select, help, error.

Tokens. Same as Field.

Variants. Native only. Combobox is not built: no evidenced need beyond Select and SearchField.

States. default, focus-visible, error, disabled.

Content rules. Options are nouns or short phrases.

Accessibility. Native control for platform behaviour and screen readers.

Responsive. Full width to 420px.

RTL. Chevron and text follow direction through the browser.

Do. Use for 3 to 10 options.

Don't. Replace with a custom listbox without keyboard and screen-reader testing.

Code.

```
h(GEM.Select, {label:'Area of interest', options:['Bath and personal care','Room comfort']})
```

Arabic strings in the preview are working layout strings, status PENDING LOCALIZATION APPROVAL.

SpecificationTable

Shampoo: specification		PENDING LOCALIZATION APPROVAL	
Name and function	Shampoo	شامبو: المواصفات	
Quantity	[PENDING]	شامبو	الاسم والوظيفة
Batch and lot	[PENDING] Reserved field	[قيد التحقق]	الكمية
Care and disposal	[PENDING]	[قيد التحقق]	رمز المنتج
SKU	[PENDING]		
Artwork version	[PENDING] PENDING VALIDATION		

Shows a controlled product or packaging specification as a real table.

Purpose. Shows a controlled product or packaging specification as a real table.

Anatomy. Caption, row headers (th scope=row), values, optional status labels.

Tokens. border-decorative, type label/body, space-12.

Variants. Rows from the product information system: name and function; contents, quantity and use; batch and traceability; care, refill, disposal; SKU and artwork version.

States. Missing values render [PENDING].

Content rules. Values come only from verified product data. Missing is shown, not guessed.

Accessibility. Table with caption and row headers. At Compact it reflows to stacked rows without losing header association.

Responsive. Compact stacks label above value.

RTL. Table direction follows document; codes LTR.

Do. Mark every unverified value.

Don't. Fill a regulated field (ingredients, origin, claims) without evidence.

Code.

```
h(GEM.SpecificationTable, {caption:'Shampoo', rows:[{label:'Quantity', value:null}]})
```

Arabic strings in the preview are working layout strings, status PENDING LOCALIZATION APPROVAL.

StatusLabel



Marks the approval status of a rule, specimen or asset so that pending content never looks approved.

Purpose. Marks the approval status of a rule, specimen or asset so that pending content never looks approved.

Anatomy. Capitals label, hairline or emphasised border.

Tokens. action-background, border-essential, border-emphasis, type labelSmall.

Variants. APPROVED (filled ink), CONDITIONAL (2px border), PENDING VALIDATION (2px dashed), REFERENCE (2px dotted). Free text allowed, for example CONCEPT / NOT PRODUCTION ARTWORK.

States. Static.

Content rules. Use the register wording exactly. Add the condition beside CONDITIONAL.

Accessibility. Text carries the meaning; border style is supplementary.

Responsive. Inline.

RTL. Capitals only in Latin; Arabic label has no tracking.

Do. Place next to the item it qualifies.

Don't. Use status labels as decoration or invent new statuses.

Code.

```
h(GEM.StatusLabel, {status:'PENDING VALIDATION'})
```

Arabic strings in the preview are working layout strings, status PENDING LOCALIZATION APPROVAL.

Tabs



Switches views in place: Overview, Room details.

Purpose. Switches views in place: Overview, Room details.

Anatomy. Tablist, tabs, selected underline, panel (rendered by you).

Tokens. border-essential, border-decorative, border-emphasis, target-min, type label.

Variants. Single. Wrap at Compact.

States. default, hover, selected (aria-selected, weight 500, 2px underline), focus-visible.

Content rules. One or two words per tab.

Accessibility. role=tablist/tab, aria-selected, aria-controls, roving tabindex. Left/Right follow reading direction; Home and End jump.

Responsive. Wraps to multiple lines; do not scroll horizontally.

RTL. Arrow keys reverse automatically.

Do. Pair each tab with a panel id panel-.

Don't. Use for page navigation (use Navigation).

Code.

```
h(GEM.Tabs, {label:'Room', items:[{id:'overview',label:'Overview'}]}, value, onChange)
```

Arabic strings in the preview are working layout strings, status PENDING LOCALIZATION APPROVAL.

Textarea

Brief

Property type, range, quantities, markets and launch date.

PENDING LOCALIZATION APPROVAL

الطلب

نوع المنشأة والكميات وتاريخ الإطلاق.

Collects free text such as a bespoke brief or a service note.

Purpose. Collects free text such as a bespoke brief or a service note.

Anatomy. Label, textarea (min height 120px), help, error.

Tokens. Same as Field.

Variants. Single.

States. default, focus-visible, error, disabled.

Content rules. Say what to include: Product range, quantities, markets and launch date.

Accessibility. As Field. No character counters that change meaning silently.

Responsive. Full width to 420px.

RTL. Text direction follows content; set dir=auto if mixed.

Do. Allow vertical resize.


Don't. Autosize or truncate input.

Code.

```
h(GEM.Textarea, {label:'Brief', help:'Property type, range, quantities, markets and launch date.'})
```

Arabic strings in the preview are working layout strings, status PENDING LOCALIZATION APPROVAL.

ToggleButton



Switches one choice on or off, such as adding sampling to a brief.

Purpose. Switches one choice on or off, such as adding sampling to a brief.

Anatomy. Button with pressed fill and 2px border, label that changes, status sentence below.

Tokens. surface-selected, border-essential, border-emphasis, text-primary, radius-control, target-min, duration-hover.

Variants. Single style. For several exclusive choices use RadioGroup.

States. off, on (aria-pressed, beige fill, 2px border, label and status text change), focus-visible, disabled.

Content rules. Label as action (Add sampling to brief / Remove sampling from brief). Status as a statement (Sampling selected.).

Accessibility. aria-pressed on a native button. Selected state is never fill alone: border weight, label text and a live status sentence change.

Responsive. Content width; wraps below the status line at Compact.

RTL. No special handling; status text follows direction.

Do. Keep the status line. Write both labels as actions.

Don't. Use for the primary action (use Button) or rely on fill change alone.

Code.

```
h(GEM.ToggleButton, {pressed, onToggle:setPressed, labelOff:'Add sampling to brief', labelOn:'Remove sampling from brief', statusOff:'Sampling not selected.', statusOn:'Sampling selected.'})
```

Arabic strings in the preview are working layout strings, status PENDING LOCALIZATION APPROVAL.