LED Dimmable Snap-In Downlights

Product Specifications



Ultra-thin meets ultra easy with Snap-In Downlights from TCP. You no longer need a recessed can or a junction box – snap-in downlights can be directly mounted to drywall, drop ceilings and other locations. Simply shape a hole and place the downlight inside.

Reasons to choose the LED Dimmable Snap-in Downlights from TCP

- Frosted glass lens
- Snap-in mounting springs for use without junction box or recessed can
- Sturdy, steel-encased, separated LED driver with watertight seal
- Easy wiring access for quick install
- 65-120 watt incandescent equivalent
- Wide beam spread
- Triac dimming
- Damp location rated
- IC rated
- Long life: 40,000 hours
- Square or round form factor

Ideal Applications

- Commercial
- Industrial
- Retail
- Hospitality
- Residential
- Healthcare

Specifications:

Voltage	120 VAC
Input Power	13W, 14W, 18W
Input Line Frequency	50/60HZ
Lamp Life (Rated)	40,000 hours
Minimum Starting Temp	-20°C
Maximum Operating Temp	40°C
CRI	80
Warranty	5 Years

TCP®
325 Campus Dr. | Aurora, Ohio 44202 | P: 800-324-1496 | tcpi.com

DAMP LOCATION

c UL us LISTED

5 YEAR WARRANTY
*Based on 12 hours use per day

LED Dimmable Snap-In Downlights


Specifications:



4″ Round



6″ Round




8″ Round



4″ Square



6″ Square



8″ Square





TCP®
325 Campus Dr. | Aurora, Ohio 44202 | P: 800-324-1496 | tcpi.com

DAMP LOCATION

c UL us LISTED

5 YEAR WARRANTY
*Based on 12 hours use per day

LED Dimmable Snap-In Downlights

ITEM #	DESCRIPTION	WATTS	REPLACEMENT WATTS	VOLTAGE	LUMENS	LPW	CCT	CRI	BEAM ANGLE	MOL (inches)	DIA (inches)
ROUND SNAP-IN DOWNLIGHTS											
DDR40127	4" 850LM Round Downlight - 2700K	13	65	120	850	65.4	2700K	80	110°	0.8	4.6
DDR40130	4" 850LM Round Downlight - 3000K	13	65	120	850	65.4	3000K	80	110°	0.8	4.6
DDR40140	4" 850LM Round Downlight - 4000K	13	65	120	850	65.4	4000K	80	110°	0.8	4.6
DDR40150	4" 850LM Round Downlight - 5000K	13	65	120	850	65.4	5000K	80	110°	0.8	4.6
DDR60127	6" 1100LM Round Downlight - 2700K	14	85	120	1100	78.6	2700K	80	110°	0.8	6.7
DDR60130	6" 1100LM Round Downlight - 3000K	14	85	120	1100	78.6	3000K	80	110°	0.8	6.7
DDR60140	6" 1100LM Round Downlight - 4000K	14	85	120	1100	78.6	4000K	80	110°	0.8	6.7
DDR60150	6" 1100LM Round Downlight - 5000K	14	85	120	1100	78.6	5000K	80	110°	0.8	6.7
DDR80127	8" 1550LM Round Downlight - 2700K	18	120	120	1550	86.1	2700K	80	110°	0.8	8.7
DDR80130	8" 1550LM Round Downlight - 3000K	18	120	120	1550	86.1	3000K	80	110°	0.8	8.7
DDR80140	8" 1550LM Round Downlight - 4000K	18	120	120	1550	86.1	4000K	80	110°	0.8	8.7
DDR80150	8" 1550LM Round Downlight - 5000K	18	120	120	1550	86.1	5000K	80	110°	0.8	8.7
SQUARE SNAP-IN DOWNLIGHTS											
DDR40227	4" 750LM Square Downlight - 2700K	13	65	120	750	57.7	2700K	80	110°	0.8	4.6
DDR40230	4" 750LM Square Downlight - 3000K	13	65	120	750	57.7	3000K	80	110°	0.8	4.6
DDR40240	4" 750LM Square Downlight - 4000K	13	65	120	750	57.7	4000K	80	110°	0.8	4.6
DDR40250	4" 750LM Square Downlight - 5000K	13	65	120	750	57.7	5000K	80	110°	0.8	4.6
DDR60227	6" 1000LM Square Downlight - 2700K	14	85	120	1000	71.4	2700K	80	110°	0.8	6.6
DDR60230	6" 1000LM Square Downlight - 3000K	14	85	120	1000	71.4	3000K	80	110°	0.8	6.6
DDR60240	6" 1000LM Square Downlight - 4000K	14	85	120	1000	71.4	4000K	80	110°	0.8	6.6
DDR60250	6" 1000LM Square Downlight - 5000K	14	85	120	1000	71.4	5000K	80	110°	0.8	6.6
DDR80227	8" 1400LM Square Downlight - 2700K	18	120	120	1400	77.8	2700K	80	110°	0.8	8.7
DDR80230	8" 1400LM Square Downlight - 3000K	18	120	120	1400	77.8	3000K	80	110°	0.8	8.7
DDR80240	8" 1400LM Square Downlight - 4000K	18	120	120	1400	77.8	4000K	80	110°	0.8	8.7
DDR80250	8" 1400LM Square Downlight - 5000K	18	120	120	1400	77.8	5000K	80	110°	0.8	8.7

TCP®
325 Campus Dr. | Aurora, Ohio 44202 | P: 800-324-1496 | tcpi.comt
©TCP MAY 2023 /WF233050

DAMP LOCATION

c UL us LISTED

5 YEAR WARRANTY
*Based on 12 hours use per day

TECHNOLOGY CAST IN A BEAUTIFUL LIGHT

For over 20 years, TCP has been designing, developing and delivering energy-efficient lighting into the market. Thanks to our cutting-edge technology and manufacturing expertise, we have shipped billions of high quality lighting products. With TCP, you can count on a lighting product that is designed to meet the needs of the market - that transforms your surroundings and envelopes you in warmth - lighting that generates beauty with every flip of the switch.

For more information on the quality and care TCP can deliver, call us at 800.324.1496 or visit tcpi.com

325 Campus Dr. | Aurora, Ohio 44202 | P: 800.324.1496 | F: 877.487.0516