

Pro Line Family of Filament Lamps

Product Specifications

For an affordable LED upgrade, switch to TCP's Pro Line LED Filament Lamps. See how you can maximize savings and minimize maintenance costs with Pro Line LED Filament Lamps.

Reasons to choose the Pro Line LED Filament Lamps from TCP

- Long life: 15,000 hours minimizes replacement and maintenance costs
- Inexpensive alternative for cost-sensitive projects
- ANSI Construction Compliant to fit most general applications
- Dimmable
- UL approved for damp location means lamps can be used outdoors when protected from the elements

Ideal Applications

- Commercial
- Retail
- Industrial
- Residential

Specifications

Input Line Voltage	120 VAC
Input Line Frequency	50/60HZ
Lamp Life (Rated)	15,000 hours
Dimmable	Yes
CRI	80
Base	E26, E12
Warranty	3 Years

TCP®
325 Campus Dr. | Aurora, Ohio 44202 | P: 800-324-1496 | tcpi.com

c UL us LISTED

3 YEAR WARRANTY
*Based on 12 hours use per day

Pro Line
LED Filament Lamps

Specifications



A19 40W
E26 Base



A19 60W
E26 Base



A19 75W
E26 Base



A19 100W
E26 Base



B10
E26 Base



B10
E12 Base

Item #	Item Description	Color Temp	Watts	Incan Watts	CRI	LPW	Lumens
A19 • Dimmable • 15,000 Hours • E26 Base							
FPA19D40E26CL27K	Pro Line Filament 40w A19 27K CLR	2700K	4.5	40	80	100	450
FPA19D40E26CL30K	Pro Line Filament 40w A19 30K CLR	3000K	4.5	40	80	100	450
FPA19D40E26CL41K	Pro Line Filament 40w A19 41K CLR	4100K	4.5	40	80	100	450
FPA19D40E26CL50K	Pro Line Filament 40w A19 50K CLR	5000K	4.5	40	80	100	450
FPA19D60E26CL27K	Pro Line Filament 60w A19 27K CLR	2700K	7	60	80	114.2	800
FPA19D60E26CL30K	Pro Line Filament 60w A19 30K CLR	3000K	7	60	80	114.2	800
FPA19D60E26CL41K	Pro Line Filament 60w A19 41K CLR	4100K	7	60	80	114.2	800
FPA19D60E26CL50K	Pro Line Filament 60w A19 50K CLR	5000K	7	60	80	114.2	800
FPA19D75E26CL27K	Pro Line Filament 75w A19 27K CLR	2700K	10.5	75	80	104.7	1100
FPA19D75E26CL30K	Pro Line Filament 75w A19 30K CLR	3000K	10.5	75	80	104.7	1100
FPA19D75E26CL41K	Pro Line Filament 75w A19 41K CLR	4100K	10.5	75	80	104.7	1100
FPA19D75E26CL50K	Pro Line Filament 75w A19 50K CLR	5000K	10.5	75	80	104.7	1100
FPA19D100E26CL27K	Pro Line Filament 100w A19 27K CLR	2700K	14.5	100	80	110.3	1600
FPA19D100E26CL30K	Pro Line Filament 100w A19 30K CLR	3000K	14.5	100	80	110.3	1600
FPA19D100E26CL41K	Pro Line Filament 100w A19 41K CLR	4100K	14.5	100	80	110.3	1600
FPA19D100E26CL50K	Pro Line Filament 100w A19 50K CLR	5000K	14.5	100	80	110.3	1600
B10 • Dimmable • 15,000 Hours • E26 Base							
FPB10D60E26C27K12	Pro Line Filament B10 E26 27K 12PK	2700K	4	60	80	125	500
FPB10D60E26C30K12	Pro Line Filament B10 E26 30K 12PK	3000K	4	60	80	125	500
FPB10D60E26C41K12	Pro Line Filament B10 E26 41K 12PK	4100K	4	60	80	125	500
FPB10D60E26C50K12	Pro Line Filament B10 E26 50K 12PK	5000K	4	60	80	125	500
B10 • Dimmable • 15,000 Hours • E12 Base							
FPB10D60E12C27K12	Pro Line Filament B10 E12 27K 12PK	2700K	4	60	80	125	500
FPB10D60E12C30K12	Pro Line Filament B10 E12 30K 12PK	3000K	4	60	80	125	500
FPB10D60E12C41K12	Pro Line Filament B10 E12 41K 12PK	4100K	4	60	80	125	500
FPB10D60E12C50K12	Pro Line Filament B10 E12 50K 12PK	5000K	4	60	80	125	500

TCP®
325 Campus Dr. | Aurora, Ohio 44202 | P: 800-324-1496 | tcpi.com

c UL us LISTED

3 YEAR WARRANTY
*Based on 12 hours use per day

Pro Line
LED Filament Lamps


G16.5
E26 Base


G16.5
E12 Base


G25
E26 Base


G40
E26 Base


ST19
E26 Base

Item #	Item Description	Color Temp	Watts	Incan Watts	CRI	LPW	Lumens
G16.5 • Dimmable • 15,000 Hours • E26 Base							
FPG16D40E26C27K	Pro Line Filament G16.5 40W SW DM E26	2700K	4.5	40	80	77.8	350
FPG16D40E26C30K	Pro Line Filament G16.5 40W WW DM E26	3000K	4.5	40	80	77.8	350
FPG16D40E26C41K	Pro Line Filament G16.5 40W CW DM E26	4100K	4.5	40	80	77.8	350
FPG16D40E26C50K	Pro Line Filament G16.5 40W DL DM E26	5000K	4.5	40	80	77.8	350
G16.5 • Dimmable • 15,000 Hours • E12 Base							
FPG16D40E12C27K	Pro Line Filament G16.5 40W SW DM E12	2700K	4.5	40	80	77.8	350
FPG16D40E12C30K	Pro Line Filament G16.5 40W WW DM E12	3000K	4.5	40	80	77.8	350
FPG16D40E12C41K	Pro Line Filament G16.5 40W CW DM E12	4100K	4.5	40	80	77.8	350
FPG16D40E12C50K	Pro Line Filament G16.5 40W DL DM E12	5000K	4.5	40	80	77.8	350
G25 • Dimmable • 15,000 Hours • E26 Base							
FPG25D40E26C27K	Pro Line Filament G25 40W SW DM	2700K	6	40	80	75.0	350
FPG25D40E26C30K	Pro Line Filament G25 40W WW DM	3000K	6	40	80	75.0	350
FPG25D40E26C41K	Pro Line Filament G25 40W CW DM	4100K	6	40	80	75.0	350
FPG25D40E26C50K	Pro Line Filament G25 40W DL DM	5000K	6	40	80	75.0	350
G40 • Dimmable • 15,000 Hours • E26 Base							
FPG40D40E26C27K	Pro Line Filament G40 40W SW DM	2700K	6	40	80	75.0	450
FPG40D40E26C30K	Pro Line Filament G40 40W WW DM	3000K	6	40	80	75.0	450
FPG40D40E26C41K	Pro Line Filament G40 40W CW DM	4100K	6	40	80	75.0	450
FPG40D40E26C50K	Pro Line Filament G40 40W DL DM	5000K	6	40	80	75.0	450
ST19 • Dimmable • 15,000 Hours • E26 Base							
FPST19D40E26C27K	Pro Line Filament ST19 40W SW	2700K	5	40	80	90	450
FPST19D40E26C30K	Pro Line Filament ST19 40W WW	3000K	5	40	80	90	450
FPST19D40E26C41K	Pro Line Filament ST19 40W CW	4100K	5	40	80	90	450
FPST19D40E26C50K	Pro Line Filament ST19 40W DL	5000K	5	40	80	90	450

SUGGESTED DIMMER COMPATIBILITY	
MANUFACTER	MODEL NUMBER
Leviton	R50-IPL06-10M
	R61-06674-P0I
Lutron	CTCL-153PDH-WH
	TGCL-153PH-WH
	DVWCL-153PH-WH

Note: E26 compatible dimmer

TCP®
325 Campus Dr. | Aurora, Ohio 44202 | P: 800-324-1496 | tcpi.com
©TCP MAY 2024/WF399666

c UL us LISTED

3 YEAR WARRANTY
*Based on 12 hours use per day

TECHNOLOGY CAST IN A BEAUTIFUL LIGHT

For over 30 years, TCP has been designing, developing and delivering energy-efficient lighting into the market. Thanks to our cutting-edge technology and manufacturing expertise, we have shipped billions of high quality lighting products. With TCP, you can count on a lighting product that is designed to meet the needs of the market - that transforms your surroundings and envelopes you in warmth - lighting that generates beauty with every flip of the switch.

Sales:	Catalog Number:
Date:	Type:
Model:	Notes:
Project:	
Rep:	

TCP® we know light.™

For more information on the quality and care TCP can deliver, call us at 800.324.1496 or visit tcpi.com

325 Campus Dr. | Aurora, Ohio 44202 | P: 800.324.1496 | F: 877.487.0516