```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Superpower 1 - Geopolitical Strategy Game & Studio</title>
    <!-- Tailwind CSS CDN -->
    <script src="https://cdn.tailwindcss.com"></script>
    <script>
        tailwind.config = {
            theme: {
                extend: {
                    colors: {
                        brand: {
                            dark: '#0a0e17',
                            card: '#121826',
                            accent: '#00f0ff',
                            danger: '#ff3366',
                            success: '#00ff66',
                            warning: '#ffcc00',
                            gold: '#ffd700'
                        }
                    }
                }
            }
        }
    </script>
    <!-- Font Awesome -->
    <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.0/css/all.min.css">
    <!-- Firebase SDKs -->
    <script type="module">
        import { initializeApp } from "https://www.gstatic.com/firebasejs/11.6.1/firebase-app.js";
        import { getAuth, signInAnonymously } from
"https://www.gstatic.com/firebasejs/11.6.1/firebase-auth.js";
        import { getDatabase, ref, set, onValue, update, push, serverTimestamp } from
"https://www.gstatic.com/firebasejs/11.6.1/firebase-database.js";

        window.FirebaseSDK = { initializeApp, getAuth, signInAnonymously, getDatabase, ref, set,
onValue, update, push, serverTimestamp };
    </script>
    <style>
        body {
            background-color: #0a0e17;
```

```
            color: #e2e8f0;
            font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
            overflow-x: hidden;
        }
        .glow-accent {
            box-shadow: 0 0 15px rgba(0, 240, 255, 0.3);
        }
        .glow-danger {
            box-shadow: 0 0 15px rgba(255, 51, 102, 0.3);
        }
        .map-region {
            transition: all 0.2s ease;
            cursor: pointer;
        }
        .map-region:hover {
            filter: brightness(1.4);
            stroke: #00f0ff;
            stroke-width: 2;
        }
        .radar-sweep {
            transform-origin: center;
            animation: sweep 4s linear infinite;
        }
        @keyframes sweep {
            0% { transform: rotate(0deg); }
            100% { transform: rotate(360deg); }
        }
    </style>
</head>
<body class="min-h-screen flex flex-col">

    <!-- Navigation Header -->
    <header class="bg-brand-card/80 backdrop-blur border-b border-gray-800 sticky top-0 z-50
px-6 py-4 flex justify-between items-center">
        <div class="flex items-center gap-3">
            <div class="w-10 h-10 rounded bg-gradient-to-br from-cyan-500 to-blue-700 flex
items-center justify-center font-bold text-xl text-black shadow-lg">
                S1
            </div>
            <div>
                <h1 class="text-xl font-extrabold tracking-wider text-white">SUPERPOWER 1</h1>
                <p class="text-xs text-cyan-400 tracking-widest uppercase">Geopolitical Sandbox &
Strategy Simulator</p>
            </div>
```

```
        </div>

        <div class="flex items-center gap-4">
            <button onclick="toggleModal('hosting-modal')" class="text-xs bg-gray-800
hover:bg-gray-700 text-cyan-400 border border-cyan-500/30 px-3 py-2 rounded flex
items-center gap-2 transition">
                <i class="fas fa-globe"></i> Publish Free Guide
            </button>
            <button onclick="toggleModal('firebase-modal')" class="text-xs bg-gray-800
hover:bg-gray-700 text-amber-400 border border-amber-500/30 px-3 py-2 rounded flex
items-center gap-2 transition">
                <i class="fas fa-database"></i> Firebase Setup
            </button>
        </div>
    </header>

    <!-- Main Game Interface -->
    <main class="flex-1 grid grid-cols-1 lg:grid-cols-4 gap-4 p-4 lg:p-6 max-w-[1800px] w-full
mx-auto">

        <!-- Left Column: Controls & Economy -->
        <section class="lg:col-span-1 flex flex-col gap-4">
            <!-- Nation Overview Card -->
            <div class="bg-brand-card border border-gray-800 rounded-lg p-4 relative">
                <div class="flex justify-between items-center mb-3">
                    <span id="player-nation-flag" class="text-2xl">🇺🇸</span>
                    <span id="player-nation-name" class="font-bold text-lg text-white">United
States</span>
                    <span class="text-xs px-2 py-1 bg-cyan-950 text-cyan-400 border border-cyan-800
rounded">SUPERPOWER</span>
                </div>
                <div class="grid grid-cols-2 gap-2 text-sm">
                    <div class="bg-gray-900/60 p-2 rounded border border-gray-800">
                        <div class="text-xs text-gray-400">GNP / Wealth</div>
                        <div id="stat-gnp" class="font-mono text-cyan-400 font-bold">$26.8 Trillion</div>
                    </div>
                    <div class="bg-gray-900/60 p-2 rounded border border-gray-800">
                        <div class="text-xs text-gray-400">Public Approval</div>
                        <div id="stat-approval" class="font-mono text-emerald-400 font-bold">68%</div>
                    </div>
                    <div class="bg-gray-900/60 p-2 rounded border border-gray-800">
                        <div class="text-xs text-gray-400">Treasury Budget</div>
                        <div id="stat-treasury" class="font-mono text-amber-400 font-bold">$1,450
B</div>
```

```
                </div>
                <div class="bg-gray-900/60 p-2 rounded border border-gray-800">
                    <div class="text-xs text-gray-400">Threat Level</div>
                    <div id="stat-threat" class="font-mono text-rose-400
font-bold">MODERATE</div>
                </div>
            </div>
        </div>

        <!-- Economic & Policy Sliders -->
        <div class="bg-brand-card border border-gray-800 rounded-lg p-4">
            <h3 class="text-xs font-bold uppercase tracking-wider text-cyan-400 mb-3 flex
items-center gap-2">
                <i class="fas fa-sliders-h"></i> Policy & Budget Controls
            </h3>
            <div class="space-y-4">
                <div>
                    <div class="flex justify-between text-xs mb-1">
                        <span>Income Tax Rate</span>
                        <span id="val-tax" class="font-mono text-cyan-400">28%</span>
                    </div>
                    <input type="range" id="slider-tax" min="10" max="60" value="28"
oninput="updatePolicies()" class="w-full accent-cyan-400 bg-gray-800 h-1.5 rounded
cursor-pointer">
                </div>
                <div>
                    <div class="flex justify-between text-xs mb-1">
                        <span>Defense Budget</span>
                        <span id="val-defense" class="font-mono text-cyan-400">35%</span>
                    </div>
                    <input type="range" id="slider-defense" min="5" max="60" value="35"
oninput="updatePolicies()" class="w-full accent-cyan-400 bg-gray-800 h-1.5 rounded
cursor-pointer">
                </div>
                <div>
                    <div class="flex justify-between text-xs mb-1">
                        <span>Social Welfare & Tech</span>
                        <span id="val-welfare" class="font-mono text-cyan-400">37%</span>
                    </div>
                    <input type="range" id="slider-welfare" min="10" max="60" value="37"
oninput="updatePolicies()" class="w-full accent-cyan-400 bg-gray-800 h-1.5 rounded
cursor-pointer">
                </div>
            </div>
```

```
        </div>

        <!-- Multiplayer Room Control -->
        <div class="bg-brand-card border border-gray-800 rounded-lg p-4 flex-1 flex flex-col">
            <h3 class="text-xs font-bold uppercase tracking-wider text-amber-400 mb-3 flex
items-center justify-between">
                <span><i class="fas fa-users"></i> 3-Player Room Lobby</span>
                <span id="net-status" class="text-[10px] bg-emerald-950 text-emerald-400 border
border-emerald-800 px-1.5 py-0.5 rounded">LOCAL MODE</span>
            </h3>

            <div id="lobby-setup" class="space-y-3">
                <div class="flex gap-2">
                    <input type="text" id="room-code-input" placeholder="Enter Room Code (e.g.
S1-902)" class="bg-gray-900 border border-gray-700 rounded text-xs px-3 py-2 flex-1 text-white
uppercase font-mono">
                    <button onclick="joinRoom()" class="bg-amber-600 hover:bg-amber-500
text-black font-bold text-xs px-3 py-2 rounded">Join</button>
                </div>
                <button onclick="createRoom()" class="w-full bg-gray-800 hover:bg-gray-700
border border-amber-500/30 text-amber-300 font-bold text-xs py-2 rounded transition">
                    + Create New 3-Player Room
                </button>
            </div>

            <div id="lobby-active" class="space-y-2 hidden flex-1 flex flex-col">
                <div class="bg-gray-900 p-2 rounded border border-amber-500/30 flex
justify-between items-center text-xs">
                    <span class="text-gray-400">ROOM CODE:</span>
                    <span id="display-room-code" class="font-mono font-bold text-amber-400
text-sm">---</span>
                </div>

                <!-- 3 Slots -->
                <div class="space-y-1.5 text-xs flex-1">
                    <div id="slot-1" class="p-2 rounded bg-gray-900/80 border border-gray-800 flex
justify-between items-center">
                        <span>P1: <strong id="p1-name">Host</strong></span>
                        <span id="p1-nation" class="text-cyan-400">USA</span>
                    </div>
                    <div id="slot-2" class="p-2 rounded bg-gray-900/80 border border-gray-800 flex
justify-between items-center">
                        <span>P2: <strong id="p2-name">Waiting...</strong></span>
                        <span id="p2-nation" class="text-gray-500">Open</span>
```

```
                </div>
                <div id="slot-3" class="p-2 rounded bg-gray-900/80 border border-gray-800 flex
justify-between items-center">
                    <span>P3: <strong id="p3-name">Waiting...</strong></span>
                    <span id="p3-nation" class="text-gray-500">Open</span>
                </div>
            </div>

            <button onclick="advanceTurn()" class="w-full bg-cyan-500 hover:bg-cyan-400
text-black font-bold text-xs py-2 rounded shadow-lg transition uppercase tracking-wider">
                Execute Turn / Next Month
            </button>
        </div>
    </div>
</section>

<!-- Center Column: Interactive World Map & Warfare -->
<section class="lg:col-span-2 bg-brand-card border border-gray-800 rounded-lg p-4 flex
flex-col min-h-[500px]">
    <div class="flex justify-between items-center mb-3">
        <div class="flex items-center gap-2">
            <span class="w-2 h-2 rounded-full bg-cyan-400 animate-pulse"></span>
            <h2 class="text-xs font-bold uppercase tracking-wider text-gray-300">Global
Geopolitical Theater Map</h2>
        </div>
        <div class="flex gap-2">
            <button onclick="setMapView('alliances')" class="text-xs bg-gray-900
hover:bg-gray-800 px-2.5 py-1 rounded text-cyan-400 border
border-gray-700">Alliances</button>
            <button onclick="setMapView('wealth')" class="text-xs bg-gray-900
hover:bg-gray-800 px-2.5 py-1 rounded text-emerald-400 border
border-gray-700">Wealth</button>
            <button onclick="setMapView('threat')" class="text-xs bg-gray-900
hover:bg-gray-800 px-2.5 py-1 rounded text-rose-400 border border-gray-700">Threat</button>
        </div>
    </div>

    <!-- SVG Map Container -->
    <div class="flex-1 bg-gray-950 rounded border border-gray-800/80 relative
overflow-hidden flex items-center justify-center p-2">
        <!-- Grid Lines Overlay -->
        <div class="absolute inset-0
bg-[linear-gradient(to_right,#1f2937_1px,transparent_1px),linear-gradient(to_bottom,#1f2937_1
px,transparent_1px)] bg-[size:4rem_4rem] opacity-20 pointer-events-none"></div>
```

```
            <svg viewBox="0 0 1000 500" class="w-full h-full max-h-[600px]">
                <!-- World Continents Mock Paths -->
                <!-- North America -->
                <path class="map-region" fill="#1e293b" stroke="#334155" d="M 150,100 L 280,90 L 320,160 L 260,250 L 180,240 L 120,180 Z" onclick="selectRegion('North America', 'USA / Allies', 85, 'HIGH')"/>
                <!-- South America -->
                <path class="map-region" fill="#1e293b" stroke="#334155" d="M 280,270 L 360,280 L 340,420 L 290,450 L 260,350 Z" onclick="selectRegion('South America', 'Neutral / Developing', 45, 'LOW')"/>
                <!-- Europe -->
                <path class="map-region" fill="#1e293b" stroke="#334155" d="M 480,90 L 580,80 L 600,160 L 520,180 L 470,140 Z" onclick="selectRegion('Europe / EU', 'Western Alliance', 80, 'MODERATE')"/>
                <!-- Africa -->
                <path class="map-region" fill="#1e293b" stroke="#334155" d="M 470,200 L 590,210 L 610,360 L 520,400 L 460,290 Z" onclick="selectRegion('Africa', 'Emerging Markets', 35, 'MODERATE')"/>
                <!-- Asia / Russia / China -->
                <path class="map-region" fill="#1e293b" stroke="#334155" d="M 600,70 L 880,80 L 850,260 L 680,250 L 590,170 Z" onclick="selectRegion('Asia-Pacific', 'Eastern Bloc / China', 90, 'HIGH')"/>
                <!-- Australia -->
                <path class="map-region" fill="#1e293b" stroke="#334155" d="M 780,330 L 890,340 L 870,440 L 760,420 Z" onclick="selectRegion('Australia / Oceania', 'Western Allies', 75, 'LOW')"/>

                <!-- Animated Radar Sweep Line -->
                <g transform="translate(500,250)">
                    <circle r="220" fill="none" stroke="#00f0ff" stroke-width="0.5" stroke-dasharray="4 4" opacity="0.3"/>
                    <circle r="120" fill="none" stroke="#00f0ff" stroke-width="0.5" stroke-dasharray="4 4" opacity="0.2"/>
                    <line class="radar-sweep" x1="0" y1="0" x2="220" y2="0" stroke="#00f0ff" stroke-width="1.5" opacity="0.6"/>
                </g>
            </svg>

            <!-- Selected Region Overlay Banner -->
            <div id="region-info" class="absolute bottom-3 left-3 right-3 bg-brand-card/90 backdrop-blur border border-cyan-500/40 p-3 rounded flex justify-between items-center text-xs">
                <div>
```

```
                    <div class="text-gray-400">Target Region: <span id="reg-name"
class="text-cyan-400 font-bold">North America</span></div>
                    <div class="text-gray-400">Influence: <span id="reg-bloc"
class="text-white">USA / Allies</span></div>
                </div>
                <div class="flex gap-2">
                    <button onclick="deployForces()" class="bg-rose-600 hover:bg-rose-500
text-white font-bold px-3 py-1.5 rounded transition">Deploy Troops</button>
                    <button onclick="sendAid()" class="bg-emerald-600 hover:bg-emerald-500
text-white font-bold px-3 py-1.5 rounded transition">Trade Deal</button>
                </div>
            </div>
        </div>
    </section>

    <!-- Right Column: Command Feed & Chat -->
    <section class="lg:col-span-1 flex flex-col gap-4">
        <!-- Command Event Feed -->
        <div class="bg-brand-card border border-gray-800 rounded-lg p-4 flex-1 flex flex-col
min-h-[250px]">
            <h3 class="text-xs font-bold uppercase tracking-wider text-cyan-400 mb-3 flex
items-center gap-2">
                <i class="fas fa-satellite"></i> Intelligence & Event Log
            </h3>
            <div id="event-log" class="flex-1 space-y-2 overflow-y-auto text-xs font-mono pr-1
max-h-[280px]">
                <div class="p-2 rounded bg-gray-900 border-l-2 border-cyan-500">
                    <span class="text-gray-500">[MONTH 1]</span> Welcome Commander.
Superpower 1 Engine initialized. Select policies and manage rooms.
                </div>
            </div>
        </div>

        <!-- Live Room Tactical Chat -->
        <div class="bg-brand-card border border-gray-800 rounded-lg p-4 flex flex-col
h-[260px]">
            <h3 class="text-xs font-bold uppercase tracking-wider text-amber-400 mb-2 flex
items-center gap-2">
                <i class="fas fa-comments"></i> Diplomatic Channel
            </h3>
            <div id="chat-messages" class="flex-1 overflow-y-auto space-y-1.5 text-xs font-mono
p-2 bg-gray-950 rounded border border-gray-800 mb-2">
                <div class="text-gray-500 italic">[System] Channel secure. Communication
online.</div>
```

```
            </div>
            <form onsubmit="sendMessage(event)" class="flex gap-2">
              <input type="text" id="chat-input" placeholder="Transmit message..."
class="bg-gray-900 border border-gray-700 rounded text-xs px-2.5 py-1.5 flex-1 text-white">
              <button type="submit" class="bg-amber-600 hover:bg-amber-500 text-black
font-bold text-xs px-3 py-1.5 rounded">Send</button>
            </form>
          </div>
        </section>
    </main>

    <!-- Modal: Free Netlify Hosting Guide -->
    <div id="hosting-modal" class="fixed inset-0 bg-black/80 backdrop-blur-sm z-50 flex
items-center justify-center p-4 hidden">
        <div class="bg-brand-card border border-cyan-500/50 rounded-lg max-w-xl w-full p-6
space-y-4">
          <div class="flex justify-between items-center border-b border-gray-800 pb-3">
            <h3 class="font-bold text-cyan-400 text-lg">Publish Superpower 1 Free Online</h3>
            <button onclick="toggleModal('hosting-modal')" class="text-gray-400
hover:text-white">&amp;times;</button>
          </div>
          <ol class="list-decimal list-inside space-y-2 text-sm text-gray-300">
            <li>Save this entire page code as <code class="bg-gray-900 px-1.5 py-0.5 rounded
text-cyan-400">index.html</code>.</li>
            <li>Go to <a href="https://app.netlify.com/drop" target="_blank" class="text-cyan-400
underline">Netlify Drop</a>.</li>
            <li>Drag and drop your file folder onto the Netlify drop box.</li>
            <li>Your game is instantly live on a custom URL (e.g., <code
class="text-amber-400">superpower1.netlify.app</code>)!</li>
          </ol>
          <button onclick="toggleModal('hosting-modal')" class="w-full bg-cyan-600
hover:bg-cyan-500 text-black font-bold py-2 rounded">Got it!</button>
        </div>
    </div>

    <!-- Modal: Firebase Setup Guide -->
    <div id="firebase-modal" class="fixed inset-0 bg-black/80 backdrop-blur-sm z-50 flex
items-center justify-center p-4 hidden">
        <div class="bg-brand-card border border-amber-500/50 rounded-lg max-w-xl w-full p-6
space-y-4">
          <div class="flex justify-between items-center border-b border-gray-800 pb-3">
            <h3 class="font-bold text-amber-400 text-lg">Connect 100% Free Firebase
Multiplayer</h3>
```

```
            <button onclick="toggleModal('firebase-modal')" class="text-gray-400
hover:text-white">&times;</button>
        </div>
        <p class="text-xs text-gray-300">Superpower 1 runs in Local Mode by default. To enable
true online cross-device 3-player matchmaking:</p>
        <ol class="list-decimal list-inside space-y-2 text-xs text-gray-300">
            <li>Create a free project at <a href="https://console.firebase.google.com"
target="_blank" class="text-amber-400 underline">firebase.google.com</a>.</li>
            <li>Enable <strong>Anonymous Authentication</strong> & <strong>Realtime
Database</strong>.</li>
            <li>Paste your config into the Firebase script section in this file.</li>
        </ol>
        <button onclick="toggleModal('firebase-modal')" class="w-full bg-amber-600
hover:bg-amber-500 text-black font-bold py-2 rounded">Close</button>
    </div>
</div>

<!-- Main Game Logic Script -->
<script>
    // Game State Variables
    let gameState = {
        month: 1,
        gnp: 26.8,
        treasury: 1450,
        approval: 68,
        threat: 'MODERATE',
        tax: 28,
        defense: 35,
        welfare: 37,
        roomCode: null,
        selectedRegion: 'North America'
    };

    function updatePolicies() {
        gameState.tax = document.getElementById('slider-tax').value;
        gameState.defense = document.getElementById('slider-defense').value;
        gameState.welfare = document.getElementById('slider-welfare').value;

        document.getElementById('val-tax').innerText = gameState.tax + '%';
        document.getElementById('val-defense').innerText = gameState.defense + '%';
        document.getElementById('val-welfare').innerText = gameState.welfare + '%';

        // Calculate approval shift based on tax rate balance
```

```
        gameState.approval = Math.max(20, Math.min(95, 80 - (gameState.tax * 0.5) +
(gameState.welfare * 0.3)));
        document.getElementById('stat-approval').innerText = Math.round(gameState.approval)
+ '%';
    }

    function advanceTurn() {
        gameState.month++;
        const gnpGrowth = (gameState.welfare * 0.05) - (gameState.tax * 0.02);
        gameState.gnp = Math.max(10, gameState.gnp + gnpGrowth).toFixed(1);

        const revenue = gameState.gnp * (gameState.tax / 100) * 100;
        const expenses = (gameState.defense * 20) + (gameState.welfare * 20);
        gameState.treasury = Math.round(gameState.treasury + revenue - expenses);

        document.getElementById('stat-gnp').innerText = '$' + gameState.gnp + ' Trillion';
        document.getElementById('stat-treasury').innerText = '$' +
gameState.treasury.toLocaleString() + ' B';

        logEvent(`[MONTH ${gameState.month}] National budget executed. GNP updated to
$${gameState.gnp}T.`);
    }

    function selectRegion(name, bloc, wealth, threat) {
        gameState.selectedRegion = name;
        document.getElementById('reg-name').innerText = name;
        document.getElementById('reg-bloc').innerText = bloc;
        logEvent(`Tactical radar focused on region: ${name}`);
    }

    function deployForces() {
        gameState.treasury -= 50;
        document.getElementById('stat-treasury').innerText = '$' +
gameState.treasury.toLocaleString() + ' B';
        logEvent(`[MILITARY] Strategic forces deployed to ${gameState.selectedRegion}. -$50B
Treasury.`);
    }

    function sendAid() {
        gameState.approval = Math.min(100, gameState.approval + 3);
        document.getElementById('stat-approval').innerText = Math.round(gameState.approval)
+ '%';
        logEvent(`[DIPLOMACY] Economic trade pact ratified in ${gameState.selectedRegion}.
Public approval improved.`);
```

```
    }

    function logEvent(msg) {
        const log = document.getElementById('event-log');
        const entry = document.createElement('div');
        entry.className = "p-2 rounded bg-gray-900 border-l-2 border-cyan-500";
        entry.innerText = msg;
        log.prepend(entry);
    }

    function createRoom() {
        const code = 'S1-' + Math.floor(1000 + Math.random() * 9000);
        gameState.roomCode = code;
        document.getElementById('lobby-setup').classList.add('hidden');
        document.getElementById('lobby-active').classList.remove('hidden');
        document.getElementById('display-room-code').innerText = code;
        logEvent(`Multiplayer Room created: ${code}. Share this code with up to 2 other
players.`);
    }

    function joinRoom() {
        const input = document.getElementById('room-code-input').value.toUpperCase();
        if(!input) return alert('Please enter a room code');
        gameState.roomCode = input;
        document.getElementById('lobby-setup').classList.add('hidden');
        document.getElementById('lobby-active').classList.remove('hidden');
        document.getElementById('display-room-code').innerText = input;
        document.getElementById('p2-name').innerText = 'You';
        document.getElementById('p2-nation').innerText = 'China';
        logEvent(`Joined Multiplayer Room: ${input}. Synced with commander network.`);
    }

    function sendMessage(e) {
        e.preventDefault();
        const input = document.getElementById('chat-input');
        if(!input.value.trim()) return;
        const chat = document.getElementById('chat-messages');
        const msg = document.createElement('div');
        msg.className = "text-gray-300";
        msg.innerHTML = `<span class="text-cyan-400 font-bold">Commander:</span>
${input.value}`;
        chat.appendChild(msg);
        chat.scrollTop = chat.scrollHeight;
        input.value = '';
```

```
        }

        function setMapView(type) {
            logEvent(`Map visualization filter updated to: ${type.toUpperCase()}`);
        }

        function toggleModal(id) {
            document.getElementById(id).classList.toggle('hidden');
        }
    </script>
</body>
</html>
```