HTML COLORS, FAVICON, TABLES AND CSS

HAJJAT HADIJAH KYAMPEIRE

HTML colors are specified with predefined color names, or with RGB, HEX, HSL, RGBA, or HSLA values. Link to 40 standard colors.

In HTML, a color can be specified by using a color name:



<h1 style="background-color:Tomato;">Tomato</h1>

Background color:

<h1 style="background-color:DodgerBlue;">Hello World</h1>

Try border-color, and varying color values like;

```
<h1 style="background-color:rgb(255, 99, 71);">...</h1>
<h1 style="background-color:#ff6347;">...</h1>
<h1 style="background-color:hsl(9, 100%, 64%);">...</h1>
```

CSS

CSS stands for Cascading Style Sheets.CSS saves a lot of work. It can control the layout of multiple web pages all at once.

With CSS, you can control the color, font, the size of text, the spacing between elements, how elements are positioned and laid out, what background images or background colors are to be used, different displays for different devices and screen sizes, and much more!

Using CSS

CSS can be added to HTML documents in 3 ways:

- Inline by using the style attribute inside HTML elements
- Internal by using a <style> element in the <head> section
- External by using a < link > element to link to an external CSS file

Inline CSS

An inline CSS is used to apply a unique style to a single HTML element. An inline CSS uses the style attribute of an HTML element. Like the examples we have been doing. <h1 style="color:blue;">A Blue Heading</h1>

Internal CSS

An internal CSS is used to define a style for a single HTML page. An internal CSS is defined in the <head> section of an HTML page, within a <style> element.

The following example sets the text color of ALL the <h1> elements (on that page) to blue, and the text color of ALL the elements to red. In addition, the page will be displayed with a "powderblue" background color:

```
<head>
<style>
body {background-color: powderblue;}
h1 {color: blue;}
   {color: red;}
</style>
</head>
<br/><body><h1>This is a heading</h1>This is a paragraph.</body>
```

External CSS

An external style sheet is used to define the style for many HTML pages. To use an external style sheet, add a link to it in the <head> section of each HTML page:

```
. . .
<head>k rel="stylesheet" href="styles.css"></head>
<br/><body><h1>This is a heading</h1>This is a paragraph.</body>...
Create a style.css file and add the following:
body {background-color: powderblue;}
h1 {color: blue;}
p {color: red;}
```

Read more about

Links: https://www.w3schools.com/html/html links.asp

Background images: https://www.w3schools.com/html/html_images_background.asp


Table spacing and padding:

https://www.w3schools.com/html/html table padding spacing.asp

HTML Favicon

A favicon is a small image, so it should be a simple image with high contrast.

A favicon image is displayed to the left of the page title in the browser tab, like this:



To add a favicon to your website, either save your favicon image to the root directory of your webserver, or create a folder in the root directory called images, and save your favicon image in this folder. A common name for a favicon image is "favicon.ico".

Next, add a < link > element to your "index.html" file, after the < title > element, like this:

<head> k rel="icon" type="image/x-icon" href="/images/favicon.ico"></head>

HTML TABLES

HTML tables allow web developers to arrange data into rows and columns. E.G

```
CompanyContactCountryAlfreds FutterkisteMaria AndersGermanyCentro comercial MoctezumaFrancisco ChangMexico
```

Table Cells: Each table cell is defined by a and a tag.

Table Rows: Each table row starts with a and ends with a tag.

Table Headers: Sometimes you want your cells to be table header cells. In those cases use the tag instead of the tag:

Table borders

To add a border, use the CSS border property on table, th, and td elements: Example in css

```
table, th, td {border: 1px solid black;}
```

Collapsed Table Borders

To avoid having double borders like in the example above, set the CSS border-collapse property to collapse.

This will make the borders collapse into a single border:

```
table, th, td {border: 1px solid black; border-collapse: collapse;}
```

With the border-radius property, the borders get rounded corners:

With the border-style property, you can set the appearance of the border with various styles e.g dotted.

```
th, td {
  border-style: dotted;
}
```

Border styles

The following values are allowed:

- dotted
- dashed
- solid
- double
- groove
- ridge
- inset
- outset
- none
- hidden

Table Colspan and Rowspan

To make a cell span over multiple columns, use the colspan attribute:

```
NameAge
JillSmith43
EveJackson57
```

To make a cell span over multiple rows, use the rowspan attribute:

Table styling

HTML Table - Zebra Stripes

If you add a background color on every other table row, you will get a nice zebra stripes effect. To style every other table row element, use the :nth-child(even) selector like this:

```
tr:nth-child(even) {background-color: #D6EEEE;}
```

HTML Table - Vertical Zebra Stripes

To make vertical zebra stripes, style every other *column*, instead of every other *row*.

```
td:nth-child(even), th:nth-child(even) {background-color: #D6EEEE;}
```

Hoverable Table

Use the :hover selector on tr to highlight table rows on mouse over:

```
tr:hover {background-color: #D6EEEE;}
```

HTML Table Colgroup

If you want to style the two first columns of a table, use the <colgroup> and <col> elements. The <colgroup> element should be used as a container for the column specifications.

Each group is specified with a <col> element.

The span attribute specifies how many columns that get the style.

The style attribute specifies the style to give the columns.

```
<colgroup>
<col span="2" style="background-color: #D6EEEE">
</colgroup>
MONTUEWEDTHU<...
```

You can hide columns with the visibility: collapse property: <col span="3" style="visibility: collapse">

Next Lecture classes, id, lists, HTML graphics, Media,