

BlockHub Information Security Whitepaper

Enterprise assessment · data residency · encryption & access · deletion

Controlled external · for procurement / security / compliance review · Version 2026-07-29

Confidence note: Describes BlockHub default product capabilities and contract-ready commitments; private / industry customizations follow signed annexes. Document code BH-SEC-WP-2026.07.

Document overview

For enterprise IT and security teams — BlockHub practices for storage, transport encryption, access control, and deletion.

Cross-check with the Trust Center; for full DPA and compliance alignment, book a demo for the qualification pack.

Data storage & cross-border

Customer business data (app config, KB docs, forms, etc.) is stored by default in mainland China data centers.

Without written customer authorization, data is not used for model training or shared with third parties for marketing.

Cross-border access requires explicit enablement and supplemental terms; overseas admin login is off by default.

Transport & encryption

Admin and employee endpoints use HTTPS/TLS 1.2+ end-to-end; APIs support mTLS (hybrid/private optional).

Data at rest uses AES-256; keys in cloud KMS or customer HSM (private deploy optional).

Sensitive fields (phone, ID, etc.) support column-level masking and export controls.

Access control & audit

Role-based access (RBAC) with org/dept/store isolation.

Critical actions (login, permission changes, export, agent publish) are fully logged — default 180 days, extendable to 1 year.

CSV/JSON export supported; field reference in audit log sample.

Deletion & exit

Within 30 calendar days of contract end or written request, data is deleted with confirmation letter.

Backups cleared per rolling policy; sub-processor deletion confirmation available.

Review recommendations & next steps

Have security, architecture, procurement, and business owners review together and mark gaps against your questionnaire.

Gap items can become a customized response pack after a demo — avoid verbal promises in contracts.

Agree pilot acceptance in writing: permission matrix, audit export sample, confirm-before-write-back, and rollback conditions.

Commercial path: materials review → demo / PoC → quote & DPA → go-live and ops handover.

Terminology

“Default” means standard product configuration; hybrid/private may adjust per proposal.

“Supports” means capability or connector templates exist — not zero-effort go-live.

“Reference range” is for commercial discussion; the stamped quote and order govern.

“Verifiable” means logs, reports, or acceptance minutes can corroborate pilot outcomes.

Contact & stamped copies

Online: blockhub.club Trust Center, customer stories, and book-a-demo.

Available on request: stamped DPA, full security questionnaire (Word), sub-processor list, pen-test summary (NDA).

This PDF tracks the online Trust Center; if versions conflict, prefer the newer document code / date.

When forwarding externally, keep the full PDF (including confidence note and document code).

Appendix 1 • review notes

This appendix supports IT review and does not change commitments in the body.

If terms conflict with a signed contract, the stamped agreement and order annex prevail.

Share this pack with deployment modes, DPA summary, and audit-log samples for joint sign-off.

During pilots, prioritize permission isolation, audit export, and human-confirm write-back paths.

Appendix 2 • review notes

Before go-live: staging integration, account matrix, rollback plan, and acceptance minutes.

Under NDA, customers may request the sub-processor list and annual security assessment summary.

Metric language without separate notes refers to anonymized pilots or reference ranges — not SLAs.

Support hours and response tiers follow the subscription tier / private-deployment SLA annex.

Appendix 3 • review notes

Change management uses least privilege and dual review; production write-back is confirmable.

Document versions track product releases; the download page serves the latest PDF.

Clarify open questions via a booked demo or written follow-up with customer success.

Internal forwarding is allowed; public republication requires written BlockHub permission.

Appendix 4 • review notes

This appendix supports IT review and does not change commitments in the body.

If terms conflict with a signed contract, the stamped agreement and order annex prevail.

Share this pack with deployment modes, DPA summary, and audit-log samples for joint sign-off.

During pilots, prioritize permission isolation, audit export, and human-confirm write-back paths.

Appendix 5 • review notes

Before go-live: staging integration, account matrix, rollback plan, and acceptance minutes.

Under NDA, customers may request the sub-processor list and annual security assessment summary.

Metric language without separate notes refers to anonymized pilots or reference ranges — not SLAs.

Support hours and response tiers follow the subscription tier / private-deployment SLA annex.

Appendix 6 • review notes

Change management uses least privilege and dual review; production write-back is confirmable.

Document versions track product releases; the download page serves the latest PDF.

Clarify open questions via a booked demo or written follow-up with customer success.

Request stamped copies / full questionnaire / gap analysis

Visit the Trust Center on blockhub.club, or book a demo with customer success. Include this PDF document code for version checks.

Appendix • review worksheet (page 4)

1. Map your security questionnaire item numbers to sections in this pack:

Item ____ → Section _____ Item ____ → Section _____

Item ____ → Section _____ Item ____ → Section _____

2. Deployment preference: ☐ PaaS ☐ Hybrid ☐ Private ☐ TBD

3. Existing systems: IdP _____ ERP _____ CRM _____ IM _____

4. PoC success criteria (measurable): _____

5. Open risks / blockers: _____

6. Next meeting date / owners: _____