POST /messages: send_message()
chatparser.normalize_text(content)
_versioned_cache_key(hash) folds catalog/normalization/parser versions
chatparser.classify_t1_intent() matches a non-logging intent?
No
Yes
Open-draft dispatch
Open draft exists and status OPEN?
No
Yes
parse_edit_command() matches T1 edit grammar?
No
Yes
parse_new_item_phrases() found phrases?
No phrases
_call_llm(tier=LLM_SMALL) second opinion, quota-exempt
onOpenDraft=NEW
discard existing draft, fall through to new-meal pipeline
onOpenDraft unset
onOpenDraft=ADD
_apply_ai_edit() returns an outcome?
No / envelope None
Yes
_NO_FOOD_REPLY outcome
outcome tier=LLM_SMALL
needsClarification: add to existing or start new?
_apply_add_phrases()
_apply_edit(): SET_SLOT / ADD_ITEM / EDIT_ITEM / REMOVE_ITEM
_process_new_meal()
Per-user T0 cache hit? find_cached_message()
No / stale foodId
parse_new_item_phrases() found phrases?
No phrases
Global L2 cache hit?
No
try_consume_quota(AI_QUOTA_LIMIT, window)
Consumed
_call_llm(tier=LLM_SMALL): circuit-breaker check -> redact_pii() -> call_small_model() -> validate via IntentEnvelopeSerializer -> create_parse_event()
envelope present AND (WELLBEING_FLAG OR LOG_NEW confidence < T3_ESCALATION_CONFIDENCE_THRESHOLD)?
envelope is None (circuit open / config / call / validation error)
No
Yes
_call_llm(tier=LLM_LARGE, call_large_model) second opinion
T3 call succeeded?
No
Yes
keep T2 envelope
envelope, tier_used = T3 result
Route by envelope.intent
OTHER / empty items
Other non-logging intent
LOG_NEW with items
WELLBEING_FLAG
_NO_FOOD_REPLY outcome, tier=PARSER
_NO_FOOD_REPLY outcome
_handle_non_logging_intent()
_process_t2_new_meal(): _resolve_envelope_items_with_dish (incl. ESTIMATED_DISH), create draft, save_global_cache if fully resolved
_handle_wellbeing_flag()
Exceeded
_QUOTA_EXCEEDED_REPLY outcome
Yes, resolves
_replay_snapshot(), bump_global_cache_hit(), tier=CACHE
Yes
WELLBEING_CHECK_ALL_MESSAGES and has_wellbeing_signal()?
No / not flagged
_build_items_from_phrase() per phrase: composite expand or food match, HIGH/MEDIUM band resolves, LOW/miss -> UNRESOLVED + file_food_miss
Yes, flagged by LLM_LARGE
_create_draft_from_items(tier=PARSER), cache parse_snapshot if fully resolved
_handle_wellbeing_flag() - never blocks logging
Yes, items still resolve
_replay_snapshot() new draft, tier=CACHE
Yes
_handle_non_logging_intent tier=PRECLASSIFIER
Persist USER + ASSISTANT ChatMessage rows, requestId correlation
JSON: tier, intent, assistantText, draft, needsClarification, quotaExceeded