








Hello, visualization!

ICTP Collaborative Scientific Software Dev School, Nov 2024

Laura Garrison, Assoc. Professor in Visualization *Univ. of Bergen*

laura.garrison@uib.no





Valerie Altounian, Filling the Gaps:
<https://www.altounianillustration.com/portfolio/filling-the-gaps>





**What is
visualization?**

Visualization Definitions


- “... finding the **artificial memory** that best supports our natural means of perception.” —Jacques Bertin 1987
- “Computer-based visualization systems provide **visual representations** of **datasets** designed to help **people** carry out **tasks** more effectively.”
—Tamara Munzner 2014
- “A visualization is a **picture** that helps **someone** do **something**.”
—Michael Gleicher 2019

How do **High Income** countries on average compare to the other Income Levels across 31 metrics? 

 MIDDLE, LOW

All metrics

Hover over a circle
or click on a metric
to view details.





% of population with access to electricity for 172 countries 2020

The percentage of population with access to electricity.





Source: [World Bank](#)





[Course and origins from the external carotid artery \(Gray's Anatomy\)](#)

Visualization pipeline



Data are key to the visualization pipeline


Domain

Metadata, semantics, conventions

Task

Questions, goals, assumptions

Raw data




Processed data
i.e., cleaned data

Focus data
i.e., data for vis


Encoded data
e.g., point, line

Image data
i.e., pixels




Tables - Examples


Bar chart




Pie chart



Line



Heatmap



https://altair-viz.github.io/gallery/simple_bar_chart.html



https://altair-viz.github.io/gallery/pie_chart.html

https://altair-viz.github.io/gallery/simple_line_chart.html

https://altair-viz.github.io/gallery/simple_heatmap.html

Networks

- Network = graph
- Show **relationships between items** (nodes)
 - e.g., social networks
- Network nodes and links can also have **attributes**



Matrix Representations


- **Strengths**

- Great for dense graphs
- Visually scales well
- Identify clusters

- **Limitations**



- Abstract visuals
- Hard to follow paths

Les Misérables Co-occurrence





Matrix Representations

Spotting patterns in matrices



Trees

- **Hierarchical** network
- Acyclic (no loops)
- Examples...
 - Academic family tree
 - Evolutionary trees





**Why do
visualization?**

How many times does V occur in this string?

MTHIVLWYADCEQGHKILKMTWY

NARDCAIREQGHVLMFPSTWYA

RNGFPSVCEILQGKMFPSTNDRC

EQDIFPSGHLMFHKMVPSTWYA

CEQTVRN

How many times does **V** occur in this string?

MTHI**V**LWYADCEQGHKILKMTWY

NARDCAIREQGH**L**VKMFPSTWYA

RNGFPS**V**CEILQGKMFPNSNDRC

EQDIFPSGHLMFHKM**V**PSTWYA

CEQTWRN


Visualize to record information

(Show the data)



Visualizations augment human abilities


- **Augment** human capabilities
- Many analysis problems are **ill-specified**
- Visualization **not necessary** if there is a trustworthy, time-saving solution




Garrison et al. 2021

Visualizations can help generate new questions

Visualization can help drive inquiry, especially for undefined problems.



Visualization to confirm hypotheses




Snow's 1854 cholera map

[Wikimedia](#)

Visualizations communicate information

- High-quality visualizations are perceived as “**more interesting, clearly written, and more scientifically rigorous**” [1]
- Highly-cited papers tend to have **more diagrams** per page [2]

Before redesign:



After redesign:




Image Credit: Jen Christiansen, Building Science Graphics (CRC Press 2023), p28

1 K. Cheng et al., “Proving the Value of Visual Design in Scientific Communication,” Information Design Journal, Vol. 23, 2017.

2 P. Lee, J. D. West, and B. Howe, “Viziometrics: Analyzing Visual Information in the Scientific Literature,” IEEE Transactions on Big Data Vol. 4, 2018.

Targets for All Data

→ All Data

→ Trends





→ Outliers



→ Features





- **Trend:** overall pattern in data
- **Outlier:** what doesn't fit
- **Feature:** interesting structures or aspects of data as determined by the task



IsoTrotter, Palenik et al. 2020

Targets for Attributes


- Specific properties of data that are visually encoded
- For **one** attribute, e.g., dog weight



Dog(s) weighing 15kg?



Lightest/heaviest dogs?



Targets for Attributes

- Specific properties of data that are visually encoded
 - For **one** attribute
 - For **many** attributes

→ Many


→ *Dependency*



→ *Correlation*



→ *Similarity*





**Making a
visualization is easy.**



**Making a *good*
visualization is hard.**








$$38 + 19 + 22 =$$



VIOLENT CRIME IS A VERY BIG PROBLEM ADULTS



THE WIZARD OF ODDS

WHITE HOUSE PREPARES TO ADDRESS SURGE IN VIOLENT CRIME

LESS EAGER TO GET THE SHOT," JEFF ZIENTS SAYS ► BIDEN WANTED 70 CUOMO PRIME TIME

LIVE


CNN

6:32 PM PT



VIOLENT CRIME IS A VERY BIG PROBLEM

ADULTS



THE WIZARD OF ODDS

WHITE HOUSE PREPARES TO ADDRESS SURGE IN VIOLENT CRIME

LESS EAGER TO GET THE SHOT," JEFF ZIENTS SAYS ► BIDEN WANTED 70 CUOMO PRIME TIME

LIVE

CNN


6:32 PM PT



WHAT IS THE MOVEMENT?

21 Million Americans Believe both:

Biden Illegitimate + force justified to Restore Trump




CPOST/NORC SEPT 2021, based on US Census population estimate of 258 million US adults. Don't know/Did not answer < 1%
cpost.uchicago.edu


WHAT IS THE MOVEMENT?

21 Million Americans Believe both:


Biden Illegitimate + force justified to Restore Trump




CPOST/NORC SEPT 2021, based on US Census population estimate of 258 million US adults. Don't know/Did not answer < 1%
cpost.uchicago.edu



(a) Line plot.



(b) Spiral plot (cycle length 32 days).



(c) Spiral plot (cycle length 28 days).



A grammar for visualization

Marks

- Graphical

elements in an image

- Classified

according to
number of spatial
dimensions

Marks as items/nodes

→ Points



→ Lines



→ Interlocking Areas



Marks as links



containment



connection

Channels

Channels control
mark appearance

➔ **Position**


➔ Horizontal



➔ Vertical



➔ Both



➔ **Color**



➔ **Shape**



➔ **Tilt**



➔ **Size**

➔ Length







➔ Area




➔ Volume



Applying marks and channels




Applying marks and channels



Figurative map of the successive losses in men of the French Army in the Russian campaign 1812–1813, by Charles Minard (1869)




Applying marks and channels




Figurative map of the successive losses in men of the French Army in the Russian campaign 1812–1813, by Charles Minard (1869)

Applying marks and channels




Figurative map of the successive losses in men of the French Army in the Russian campaign 1812–1813, by Charles Minard (1869)

Applying marks and channels




Figurative map of the successive losses in men of the French Army in the Russian campaign 1812–1813, by Charles Minard (1869)

Applying marks and channels



Figurative map of the successive losses in men of the French Army in the Russian campaign 1812–1813, by Charles Minard (1869)














Applying marks and channels



Figurative map of the successive losses in men of the French Army in the Russian campaign 1812–1813, by Charles Minard (1869)

Different combinations of
marks and channels lead to
many other possibilities...





Deviatio

Emphasise variations (+/-) from a fixed reference point. Typically the reference point is zero but it can also be a target or a long-term average. Can also be used to show sentiment (positive/neutral/negative).

Example FT uses Trade surplus/deficit, climate change

Diverging bar

A simple standard bar chart that can handle both negative and positive magnitude values.

Diverging stacked bar

Perfect for presenting survey results which involve sentiment (eg disagree/neutral/agree).

Spine

Splits a single value into two contrasting components (eg male/female).

Surplus/deficit filled line

The shaded area of these charts allows a balance to be shown – either against a baseline or between two series.

Correlatio

Show the relationship between two or more variables. Be mindful that, unless you tell them otherwise, many readers will assume the relationships you show them to be causal (i.e. one causes the other).

Example FT uses Inflation and unemployment, income and life expectancy

Scatterplot

The standard way to show the relationship between two continuous variables, each of which has its own axis.

Column + line timeline

A good way of showing the relationship between an amount (columns) and a rate (line).

Connected scatterplot

Usually used to show how the relationship between 2 variables has changed over time.

Bubble

Like a scatterplot, but adds additional detail by sizing the circles according to a third variable.

XY heatmap

A good way of showing the patterns between 2 categories of data, less effective at showing fine differences in amounts.

Ranking

Use where an item's position in an ordered list is more important than its absolute or relative value. Don't be afraid to highlight the points of interest.

Example FT uses Wealth, deprivation, league tables, constituency election results

Ordered bar

Standard bar charts display the ranks of values much more easily when sorted into order.

Ordered column

See above.

Ordered proportional symbol

Use when there are big variations between values and/or seeing fine differences between data is not so important.

Dot strip plot

Dots placed in order on a strip are a space-efficient method of laying out ranks across multiple categories.

Slope

Perfect for showing how ranks have changed over time or vary between categories.

Lollipop

Lollipops draw more attention to the data value than standard bar/column and can also show rank and value effectively.

Bump

Effective for showing changing rankings across multiple dates. For large datasets, consider grouping lines using colour.

Distributio

Show values in a dataset and how often they occur. The shape (or 'skew') of a distribution can be a memorable way of highlighting the lack of uniformity or equality in the data.

Example FT uses Income distribution, population (age/sex) distribution, revealing inequality

Histogram

The standard way to show a statistical distribution - keep the gaps between columns small to highlight the 'shape' of the data.

Dot plot

A simple way of showing the change over range (min/max) of data across multiple categories.

Dot strip plot

Good for showing individual values in a distribution, can be a problem when too many dots have the same value.

Barcode plot

Like dot strip plots, all the data in a table, they work best when highlighting individual values.

Boxplot

Summarise multiple distributions by showing the median (centre) and range of the data

Violin plot

Similar to a box plot but more effective with complex distributions (data that cannot be summarised with simple average).

Population pyramid

A standard way for showing the age and sex breakdown of a population distribution; effectively, back to back histograms.

Cumulative curve

A good way of showing how unequal a distribution is; y axis is always cumulative frequency, x axis is always a measure.

Frequency polygons

For displaying multiple distributions of data. Like a regular line chart, best limited to a maximum of 3 or 4 datasets.

Beeswarm

Use to emphasise individual points in a distribution. Points can be sized to an additional variable. Best with medium-sized datasets

Change over Time

Give emphasis to changing trends. These can be short (intra-day) movements or extended series traversing decades or centuries: Choosing the correct time period is important to provide suitable context for the reader. **Example FT uses** Share price movements, economic time series, sectoral changes in a market

Line

The standard way to show a changing time series. If data are irregular, consider markers to represent data points.

Column

Columns work well for showing the size and time - but usually best with only one series of data at a time.

Column + line timeline

A good way of showing the relationship over time between an amount (columns) and a rate (line).

Slope

Good for showing changing data as long as the data can be simplified into 2 or 3 points without missing a key part of story.

Area chart

Use with care – these are good at showing changes to total, but seeing change in components can be very difficult.

Candlestick

Usually focused on day-to-day activity, these charts show opening/closing and high/low points of each day.

Fan chart (projections)

Use to show the uncertainty in future projections - usually this grows the further forward to projection.

Connected scatterplot

A good way of showing changing data for two variables whenever there is a relatively clear pattern of progression.

Calendar heatmap

A great way of showing temporal patterns (daily, weekly, monthly) – at the expense of showing precision in quantity.

Priestley timeline

Great when date and duration are key elements of the story in the data.

Circle timeline

Good for showing discrete values of varying size across multiple categories (eg earthquakes by continent).

Vertical timeline

Presents time on the Y axis. Good for displaying detailed time series that work especially well when scrolling on mobile.

Seismogram

Another alternative to the circle timeline for showing series where there are big variations in the data.

Streamgraph

A type of area chart: use when seeing changes in proportions over time is more important than individual values

Magnitude

Show size comparisons. These can be relative (just being able to see larger/bigger) or absolute (need to see fine differences). Usually these show a 'counted' number (for example, barrels, dollars or people) rather than a calculated rate or per cent. **Example FT uses** Commodity production, market capitalisation, volumes in general

Column

The standard way to compare the size of things. Must always start at 0 on the axis.

Bar

See above. Good when the data are not time series and labels have long category names.

Paired column

As per standard column but allows for multiple series. Can become tricky to read with more than 2 series.

Paired bar

See above.

Marimekko

A good way of showing the size and proportion of data at the same time – as long as the data are not too complicated.

Proportional symbol

Use when there are big variations between values and/or seeing fine differences between data is not so important.

Isotype (pictogram)

Excellent solution in some instances – use only with whole numbers (do not slice off an arm to represent a decimal).

Lollipop

Lollipop charts draw more attention to the data value than standard bar/column – does not have to start at zero (but preferable).

Radar

A space-efficient way of showing value of multiple variables – but make sure they are organised in a way that makes sense to reader.

Parallel coordinates

An alternative to radar charts – again, the arrangement of the variables is important. Usually benefits from highlighting values.

Bullet

Good for showing a measurement against the context of a target or performance range.

Grouped symbol

An alternative to bar/column charts when being able to count data or highlight individual elements is useful.

Part-to-whol

Show how a single entity can be broken down into its component elements. If the reader's interest is solely in the size of the components, consider a magnitude-type chart instead.

Example FT uses Fiscal budgets, company structures, national election results

Stacked column/bar

A simple way of showing part-to-whole relationships but can be difficult to read with more than a few components.

Marimekko

A good way of showing the size and proportion of data at the same time – as long as the data are not too complicated.

Pi

A common way of showing part-to-whole data – but be aware that it's difficult to accurately compare the size of the segments.

Donut

Similar to a pie chart – but the centre can be a good way of making space to include more information about the data (eg total).

Treemap

Use for hierarchical part-to-whole relationships; can be difficult to read when there are many small segments.

Voronoi

A way of turning points into areas – any point within each area is closer to the central point than any other centroid.

Arc

A hemicycle, often used for visualising parliamentary composition by number of seats.

Gridplot

Good for showing % information, they work best when used on whole numbers and work well in small multiple layout form.

Venn

Generally only used for schematic representation.

Waterfal

Can be useful for showing part-to-whole relationships where some of the components are negative.

Spatia

Aside from locator maps only used when precise locations or geographical patterns in data are more important to the reader than anything else.

Example FT uses Population density, natural resource locations, natural disaster risk/impact, catchment areas, variation in election results

Basic choropleth (rate/ratio)

The standard approach for putting data on a map – should always be rates rather than totals and use a sensible base geography.

Proportional symbol (count/magnitude)

Use for totals rather than rates – be wary that small differences in data will be hard to see.

Flow map

For showing unambiguous movement across a map.

Contour map

For showing areas of equal value on a map. Can use deviation colour schemes for showing +/- values

Equalised cartogram

Converting each unit on a map to a regular and equally-sized shape – good for representing voting regions with equal value.

Scaled cartogram (value)

Stretching and shrinking a map so that each area is sized according to a particular value.

Dot density

Used to show the location of individual events/locations – make sure to annotate any patterns the reader should see.

Heat map

Grid-based data values mapped with an intensity colour scale. As choropleth map – but not snapped to an admin/political unit.

Flo

Show the readvolumes or intensity of movement between two or more states or conditions. These might be logical sequences or geographical locations.

Example FT uses Movement of funds, trade, migrants, lawsuits, information; relationship graphs.

Sankey

Shows changes in flows from one condition to at least one other; good for tracing the eventual outcome of a complex process.

Waterfal

Designed to show the sequencing of data through a flow process, typically budgets. Can include +/- components.

Chord

A complex but powerful diagram which can illustrate 2-way flows (and net winner) in a matrix.

Network

Used for showing the strength and inter-connectedness of relationships of varying types.

Visual Vocabulary

Read the FT for free


Add fresh examples and insights to your work, make more informed career choices, and feel more confident managing money with the Financial Times. Teachers can register your school and students can

create




or scanning here

ft.com/schoolsarefree



Spotlighton COLOR

To label something



[The AAPI Nonprofit Database](https://impactaapi.org)

To decorate something



Results





Figure 2. Heat map of projected CMIP6 heat index (°F) in SSP585 scenario




Three color channels




How The UK Transformed Its Electricity Supply In Just A Decade by Carbon Brief

Information is Beautiful 2023
Award Short list

[link](#)




**Hue to encode
nominal attribute**





Ahead Of The Fire
By USA today


[link](#)



Sequential hue
(primarily) to
encode **ordinal**
attribute

Wildfire hazard potential rating






LeBron James has captured the scoring title. We visualized every shot. by USA Today [link](#)



Luminance/saturation to encode **numerical** (continuous) attribute

Monotonically in-/decreasing luminance



Make good [color] choices

Don't overwhelm people's capabilities!

Perceptually distinguishable colors

Value distance matches perceptual distance

Colors and concepts properly align

Aesthetically pleasing and intriguing

Respect color vision deficiencies

Should survive printing to black & white

Color tools

Check if your colors work together accessible

VIZ PALETTE

By: Elijah Meeks & Susie Lu

PICK

Use Chroma.js

Use Colorgorical

Use ColorBrewer

EDIT

7 Colors

Add

☒ #hex ☐ rgb



☐ hsl

- 1 #ffd700
- 2 #ffb14e
- 3 #fa8775
- 4 #ea5f94
- 5 #cd34b5
- 6 #9d02d7
- 7 #0000ff


COLORS IN ACTION

Color Population:

No Color Deficiency - 96%	Deuteranomaly - 2.7%	Protanomaly - 0.66%
Protanopia - 0.59%	Deuteranopia - 0.56%	Greyscale



Color Buddy McNutt et al.2024




<https://projects.susielu.com/viz-palette>


<https://www.vis4.net/palettes/#/9|s|00429d,96ffa,ffffe0|ffffe0,ff005e,93003a|1|1>

Visualizing uncertainty




Laura Garrison
ICTP 27 Nov 2024



Intervals and Ratios




Distributions



hypothetical outcome plot



quantile dot plot



ensemble plot




What kind of uncertainty do you deal with in your data?

How do you show that uncertainty?





Visualizing uncertainty

Graphical Annotations of Distributional Properties


Intervals and Ratios



Distributions



Visual Encodings of Uncertainty



fuzziness



location



arrangement




size



transparency



Hybrid Approach







contour boxplot



probability density and interval plot


Value suppressing colormaps for uncertainty





Communicating uncertainty beyond peers

Temperature (°

C) 15







Why interact with visuals?

To engage!

Manage complexity of data...

On-the-fly hypothesis testing...

To record/trace our activities...




Efficiency Principle

“The gains from using an interactive visual approach should outweigh the computational resources and human effort necessary to carry out the analysis.”

Interactive Visual Data Analysis


Tominski & Schumann 2020




Shared Navigation

Scatterplot matrix with linked navigation interactions

Overview first, zoom and filter, details on demand



Shared Navigation






Activity

How many ways can you think of to communicate 75 and 37?

Find a partner.

Sketch/write out as many as you can think of.

45 ways to communicate 75 and 37



Further reading

More color resources

- [Mpl colormaps](#)
- [Color Use Guidelines for Data Representation. Cynthia Brewer. Proc. Section on Statistical Graphics, American Statistical Association, pp. 55-60, 1999. Color Scheme Explorer.](#)
- [Visualization. Connor Gramazio, David Laidlaw & Karen Schloss. IEEE Transactions on Visualization and Computer Graphics. 2017.](#)
- [Liu, Jeffrey Heer. ACM CHI 2018.](#)
- [Matplotlib color scales](#) [Matplotlib color maps](#)
- [Colorgorical: Creating Discriminable and Preferable Color Palettes for Information](#)
- [How to pick more beautiful colors for your data visualizations. Lisa Charlotte Rost.](#)
- [Somewhere Over the Rainbow: An Empirical Assessment of Quantitative Colormaps. Yang](#)