
Penultimate-Layer Feature-Based OOD Detection: Feature Shaping and Its Limits

Martin Simons

Otto-Friedrich University of Bamberg
Aufbaustr. 11, 96049 Bamberg, Germany
martin.simons@stud.uni-bamberg.de

Seminar: xAI-Sem-M
Degree: M.Sc. (CitH)
Matriculation #: 2188932

Abstract

Post-hoc out-of-distribution (OOD) detection equips a frozen, pre-trained classifier to flag inputs unlike its training data, without retraining. We examine five feature-based methods that read the penultimate-layer representation: four feature-shaping rules—ReAct, ASH, VRA, and Optimal-FS—that transform the feature vector before rescoring, and BLOOD, which instead measures the smoothness of the network’s between-layer transformation. Although the methods share a layer and, in their mathematical form, assume no particular architecture, they were developed on different architecture families and never co-evaluated under one protocol. Reading them together, we find three things: the shaping rules succeed only on the architecture they were designed on, with Optimal-FS and ReAct transferring while pruning rules collapse; the cluster unifies only partially, as whole-vector ASH and the Jacobian-based BLOOD lie outside the optimization that explains the element-wise rules. BLOOD, used as a control, shows the OOD signal is not carried by the feature values alone.

1 Introduction

Out-of-distribution (OOD) detection—recognizing when an input falls outside the distribution a model was trained on—has become a basic requirement for deploying machine-learning systems in the open world, where the inputs met at test time cannot all be anticipated during training and a confidently wrong prediction on an unfamiliar input can be costly. The need is sharpened by a shift in how models are built: real world applications increasingly rely on large pre-trained models that were not fine tuned and cannot easily be retrained, used as frozen checkpoints. This makes *post-hoc* OOD detection, methods that attach to an already-trained network at inference time, add no training cost, and leave its weights untouched [7], the dominant practical setting, and the one this report studies.

Within this setting, *feature-based* detectors read intermediate representations rather than the output logits alone — generally features of the penultimate layer. Most form a tight family we call the *feature shaping cluster*: ReAct [8] (rectified activations), ASH [1] (activation shaping), VRA [9] (variational rectified activation), and Optimal-FS [10]¹ each insert a fixed transformation that rewrites the feature vector before the logits are recomputed, sharpening the separation between in-distribution (ID) and OOD inputs while leaving ID classification essentially unchanged. BLOOD [4] (between-layer out-of-distribution detection) offers an alternative view of the same representation: rather than

¹Since Zhao et al. [10] do not assign a shorthand to their presented method, we have assigned their method the name *Optimal-FS* after the paper’s title *Towards Optimal Feature-Shaping Methods* as a reference for this report.

reshaping the feature vector, it measures how smoothly the network transforms it, on the premise that a trained model processes ID inputs more smoothly than OOD ones. Nothing in the mathematical setup of these methods refers to a particular architecture: each is defined for any frozen classifier with a penultimate layer. On paper, none of the methods are restricted to any model family.

This report reads the five methods together. The shaping cluster rests on a shared assumption, that the discriminative OOD signal resides in the penultimate feature vector and can be recovered by reshaping it. BLOOD, by reading a property of the transformation rather than editing the vector, serves as a control on that assumption. Because the methods were developed on different architecture families and never co-evaluated under a single protocol, a comparison accounts for that by only asking three questions: why the same method succeeds on some architectures and fails on others, how far the shaping cluster can be unified, and whether the OOD signal lies in the feature values or in the transformation applied to them.

2 Related Work

2.1 Positioning within the Survey Taxonomy

We situate the methods in the mechanism-oriented taxonomy of Lu et al. [7]. Its first cut separates *training-driven* methods, which alter the objective or the training data, from *training-agnostic* ones that operate on a frozen model; a second cut separates *test-time adaptive* methods, which update running statistics from test batches, from *post-hoc* methods, which score each input from a single forward pass. All five methods studied here are training-agnostic and post-hoc.

Post-hoc detectors differ in which model-internal quantity they read: the logits (e.g. MSP[3], MaxLogit, Energy[6]), a feature-space distance (e.g. Mahalanobis [5]), a gradient, the penultimate representation, or an estimated density. This report concentrates on the *feature-based* family, which reads the penultimate activation vector $\mathbf{z} \in \mathbb{R}^M$ produced before the linear head $\mathbf{W} \in \mathbb{R}^{M \times C}$. Within it, Lu et al. [7] separate methods that reshape $\mathbf{z}$ directly from those that read a statistical property of it. The first branch *feature shaping*, replaces $\mathbf{z}$ with $\bar{\mathbf{z}} = f(\mathbf{z})$ before the logits are recomputed, with f chosen to sharpen the ID/OOD gap while leaving ID accuracy intact; ReAct [8], VRA [9], and Optimal-FS [10] form a progression from hand-designed rules toward Optimal-FS’s optimization view, which recovers the earlier rules as approximations to a single ID-only optimum as an element-wise operation, complemented by ASH [1], which performs whole vector modifications. BLOOD [4] sits in the second branch: it leaves $\mathbf{z}$ untouched and measures the smoothness of the network’s intermediate transformation through the feature Jacobian, and here serves as the control that isolates the shaping cluster’s shared assumption: that the OOD signal resides in $\mathbf{z}$ itself.

2.2 A Second Axis: Access Requirements

Beyond *which* quantity a method reads, Jelenić et al. [4] note a second, deployment-relevant axis, the *access* a method requires. *Black-box* methods need only inputs and outputs; *white-box* methods also need the weights but no data; *open-box* methods additionally need training data, an OOD validation set, or training intervention. This taxonomy further differentiates the analyzed methods: ASH [1] and BLOOD [4] use no training data and are white-box, whereas ReAct [8], VRA [9], and Optimal-FS [10] fit thresholds or shaping functions to ID data and are open-box. The strongest open-box reference point that is used as a benchmark against all methods, the Mahalanobis distance detector [5] which fits a class-conditional Gaussian to ID features and scores by distance to the nearest class mean appears in the Optimal-FS and BLOOD experiments, to which we defer it.

3 Methodology

We consider a classifier pre-trained on in-distribution data and held frozen. For an input $\mathbf{x}$, the backbone produces a penultimate feature vector $\mathbf{z} \in \mathbb{R}^M$, which a linear head $\mathbf{W}$ maps to C class logits. A post-hoc detector reduces the network’s response to a scalar score $s(\mathbf{x}) \in \mathbb{R}$ and flags the sample once that score crosses a threshold. Detection is thus a thresholding rule

$$G_\lambda : \mathbb{R} \rightarrow \{\text{ID}, \text{OOD}\}, \quad (1)$$

parameterized by a threshold λ , that labels $\mathbf{x}$ by comparing its score to λ . The rule G_λ is common to every method; the methods differ in how that score is *produced* from the frozen network and in its

orientation (which side of λ denotes ID). Most produce it by applying a logit score $s : \mathbb{R}^C \rightarrow \mathbb{R}$ (MSP, MaxLogit, or energy) to the network’s logits; BLOOD is the exception, skipping s and computing its scalar directly. Detection quality is reported with the two standard metrics, AUROC (area under the receiver operating characteristic curve, a threshold-free measure of separability) and FPR95 (false positive rate at 95% true positive rate). Fixing λ is orthogonal to the score and identical across methods—AUROC is threshold-free, and FPR95 fixes λ at 95% true-positive rate for every method alike—so the white-box/open-box distinction (Section 2.2) concerns only what computing the score requires, not threshold calibration.

3.1 Feature Shaping

Feature shaping inserts a transformation $f : \mathbb{R}^M \rightarrow \mathbb{R}^M$ at the penultimate layer, reshaping $\mathbf{z}$ before the logits are recomputed and scored. The detector then factors into a shaping stage and a scoring stage,

$$f : \mathbb{R}^M \rightarrow \mathbb{R}^M, \quad s : \mathbb{R}^C \rightarrow \mathbb{R}, \quad s(\mathbf{x}) = s(\mathbf{W}f(\mathbf{z})), \quad (2)$$

and the sample is flagged by $G_\lambda(s(\mathbf{x}))$. The score s is a standard logit-based score (MSP, MaxLogit, or energy), for which a lower value indicates OOD; crucially, the choice of s is orthogonal to the shaping function f , a separation Optimal-FS later exploits. Setting $f = \text{id}$ recovers the unshaped baseline. Shaping functions are *element-wise* when f acts coordinatewise, $\bar{z}_i = f(z_i)$, and *whole-vector* when the transformation of one coordinate depends on the others.

3.1.1 ReAct and VRA

ReAct [8] and VRA [9] are both element-wise. ReAct clips each activation at an upper threshold c ,

$$f_{\text{ReAct}}(z_i) = \min(z_i, c), \quad (3)$$

with c set to a high percentile (typically the 90th) of the activations estimated on ID data. The motivation is that OOD inputs tend to produce a few abnormally large activations; capping them suppresses the OOD score more than the ID score while leaving most ID activations, which fall below c , untouched.

VRA starts from a variational analysis of which operation maximally separates ID and OOD activations, concluding that the ideal rule suppresses both abnormally low and abnormally high activations. Its canonical piecewise realization, VRA-P, uses two ID-estimated quantile thresholds $\alpha < \beta$,

$$f_{\text{VRA-P}}(z_i) = \begin{cases} 0 & z_i < \alpha, \\ z_i & \alpha \leq z_i \leq \beta, \\ \beta & z_i > \beta. \end{cases} \quad (4)$$

This generalizes ReAct, included as the special case $\alpha = 0$ [9]: VRA-P adds a lower cut that zeroes the abnormally small activations ReAct leaves in place. Both methods fit their thresholds to ID data and are therefore data-dependent, placing them in the open-box category (cf. Section 2.2).

3.1.2 ASH

ASH [1] operates on the whole vector. For each sample it computes the p th percentile t of that sample’s own activations, prunes everything below t to zero, and then treats the surviving activations in one of three ways: ASH-P leaves them unchanged, ASH-B sets them all to a common constant, and ASH-S—the version we take as canonical—scales the survivors by a factor that restores the pre-pruning activation mass,

$$[f_{\text{ASH-S}}(z)]_i = \begin{cases} z_i \cdot \exp(s_1/s_2) & z_i \geq t, \\ 0 & z_i < t, \end{cases} \quad s_1 = \sum_j z_j, \quad s_2 = \sum_{j: z_j \geq t} z_j, \quad (5)$$

where s_1 and s_2 are the sums of activations before and after pruning. The premise is that the representation is heavily redundant, so most of it can be discarded and the sparse surviving support—rescaled to compensate—still classifies ID inputs while sharpening OOD separation. Because the threshold t is computed per sample from the whole vector, ASH is whole-vector and not reducible to an element-wise map, and it uses no training statistics, making it data-free and therefore white-box (cf. Section 2.2). An extreme ablation, ASH-Rand, replaces the surviving values with random ones; we return to it in the discussion, as it bears on what ASH actually exploits.

3.1.3 Optimal-FS

Optimal-FS [10] recasts element-wise shaping as an optimization problem. Writing the per-coordinate reshaping as a multiplicative factor $\theta(z_i) = f(z_i)/z_i$, the shaped maximum logit is

$$\bar{\ell}_{\max}(\bar{\mathbf{z}}) = \sum_{i=1}^M \theta(z_i) w_i^{\max} z_i, \quad (6)$$

so the question becomes which feature *value ranges* should be up- or down-weighted. Optimal-FS partitions the feature range into K intervals, treats θ as piecewise constant over them, and collects the per-interval contributions into a K -dimensional interval-specific feature impact (ISFI) vector $\mathbf{I}(\mathbf{z})$, giving $\bar{\ell}_{\max} = \boldsymbol{\theta}^\top \mathbf{I}(\mathbf{z})$. The shaping vector $\boldsymbol{\theta}$ is then optimized to separate the ID and OOD maximum logits under a norm constraint; solved with OOD data it closely matches the element-wise rules above, recovering them as approximations to a common optimum. Dropping the OOD term gives a closed-form solution from ID data alone (the optimization problem and its reduction are in Appendix A),

$$\boldsymbol{\theta}^* = \frac{\sqrt{K}}{\|\mathbb{E}_{\text{ID}}[\mathbf{I}(\mathbf{z})]\|} \mathbb{E}_{\text{ID}}[\mathbf{I}(\mathbf{z})]. \quad (7)$$

Nearly all of the benefit comes from $K \leq 10$, indicating the optimal shaping function has a simple form (the full ISFI derivation is in the appendix). Two caveats matter for this report. First, the optimization is specific to element-wise shaping, so it unifies ReAct and VRA-P but explicitly *does not* capture whole-vector methods such as ASH, which the authors name as an open problem. Second, like ReAct and VRA, it depends on ID data, making it open-box (cf. Section 2.2).

3.2 Between-Layer Smoothness

3.2.1 BLOOD

BLOOD [4] reads a different signal from the same region of the network. Rather than reshaping $\mathbf{z}$, it measures how smoothly the network transforms its representations, on the premise that a trained model maps ID inputs through smoother transformations than OOD ones. Smoothness at layer l is the squared Frobenius norm of that layer’s Jacobian $\mathbf{J}_l$,

$$\phi_l(\mathbf{x}) = \|\mathbf{J}_l(\mathbf{h}_l)\|_F^2, \quad (8)$$

estimated without forming the Jacobian through an unbiased random-probe estimator $\hat{\phi}_l$ (Appendix A). BLOOD uses this quantity directly as its score, $s(\mathbf{x}) = \hat{\phi}_{L-1}(\mathbf{x})$, with the *inverted* orientation relative to the shaping cluster: a higher value indicates OOD. The detector G_λ still applies, only with the sides of λ reversed. Note that this score is not expressible in the shaping composition $s \circ \mathbf{W} \circ f$ of Section 3.1: it reads the Jacobian and never factors through the head or a shaping map, which is precisely why BLOOD sits outside feature shaping. The method has two variants, BLOOD_M averaging $\hat{\phi}_l$ over all layers and BLOOD_L using only the final transformation, the Jacobian of the head with respect to the penultimate representation $\mathbf{z}$. The authors focus on BLOOD_L , which outperforms BLOOD_M more often, attributing this to the final layer undergoing the most training-driven change; this coincides with our penultimate-layer scope, so we take BLOOD_L as canonical. BLOOD requires only the model’s weights and no training data, making it white-box (cf. Section 2.2).

4 Experiments

The five methods were never evaluated under a shared protocol, therefore no unified leaderboard exists: they differ in backbone, dataset suite, and scale. The organizing axis the evidence does support is *architecture*, not modality: the shaping cluster is at home on convolutional networks (CNNs), while the last-layer smoothness of BLOOD_L is at home on transformers, each degrading sharply on the other’s architecture. We therefore read the evidence as two architecture-defined *islands*—a CNN-optimized shaping island and a transformer-optimized smoothness island—and treat that split as itself a finding. All figures below are reproduced from the cited papers, not independently re-run, and a direct cross-island ranking is precluded by their differing scales and suites.

4.1 Feature Shaping: the CNN Island

Optimal-FS [10] provides the only head-to-head evaluation of the shaping cluster, re-running ReAct, ASH (P/B/S), VRA-P, and its own method across eight ImageNet-1k backbones under one protocol. On ResNet-50—the architecture all of these methods were designed on—the shaping methods are strong and close together (AUROC ≈ 90.3 for ASH-S, 88.6 for VRA-P, 86.5 for ReAct, 88.6 for Optimal-FS). The picture inverts off ResNet-50. On transformer and multi-layer-perceptron (MLP) backbones the most aggressive shaping rules collapse toward chance: ASH-S falls to 18.5 AUROC on ViT-B-16 (a Vision Transformer) and 33.9 on MLP-B, and VRA-P behaves similarly, dragging their eight-backbone averages to ≈ 38 . ReAct degrades far more gracefully (averaging 81.3, never falling below the high 70s), and Optimal-FS holds across the board (83.0 average, 82.7 on ViT-B-16). So the cluster’s apparent unity is conditional on its home architecture; the clip-based ReAct and the ID-optimized Optimal-FS generalize, while the percentile-prune methods do not. On the smaller-scale CIFAR benchmarks, feature shaping as a whole underperforms simple logit baselines, with Optimal-FS competitive but not dominant.

4.2 Between-Layer Smoothness: the Transformer Island

BLOOD [4] is evaluated mainly on text classification with RoBERTa and ELECTRA over eight ID datasets. Among methods requiring no training data (white/black-box), BLOOD_L is the strongest on most datasets, and more consistently than the all-layer variant BLOOD_M; the authors accordingly focus on BLOOD_L, attributing its edge to the final layer absorbing the most training-driven change. An image-classification appendix shows this signal is architectural, not textual: BLOOD_L stays strong on a fine-tuned Vision Transformer but collapses to near-chance on from-scratch CNNs (ResNet-34/50). BLOOD_L is thus at home on transformers regardless of modality. Consistent with this, the shaping methods appearing in BLOOD’s tables, ASH and ReAct, are only middling, indicating CNN-tuned shaping does not transfer to transformers.

4.3 Differences between the two Islands

A distance-based open-box method, Mahalanobis distance [5], bounds both islands from above. In BLOOD’s comparison it outperforms BLOOD in every setup but one (ELECTRA on TREC), and it is consistently the top scorer on the transformer backbones. Its dominance is, however, architecture-specific rather than universal: on ImageNet-scale ConvNets it is weak (AUROC ≈ 55 on ResNet-50 in VRA’s table [9]). The islands therefore deliver a structural message, not a numerical ranking: each paradigm wins on its home architecture, and a simple distance detector tops both wherever its distributional assumptions hold.

5 Discussion

Placing the five methods together raises three questions: why the same method succeeds on some architectures and fails on others (Section 5.1), how far the shaping cluster unifies (Section 5.2), and whether the OOD signal lies in the feature values or in the transformation applied to them (Section 5.3).

5.1 Impact of Model Architectures

The transfer failures of Section 4.1 follow from the mechanisms, not from incidental tuning. Optimal-FS reports the pattern directly: for shaping methods, convolutional-network performance is negatively correlated with performance on other architectures [10]. ASH’s pruning assumes a redundant, sparse representation: excess features of an over-parameterized network [1], a ReLU (rectified linear unit) convolutional premise. BLOOD shows the mirror-image dependence: BLOOD_L reads smoothness in the final transformation, which carries the OOD signal only where training concentrates there—fine-tuned transformers. Its own image-classification results bear this out, with BLOOD_L staying strong on a Vision Transformer but collapsing on from-scratch CNNs, whose learning sits in the lower layers [4]. Feature shaping is thus a CNN technology and BLOOD_L a transformer one, each encoding the architecture it was built on.

ReAct gives a partial cause. It attributes the abnormal OOD activations to batch-normalization statistics estimated on ID data and applied to OOD inputs, making batch normalization the exploited signal rather than an obstacle [8]. ReAct also helps under weight and group normalization [8], so the effect is not specific to batch normalization. The architecture dependence is therefore real but its root cause is unresolved across the cluster.

5.2 How far the shaping cluster unifies

Optimal-FS defines shaping as optimization over functions $f : \mathbb{R}^M \rightarrow \mathbb{R}^M$ and proves that ReAct and VRA-P, rewritten via $\theta(z) = f(z)/z$ (Eq. 6), approximate the optimal element-wise function [10]. This optimum is simple: the large jump above the baseline already appears at a single interval ($K = 1$), which prunes only the 0.1% tails of the feature distribution, and almost all remaining benefit is captured by $K \leq 10$ [10]. This explains why ReAct, a single clip, stays competitive with the optimization-derived method on the architectures both were tuned for: little structure beyond the tails remains to recover.

The unification is bounded, and Optimal-FS draws the boundary. Its tractable instance restricts to element-wise f and, in its own statement, fails to capture whole-vector methods such as ASH, which it still places inside the general $\mathbb{R}^M \rightarrow \mathbb{R}^M$ class [10]. ASH is thus excluded by the reduction, not the definition, and the whole-vector extension is named as open future work [10]. Extending this boundary to a case Optimal-FS does not treat, we observe, that BLOOD lies outside the class: its score is the Frobenius norm of a Jacobian (Eq. 8) [4], not a map returning a reshaped feature vector, so no extension of the optimization can absorb it. This gives three tiers: ReAct and VRA-P inside the solved problem, ASH inside the general class but outside the solved instance, and BLOOD outside the class. The first gap is one of tractability; the second is categorical.

Whether the whole-vector extension is reachable is open. Two findings bear on it, and connecting them is our reading rather than a stated result. The element-wise optimum is coarse [10], and ASH’s signal is also coarse: ASH-Rand replaces the surviving activations with random values yet still beats the logit baselines, locating the signal in the surviving *support* rather than the value profile, while ASH-B and ASH-S—which discard the profile but preserve the activation mass (Eq. 5)—show the global scale is what that support must carry [1].

5.3 Where the signal lives

Because BLOOD is not a shaping function, it serves as a counterpoint that differs from the cluster on one variable: what is measured at the top of the network. The four shaping methods edit the activation vector; BLOOD leaves it unchanged and measures the smoothness of the transformation applied to it [4]. This poses a question neither paradigm sets out to answer: is the OOD signal a property of the feature values or of the map applied to them?

We do not resolve which is fundamental. The juxtaposition does narrow the cluster’s premise. BLOOD shows the activation vector is not the only carrier of OOD signal at the penultimate layer, and ASH-Rand shows that within the cluster the fine values are not the operative part. The shared assumption—that the signal can be recovered by reshaping the penultimate activation vector—is therefore narrower than its framing, though not incorrect.

6 Conclusion

We read five post-hoc, feature-based OOD detectors (the shaping cluster of ReAct, ASH, VRA, and Optimal-FS, together with BLOOD) as a single group united by the penultimate layer they all act on. Three conclusions follow. First, architecture, not mechanism, decides success: shaping rules tuned on ResNet-50 collapse on transformer and MLP backbones, and only the conservative clip of ReAct and the ID-optimized shaping of Optimal-FS transfer, so the cluster’s apparent unity is an artifact of its shared home architecture. Second, the unification is real but bounded: Optimal-FS’s optimization recovers the element-wise rules as approximations to one ID-only optimum, but whole-vector ASH lies outside the solved instance and BLOOD, scoring a Jacobian norm, lies outside the shaping class entirely. Third, the OOD signal is narrower than the shaping premise suggests: BLOOD recovers signal without touching the feature values, and ASH-Rand recovers it without their fine structure. None of these methods is best in a setting-free sense; each encodes the architecture it was built

on—feature shaping a CNN technology, BLOOD_L a transformer one—and a simple distance baseline outperforms both paradigms wherever its assumptions hold. We leave open whether the whole-vector case admits the same optimization account that unifies the element-wise rules.

References

- [1] A. Djurisić, N. Božanić, A. Ashok, and R. Liu. Extremely simple activation shaping for out-of-distribution detection. In *International Conference on Learning Representations (ICLR)*, 2023. URL <http://arxiv.org/abs/2209.09858>.
- [2] I. Goodfellow, Y. Bengio, A. Courville, and Y. Bengio. *Deep learning*, volume 1. MIT press Cambridge, 2016.
- [3] D. Hendrycks and K. Gimpel. A baseline for detecting misclassified and out-of-distribution examples in neural networks. In *International Conference on Learning Representations (ICLR)*, 2017. URL <http://arxiv.org/abs/1610.02136>.
- [4] F. Jelenić, J. Jukić, M. Tutek, M. Puljiz, and J. Šnajder. Out-of-distribution detection by leveraging between-layer transformation smoothness. In *International Conference on Learning Representations (ICLR)*, 2024. URL <http://arxiv.org/abs/2310.02832>.
- [5] K. Lee, K. Lee, H. Lee, and J. Shin. A simple unified framework for detecting out-of-distribution samples and adversarial attacks. *Advances in neural information processing systems*, 31, 2018.
- [6] W. Liu, X. Wang, J. D. Owens, and Y. Li. Energy-based out-of-distribution detection. In *Advances in Neural Information Processing Systems (NeurIPS)*, 2020. URL <http://arxiv.org/abs/2010.03759>.
- [7] S. Lu, Y. Wang, L. Sheng, L. He, A. Zheng, and J. Liang. Out-of-distribution detection: A task-oriented survey of recent advances. *ACM Computing Surveys*, 58(2):1–39, 2026. doi: 10.1145/3760390. URL <https://dl.acm.org/doi/10.1145/3760390>.
- [8] Y. Sun, C. Guo, and Y. Li. React: Out-of-distribution detection with rectified activations. In *Advances in Neural Information Processing Systems (NeurIPS)*, 2021. URL <http://arxiv.org/abs/2111.12797>.
- [9] M. Xu, Z. Lian, B. Liu, and J. Tao. VRA: Variational rectified activation for out-of-distribution detection. In *Advances in Neural Information Processing Systems (NeurIPS)*, 2023. URL <http://arxiv.org/abs/2302.11716>.
- [10] Q. Zhao, M. Xu, K. Gupta, A. Asthana, L. Zheng, and S. Gould. Towards optimal feature-shaping methods for out-of-distribution detection. In *International Conference on Learning Representations (ICLR)*, 2024. URL <http://arxiv.org/abs/2402.00865>.

Use of Large Language Models

The LLM Claude Opus 4.8 was used in the initial screening of scientific literature and the explanation of certain concepts during the research phase. During the writing of the report, the model was used to propose changes to certain technical passages, the unification of the mathematical notation, the solution of syntactical errors and sanity checks regarding overall structure of the report.

Declaration of Authorship

Ich erkläre hiermit gemäß § 9 Abs. 12 APO, dass ich die vorstehende Seminararbeit selbstständig verfasst und keine anderen als die angegebenen Quellen und Hilfsmittel benutzt habe. Des Weiteren erkläre ich, dass die digitale Fassung der gedruckten Ausfertigung der Seminararbeit ausnahmslos in Inhalt und Wortlaut entspricht und zur Kenntnis genommen wurde, dass diese digitale Fassung einer durch Software unterstützten, anonymisierten Prüfung auf Plagiate unterzogen werden kann.

Bamberg, June 30, 2026

(Ort, Datum)

(Unterschrift)

A Derivations

Writing the per-interval contributions as the ISFI vector $\mathbf{I}(\mathbf{z})$ (Section 3.1.3), Optimal-FS optimizes the shaping vector $\boldsymbol{\theta}$ to separate the ID and OOD maximum logits under a norm constraint that prevents trivial rescaling,

$$\max_{\boldsymbol{\theta}} \boldsymbol{\theta}^\top \left(\mathbb{E}_{\text{ID}}[\mathbf{I}(\mathbf{z})] - \mathbb{E}_{\text{OOD}}[\mathbf{I}(\mathbf{z})] \right), \quad \text{s.t. } \|\boldsymbol{\theta}\| = \sqrt{K}. \quad (9)$$

Dropping the OOD term, on the argument that it contributes little beyond the ID direction, leaves the closed-form $\boldsymbol{\theta}^*$ of Section 3.1.3 [10].

For BLOOD, the layer- l smoothness $\phi_l = \|\mathbf{J}_l\|_F^2$ (Eq. 8) is estimated without forming the Jacobian, using N pairs of isotropic random probes $\mathbf{v}_i, \mathbf{w}_i$ (zero mean, unit variance),

$$\hat{\phi}_l(\mathbf{x}) = \frac{1}{N} \sum_{i=1}^N (\mathbf{w}_i^\top \mathbf{J}_l(\mathbf{h}_l) \mathbf{v}_i)^2, \quad \mathbb{E}[\hat{\phi}_l(\mathbf{x})] = \|\mathbf{J}_l\|_F^2, \quad (10)$$

the isotropy of the probes being what makes the estimator unbiased [4].

B Notation

Table 1: Unified notation used throughout this report. Symbols are grouped by the work that introduces the corresponding quantity in the OOD-detection context. Typographic conventions—bold vectors and matrices, $\mathbb{1}\{\cdot\}$, and $\top$ for transpose—follow Goodfellow et al. [2]. Where a symbol is renamed for cross-paper consistency, the original symbol is given in parentheses.

Symbol	Meaning
<i>General notation</i>	
x	Input sample
z	Penultimate-layer feature (activation) vector
z_i	i -th element of z
$\tilde{z}$	Feature vector after shaping / rectification
M	Penultimate feature dimension
C	Number of classes
$\ell_i, \ell^{\max}$	i -th logit; max logit
$\mathbf{J}$	Jacobian matrix
$\ \cdot\ _F$	Frobenius norm
$\mathbb{1}(\cdot)$	Indicator (1 if condition holds, else 0)
$\mathbb{E}[\cdot]$	Expectation
Sun et al. [8]	
c	Activation clip threshold, $\text{ReAct}(z; c) = \min(z, c)$
$s(\cdot)$	OOD scoring function (MSP, MaxLogit, Energy, ...)
λ	OOD decision threshold
G_λ	OOD detector (in/out rule on S)
Xu et al. [9]	
$p_{\text{in}}, p_{\text{out}}$	ID / OOD marginal densities over activations
$g(\cdot), g^*(\cdot)$	Rectification function; variational optimum
τ	Fidelity-gap trade-off coefficient (orig. λ)
α, β	Low / high activation thresholds
γ	VRA+ amplification offset on the intermediate band
η_α, η_β	ID quantiles defining α, β
Zhao et al. [10]	
$\mathbf{w}^{\max}$	Weight vector of the predicted (max-logit) class
$\theta(\cdot)$	Element-wise shaping function, $\theta(z) := f(z)/z$
$\boldsymbol{\theta}$	Per-bucket shaping vector, $\boldsymbol{\theta} \in \mathbb{R}^K$
$I_{[a,b]}(\mathbf{z})$	Interval-specific feature impact (ISFI) of bucket $[a, b]$
a_k, b_k	Edges of the k -th bucket
K	Number of buckets
Jelenić et al. [4]	
$\phi_l(x)$	Score: squared Frobenius norm of the layer- l Jacobian
h_l	Layer- l representation ($h_{L-1} = \mathbf{z}$)
N	Number of random probes (orig. M)
$\mathbf{v}_i, \mathbf{w}_i$	Gaussian probe / projection vectors
$\mathbf{u}_i$	Jacobian-vector product, $\mathbf{u}_i = \mathbf{J}_{L-1} \mathbf{v}_i$
Djurisic et al. [1]	
p	Pruning percentile
t	Per-sample threshold, $t = \text{Perc}_p(\mathbf{z})$
m_i	Binary keep-mask, $m_i = \mathbb{1}\{z_i \geq t\}$
n	Number of surviving activations
s_1, s_2	Pre- / post-pruning activation sums