

Human Annotation Guidelines

ARI 410/510 Project, University of Michigan-Flint, Fall 2026

Your task

For each pull request (PR), check whether the claims in its title and description are actually implemented in its code changes. You are not judging whether the code is good, only whether the text matches the code. No programming experience is required. You'll mostly be matching names and words between the text and the code.

Before you start: how to read a PR

A **pull request** is a proposed change to a codebase. The title and description are the author's summary of what the change does.

The **diff** (the "Files changed" tab) shows the actual change. Green lines starting with + were added, and red lines starting with - were removed.

Each file in the diff has its name at the top. Changes to the same file are grouped together.

You don't need to understand every line. Use Ctrl+F to search the diff for the file names, function names or phrases each claim mentions.

Glossary

Term	Meaning
Function / method	A named block of code, e.g. canUseTheme()
Class	A named grouping of code and data, e.g. a SumOrderComparator class
Extract Method	Code moves out of an existing function into a new function; the original now calls it
Extract Class	Code moves out of an existing class/file into a new class/file; the original now uses it
Move Method / Field	A function or variable moves, unchanged, from one existing class/file to another
Refactor	Restructuring code without changing what it does
Dependency	An external library, listed in package.json, Cargo.toml, requirements.txt
Lockfile	Auto-generated dependency versions, e.g. package-lock.json. Always skip it
Not one of our types	"Extract"/"move" can mean: pulling data from a webpage/API, moving whole files/folders unchanged, a variable just named extract, or moving where data is stored (headers, database). These are Out of scope , see Labels

How to annotate (step by step)

- 1 Open the PR link. If the PR is not available, mark it as **Unavailable**.
- 2 Read the title and description.
- 3 If the PR is not an extract/move method, extract class, extract/move field or refactor, mark it as **Out of scope**.
- 4 Check each line in the description against the code changes.
- 5 If all lines are found in the code changes, mark the PR as **Consistent**.
- 6 If any line is not found in the code changes, mark the PR as **Inconsistent**.

Labels

Label	Meaning
Consistent	All bullet points in the description are found in the code changes.
Inconsistent	At least one bullet point in the description is not found in the code changes.
Unavailable	The PR is not available.
Out of scope	The PR is not an extract/move method, extract class, extract/move field or refactor.

Examples

Example 1: Consistent

PR: <https://github.com/Boniface316/kessler/pull/55>

Title: "Refactor: Move from_pandas from EventDataset class to kessler.io module" (Move Method)

Bullet points checked:

- Create a new kessler/io.py module with the from_pandas() function: **found** (new file, +266 lines)
- Remove the static from_pandas() method from the EventDataset class: **found** (removed from kessler/event.py)
- Update kessler/__init__.py to import the new io module: **found** (from . import io)
- Update usages in test files and notebooks: **found** (tests/test_event.py now uses from kessler.io import from_pandas, and both notebooks are updated)

Why Consistent: all bullet points are found in the code changes.

Example 2: Inconsistent

PR: <https://github.com/DanielAvdar/tabnet/pull/100>

Title: "Refactor: Move multiclass validation logic into error_handlers.py" (Move Method)

Bullet points checked:

- Move four functions from multiclass_validation.py: **not found as described**. validation.py also gains about 30 extra functions copied from other utils modules (e.g., type_of_target, unique_labels), the four moved functions end up defined twice, and there's an unrelated __version__ fallback change.

Why Inconsistent: the code does not do what the description says, so this is not a clean move.

Example 3: Out of scope

PR: <https://github.com/NP1R777/Antrakt/pull/10>

Title: "Refactor search to extract title from quotes and perform exact match"

Check: "extract" here means pulling a substring out of a text string between quotation marks, not extracting code into a new function or class. No code is pulled out of an existing function and placed elsewhere. The behavior also changed: fuzzy matching with a suggestion fallback was replaced by strict exact matching with no fallback.

Why Out of scope: the word "extract" is used in its everyday sense, not as Extract Method or Extract Class, and since the behavior changed, this isn't a refactor at all. This PR isn't one of our three refactoring types.

Example 4: Unavailable

PR: https://github.com/ClubBoss/Poker_Analyzer/pull/560

Title: "Extract diagnostics into widget" (Extract Class)

Check: Opening the PR link shows a 404 "Page not found" error. The PR (or its repository) has been deleted or made private, so the description and code changes can't be viewed.

Why Unavailable: the PR is not available, so its bullet points can't be checked against the code changes.

On using AI tools

Label PRs yourself. Don't ask an AI to decide the label for you.

If the code is unfamiliar, it's fine to ask an AI to explain what it does, but not whether it's Consistent, Out of scope, or an Extract Method. You make that call yourself, using the explanation as a tool.

Questions?

Belhassen Khefacha	khefacha@umich.edu
Aymen Masmoudi	masmoudi@umich.edu
Bivek Dhruv	bivek@umich.edu
Raafat Saeed	raafatmi@umich.edu