

Class 5: Introduction to data / Data visualization I

February 6, 2018

General

Annoucements

- Please see me for office hours if you were unable to complete the RMarkdown assignment due to technical issues.
- Install tidyverse for next class, in your Console window type:

```
install.packages("tidyverse", repos = "https://cran.rstudio.com/")
```

It will take a bit of time to complete, if you get an error message, talk to me ASAP


- I will be posting a demo after class where you'll do some quick practice with visualizations (this will also test that tidyverse installed correctly)
- Reading for next class: *R for Data Science* chapter 3, section 3.1 through to the end of section 3.6

Data basics

Data matrix

Data collected on students in a data science class on a variety of variables:

Stu.	sex	intro_extra	• • •	dread
1	male	extravert	• • •	3
2	female	extravert	• • •	2
3	female	extravert	• • •	4
4	female	extravert	• • •	2
•	:	:	•	•
21	male	extravert	• • •	3



	sex	sleep	bedtime	countries	dread
1	male	5	12 – 2	13	3
2	female	7	10 – 12	7	2
3	female	5.5	12 – 2	1	4
4	female	7	12 – 2		2
5	female	3	12 – 2	1	3
6	female	3	12 – 2	9	4

	sex	sleep	bedtime	countries	dread
1	male	5	12 – 2	13	3
2	female	7	10 – 12	7	2
3	female	5.5	12 – 2	1	4
4	female	7	12 – 2		2
5	female	3	12 – 2	1	3
6	female	3	12 – 2	9	4

• sex: categorical

	sex	sleep	bedtime	countries	dread
1	male	5	12 – 2	13	3
2	female	7	10 – 12	7	2
3	female	5.5	12 – 2	1	4
4	female	7	12 – 2		2
5	female	3	12 – 2	1	3
6	female	3	12 – 2	9	4

• sex: categorical

• sleep: numerical, continuous

	sex	sleep	bedtime	countries	dread
1	male	5	12 – 2	13	3
2	female	7	10 – 12	7	2
3	female	5.5	12 – 2	1	4
4	female	7	12 – 2		2
5	female	3	12 – 2	1	3
6	female	3	12 – 2	9	4

• sex: categorical

• sleep: numerical, continuous

• bedtime: categorical, ordinal

	sex	sleep	bedtime	countries	dread
1	male	5	12 – 2	13	3
2	female	7	10 – 12	7	2
3	female	5.5	12 – 2	1	4
4	female	7	12 – 2		2
5	female	3	12 – 2	1	3
6	female	3	12 – 2	9	4

- sex: categorical
- sleep: numerical, continuous
- bedtime: categorical, ordinal
- countries: numerical, discrete

	sex	sleep	bedtime	countries	dread
1	male	5	12 – 2	13	3
2	female	7	10 – 12	7	2
3	female	5.5	12 – 2	1	4
4	female	7	12 – 2		2
5	female	3	12 – 2	1	3
6	female	3	12 – 2	9	4

- sex: categorical
- sleep: numerical, continuous
- bedtime: categorical, ordinal
- countries: numerical, discrete
- dread: categorical, ordinal (or numerical)

Practice

What type of variable is a telephone area code?

- 1. numerical, continuous
- 2. numerical, discrete
- 3. categorical
- 4. categorical, ordinal


Practice

What type of variable is a telephone area code?


- 1. numerical, continuous
- 2. numerical, discrete
- 3. categorical
- 4. categorical, ordinal

categorical

Does there appear to be a relationship between GPA and number of hours students study per week?




Does there appear to be a relationship between GPA and number of hours students study per week?



Can you spot anything unusual about any of the data points?

Does there appear to be a relationship between GPA and number of hours students study per week?




Can you spot anything unusual about any of the data points?

There is one student with GPA (>) 4.0, this is likely a data error.

Associated and independent variables

Practice


Based on the following scatterplot, which of the following statements is correct about the head and skull lengths of possums?



- 1. There is no relationship between head length and skull width, i.e. the variables are independent.
- 2. Head length and skull width are positively associated.}
- 3. Skull width and head length are negatively associated.
- 4. A longer head causes the skull to be wider.
- 5. A wider skull causes the head to be longer.

Practice

Based on the following scatterplot, which of the following statements is correct about the head and skull lengths of possums?



- 1. There is no relationship between head length and skull width, i.e. the variables are independent.
- 2. Head length and skull width are positively associated.}
- 3. Skull width and head length are negatively associated.
- 4. A longer head causes the skull to be wider.
- 5. A wider skull causes the head to be longer.

 Head length and skull width are positively associated.

Associated vs. independent

- When two variables show some connection with one another, they are called **associated** variables.
 - Associated variables can also be called dependent variables and vice-versa.
- If two variables are not associated, i.e. there is no evident connection between the two, then they are said to be **independent**.

Data visualization as communication

Nothing in science has any value to society if it is not communicated, and scientists are beginning to learn their social obligations.

— Anne Roe, The Making of a Scientist (1953)

Nothing in science has any value to society if it is not communicated, and scientists are beginning to learn their social obligations.

- Anne Roe, The Making of a Scientist (1953)

If you cannot - in the long run - tell everyone what you have been doing, your doing has been worthless.

— Erwin Schrodinger (Nobel Prize winner in physics)

Nothing in science has any value to society if it is not communicated, and scientists are beginning to learn their social obligations.

- Anne Roe, The Making of a Scientist (1953)

If you cannot - in the long run - tell everyone what you have been doing, your doing has been worthless.

Erwin Schrodinger (Nobel Prize winner in physics)

The greatest value of a picture is when it forces us to notice what we never expected to see.

— John Tukey (Mathematician, recipient of National Medal of Science)

Nothing in science has any value to society if it is not communicated, and scientists are beginning to learn their social obligations.

- Anne Roe, The Making of a Scientist (1953)

If you cannot - in the long run - tell everyone what you have been doing, your doing has been worthless.

Erwin Schrodinger (Nobel Prize winner in physics)

The greatest value of a picture is when it forces us to notice what we never expected to see.

- John Tukey (Mathematician, recipient of National Medal of Science)

Numbers have an important story to tell. They rely on you to give them a clear and convincing voice.

— Stephen Few (Founder of Perceptual Edge, author of Show Me the Numbers)

Nothing in science has any value to society if it is not communicated, and scientists are beginning to learn their social obligations.

- Anne Roe, The Making of a Scientist (1953)

If you cannot - in the long run - tell everyone what you have been doing, your doing has been worthless.

Erwin Schrodinger (Nobel Prize winner in physics)

The greatest value of a picture is when it forces us to notice what we never expected to see.

- John Tukey (Mathematician, recipient of National Medal of Science)

Numbers have an important story to tell. They rely on you to give them a clear and convincing voice.

— Stephen Few (Founder of Perceptual Edge, author of Show Me the Numbers)

Visualizations act as a campfire around which we gather to tell stories.


Al Shalloway (Founder and CEO of Net Objectives)

Effective presentations ↔ effective visuals




Source: Digital Image, AP photo used on *Business Insider*, Accessed September 10, 2017, http://www.businessinsider.com/the-first-iphone-2013-12

Visualizations can lead to comprehension...



...or to confusion



Source: The Ebb and Flow of Movies - Box Office Receipts 1986--2008 - Interactive Graphic - NYTimes.com

• The Challenger disaster, January 28th, 1986

- The Challenger disaster, January 28th, 1986
- The Space Shuttle Challenger broke apart 73 seconds into flight, all seven crew members died

- The Challenger disaster, January 28th, 1986
- The Space Shuttle Challenger broke apart 73 seconds into flight, all seven crew members died
- The rubber O-rings, which held the rockets together, had failed due to the low temperatures (below 30°F)

- The Challenger disaster, January 28th, 1986
- The Space Shuttle Challenger broke apart 73 seconds into flight, all seven crew members died
- The rubber O-rings, which held the rockets together, had failed due to the low temperatures (below 30°F)
- Engineers at Morton Thiokol, who supplied solid rocket motors to NASA, warned about this on January 27th, 1986 in a conference call


- The Challenger disaster, January 28th, 1986
- The Space Shuttle Challenger broke apart 73 seconds into flight, all seven crew members died
- The rubber O-rings, which held the rockets together, had failed due to the low temperatures (below 30°F)
- Engineers at Morton Thiokol, who supplied solid rocket motors to NASA, warned about this on January 27th, 1986 in a conference call
- NASA and the managers at Morton Thiokol overruled their concerns, unpersuaded by the engineers

The engineers presented tables like this one

	HISTORY		O-RING TEMPERATURES GREES - F)	
MOTOR	MBT	AMB	O-RING	WIND
om-t	68	36	47	10 mpH
Om - 2	76	45	52	10 MPH
am - 3	72.5	40	48	10 mpH
QM-4	76	48	51	10 mph
52m-15	52	64	53	10 mph
5RM-22	77	78	75	10 MPH
5 RM - 25	55	26	27 27	10 MPH 25 MPH


Edward Tufte's critique of the Challenger disaster

Mathematician Edward Tufte issued a critique and argued that the data should have been presented this way:



"Chartjunk" in Challenger Congressional Hearings

This information was presented in Congressional Hearings about the incident in this format:



• Book by Darrell Huff, published in 1954

- Book by Darrell Huff, published in 1954
- Aside: The title is tongue-in-cheek and is usually misunderstood. The book is not about "fudging the numbers" with statistics.


- Book by Darrell Huff, published in 1954
- Aside: The title is tongue-in-cheek and is usually misunderstood. The book is not about "fudging the numbers" with statistics.
- Illustrates ways that visualizations can be manipulated such that they are misleading, but technically show accurate information

- Book by Darrell Huff, published in 1954
- Aside: The title is tongue-in-cheek and is usually misunderstood. The book is not about "fudging the numbers" with statistics.
- Illustrates ways that visualizations can be manipulated such that they are misleading, but technically show accurate information
- General method: Violate conventions and expectations

• Context: Florida passed a "Stand Your Ground" law in 2005


- Context: Florida passed a "Stand Your Ground" law in 2005
- Advocates claimed it would reduce crime, opponents argued it would increase use of lethal force

- Context: Florida passed a "Stand Your Ground" law in 2005
- Advocates claimed it would reduce crime, opponents argued it would increase use of lethal force
- If you wanted to use data to answer this question, and you came across this graphic published by the news organization Reuters, what would you conclude?




Example 2: average global temperature over time

• The political/editorial magazine National Review tweeted the following visualization on December 14, 2015. The visualization originates from a post on a political blog called Power Line.



Example 2: average global temperature over time

• Here's a conventional version of the same data:



Side note: How do we have a record going back to the 1880s?

Temperatures from the 1800s and onward were recorded using thermometers at various locations around the globe, and by the 1880s thermometers had become precise. Systematic measurements began around the mid-1800s at various army posts, and in 1891 the National Weather Service was formed to continue the effort.

1. Present your results transparently and honestly

- 1. Present your results transparently and honestly
- 2. Show all data, including outliers, that are valid measurements

- 1. Present your results transparently and honestly
- 2. Show all data, including outliers, that are valid measurements
- 3. Use graph layouts that show trends and lets readers easily read quantitative values

- 1. Present your results transparently and honestly
- 2. Show all data, including outliers, that are valid measurements
- 3. Use graph layouts that show trends and lets readers easily read quantitative values
- 4. Do not break conventions regarding scaling, axis orientation, the type of plot to use, etc.

- 1. Present your results transparently and honestly
- 2. Show all data, including outliers, that are valid measurements
- 3. Use graph layouts that show trends and lets readers easily read quantitative values
- 4. Do not break conventions regarding scaling, axis orientation, the type of plot to use, etc.
- 5. If you leave something out of a visualization, say so and justify it

- 1. Present your results transparently and honestly
- 2. Show all data, including outliers, that are valid measurements
- 3. Use graph layouts that show trends and lets readers easily read quantitative values
- 4. Do not break conventions regarding scaling, axis orientation, the type of plot to use, etc.
- 5. If you leave something out of a visualization, say so and justify it
- 6. Strongly consider including your datasets and any scripts used to create figures with your reports or journal articles

Data visualization as exploration

Basic terms

Variable

A quantity, quality, or property that you can measure.

Value

The state of a variable when you measure it. The value of a variable may change from measurement to measurement.

Observation

A set of measurements made under similar conditions (you usually make all of the measurements in an observation at the same time and on the same object). An observation contains several values, each associated with a different variable.

Basic terms

Tabular data (rectangular data)

A set of values, each associated with a variable and an observation.

Kinds of data

Numerical

Data that is a number, either an *integer* (whole numbers) or a *float* (real numbers). This kind of data is collected from device sensors, through counting and polling, outputs of computational simulations, etc.

Categorical

Groups observations into a set. Categories can be in text form (strings or characters), for example brand names for a certain kind of product, or numerical, for example labeling city districts by numbers.

Textual

Plain text that is too varied to be treated as a category. Some examples can be full names, the text of a literary work, tweets, etc.

Credits

- Examples from slides before **Data visualization as communication** were adapted from the Chapter 1 OpenIntro Statistics Slides developed by Mine Cetinkaya-Rundel and made available under the CC BY-SA 3.0 license.
- Ideas and examples in the section **Data visualization as communication** were adapted from *Modern Data Science with R* by Benjamin Baumer, Daniel Kaplan, and Nicholas Horton, chapters 2 and 6.