

Automation test for Web

Training Assignment

Document Code	25e-BM/HR/HDCV/FSOFT		
Version	1.0		
Effective Date	20/05/2019		

RECORD OF CHANGES

No	Effective Date	Change Description	Reason	Reviewer	Approver
1	20/May/2020	Createw a new assignment	Create new	DieuNT1	VinhNV

Contents

Cross-Browser Testing	∠
Objective	
Working requirements	
Product architecture	
Technologies	
Stored Data	
Exercise 1:	
Exercise 2:	F







CODE: MBB_FTF_ATW_Assignment07_Opt1_v1.0

TYPE: Long LOC: N/A

DURATION: 90 MINUTES

Cross-Browser Testing

Objective

- Setting up Selenium Grid Server for parallel execution, Adding nodes to Selenium Grid for cross-browser testing, Creating and executing the Selenium script in parallel with TestNG, Running tests in headless mode.

- TBD

Working requirements

- Working environment: intellij.
- Delivery: Source code, deployment and testing, reviewing evident packaged in a compress archive.

Product architecture

- N/A

Technologies

The product implements one or more technology:

- Java basics
- TestNG
- Selenium

Stored Data

- N/A

Exercise 1:

- 1. Setup Selenium Grid for cross browser testing
- 2. Implement test script for some scenarios to run with 2 browser Chrome and Firefox as bellows: Scenario 1:
 - Step 1: Navigate to the https://rawal-admin.themes-coder.net/admin/login
 - Step 2: Input username: admin@email.com
 - Step 3: Input password: 123
 - Step 4: Click to the Login button
 - Step 5: Click to the Catalog -> Click to Product Brands-> Click Add button -> Click English
 - Step 6: Input Brand Name with conditions:
 - + if browser name = Chrome, please input "Demo Chrome xxxxx"
 - + if browser name = Firefox, please input "Demo_Firefox_xxxx"

With xxxx is random string.

- Step 7: Click to submit button
- Step 8: Verify Product Brand create successfully with status is Active.

Scenario 2:

- Step 1: Navigate to the https://rawal-admin.themes-coder.net/admin/login
- Step 2: Input username: admin@email.com
- Step 3: Input password: 123
- Step 4: Click to the Login button
- Step 5: Click to the Catalog -> Click to Product Categories-> Click Add button
- Step 6: Input Category Name with conditions:
 - + if browser name = Chrome, please input "Demo_Chrome_xxxx"
 - + if browser name = Firefox, please input "Demo_Firefox_xxxx"

With xxxx is random string.

- Step 7: Input description
- Step 8: Select Parent Category is "Cat3"
- Step 9: Input Slug: demo
- Step 10: Upload Category media (select default first media)
- Step 11: Update Category icon (select default first icon)
- Step 12: Click to submit button
- Step 13: Verify Product category create successfully.
- Notes: Step 6 -> Step 11 need update for all language

Exercise 2:

1. Implement test script for scenario to run with 2 browser Chrome and Firefox with headless mode as bellows:

Scenario:

- Step 1: Navigate to the https://rawal-admin.themes-coder.net/admin/login
- Step 2: Input username: admin@email.com

Issue/Revision: x/y

- Step 3: Input password: 123
- Step 4: Click to the Login button
- Step 5: Click to the Catalog -> Click to Products-> Click Add product
- Step 6: Select Categories: Cat3
- Step 7: Input product name, description for all language
- Step 8: Click to the Advance Info tab and Add media with first image and Select product type: Simple
 - Step 9: Select Units: kilo
 - Step 10: Select Brands: KIA
 - Step 11: Input Product Weight: 10
 - Step 12: Price: 1000
 - Step 13: Discount Price: 0.1
 - Step 14: Input SKU with random string
 - Step 15: Click to the SEO tab and click to the Save
 - Step 16: Verify product create successfully.
 - Step 17: Click to the POS in top menu
 - Step 18: Click to the created product
 - Step 19: Verify discount price should be display: 0.1

-- THE END --