



FAMILY HEALTHCARE

Sam Rasmussen & Emma Jackson
ID 2060
Final Project
December 4, 2024

TABLE OF CONTENT

Conceptual Design	3
Design Development	8
Material Specifications	15
Construction Documents	23



CONCEPTUAL DESIGN

CONCEPT STATEMENT



The Family Healthcare Tenant Improvement project in St. George, Utah, draws inspiration from the organization's logo, incorporating its signature colors—orange, green, and blue—into a design that prioritizes functionality, sustainability, and patient comfort. The clinic features Formica Sea Glass countertops and Sherwin-Williams antimicrobial paints to ensure cleanliness, durability, and easy maintenance. The layout is designed for efficient staff workflow while creating an intuitive and welcoming experience for patients. By integrating natural light, sustainable materials, and vibrant yet calming colors, the design reflects Family Healthcare's mission of community-focused care and operational excellence.



INSPIRATION



MOOD BOARD



FAMILY HEALTHCARE & RESEARCH


Family Healthcare prioritize evidence-based design in the most cost effective ways. They focus on preventive care with serving 97% low-income patients and 10% of the Southwest Utah's population. The organization focuses on providing accessible, quality healthcare regardless of financial, language, or cultural barriers, particularly serving those in the service sector and elderly populations who might otherwise struggle to access care. Family Healthcare logo sports red, green, yellow and blue.

Healthcare spaces need tough, easy-to-clean materials that last a long time. The floors are usually made of special vinyl or rubber that's comfortable to walk on and won't get slippery. Walls and counters are built with smooth materials that germs can't easily grow on, and everything needs to be simple to clean and maintain. An option for walls also include use of anti-bacterial paint, according to Sherwin-Williams it kills 99% of bacteria. These choices help keep both patients and staff healthy while making the space work better for everyone.



DESIGN JUSTIFICATION



By specifying non-porous and strictly tested materials such as Formica Everform Solid Surfaces, and Mannington vinyl Bio-Spec MD floors, to the Trespa TopLab cabinets. We have found and aesthetically pleasing mix of materials that meets the rigorous needs of a medical facility. We have incorporated the brand's colors throughout our material selection, and taken special consideration of the placement and know psychological and social effects that these colors have. With careful consideration from the manufacturers end user guides these products are the most appropriate and effective products we can install in this project.








DESIGN DEVELOPMENT

ADJACENCY DIAGRAM & MATRIX



PROTOTYPICALS & EDITS









FURNITURE SELECTION



FLOORING FINISHES




WALL FINISH



CABINETS AND COUNTERTOP



ROOM DIVIDER





MATERIAL SPECIFICATIONS

BIO SPEC MD FLOORING FROM MANNINGTON


To be used across the flooring of the project refer to finish plan for finish locations. The colors Frostwalk, Snow Pea, Zucca, and Twilight Twinkle will be used in this project. The coordinating base and weld colors for each color are for

Frostwork: Blueish White (168) baseboard and the Buttermilk (842410) weld rod

Zucca: Off White (244) baseboard and Papaya (842513) weld rod

Twilight Twinkle: Sky Grey (663) baseboard and Liberty (842515) weld rod

Snow Pea: Blueish White (168) baseboard and Artichoke (842519) weld rod.



BIO SPEC MD FLOORING FROM MANNINGTON

Style	BioSpec® MD
Construction	Homogeneous Sheet (Non-ortho phthalate construction)
Classification	ASTM F1913 Sheet Vinyl Floor Covering without Backing
Total Thickness	0.080" (2.03 mm)
Wear Layer	Quantum Guard Elite™
Width	6'6" (2 m)
Colors	68
Pattern Repeat	Random repeat, reverse sheet for seaming
Packaging	30-73 yd² (25.1-61.04 m²) (73 yd² roll is approx. 100 linear feet)
Weight	6.5 lbs/yd² (2.948 kg/m²)
Adhesive	Porous & Non-porous Substrates: V-95 Full Spread, 2-part Epoxy MoistureLoc Full Spread, One-Component V-88 Full Spread XpressStep for LVT & Sheet Vinyl Full Coverage Spray <small>Note: Must use V-95, MoistureLoc, QuickStix or XpressStep adhesive under hospital beds and heavy rolling load areas. In more abusive conditions such as areas subject to dragging force, direct sunlight or where topical moisture would be a concern, only V-95, MoistureLoc or QuickStix should be used.</small>
QuickStix™	Available with QuickStix® pre-applied adhesive, reducing time and labor required to install the flooring. QuickStix™ floors can be used immediately after installation, even in extreme moisture areas.
Seam Method	Mannington Commercial Weld Rods or MCS-42 Chemical Seam Sealer. Mannington Seam Coater Pen for high traffic areas. <small>Note: Heat welding is the recommended procedure for healthcare and high traffic applications.</small>

Testing	
HUD/FHA	Meets / Exceeds
ADAG (American Disability Act Guidelines)	Passes
Flexibility (ASTM F137)	Passes - 11/2" Mandrel - No Crack/Break
Static Load (ASTM F970)	Passes - Residual Indent ≤ 0.005"
Static Load (ASTM F970 mod.)	Passes - 2,000 PSI; Residual Indent ≤ 0.005"
Rolling Resistance/Caster Chair (ISO 4918)	25,000 Cycles, No Significant Change
Short Term Residual Indentation (ASTM F1914/F1303)	Passes - Must be < 0.007"
Flooring Radiant Panel (ASTM E648)	Passes - Class I; ≥ 0.45 watts/cm²
Smoke Density (ASTM E662)	Passes - ≤ 450
Slip Resistance (ASTM C1028, Dry)	Passes - ≥ 0.5 Leather; 0.6 Rubber
Acoustic IIC (ASTM E492)	50 - 6" Concrete with Drop Ceiling
Acoustic STC (ASTM E90)	63 - 6" Concrete with Drop Ceiling
Resistance to Light (ASTM F1515)	Passes - < 8 Delta E Color Change
Chemical Resistance (ASTM F925)	Passes - No More Than Slight Change
Resistance to Heat (ASTM F1514)	Passes - < 8 Delta E Color Change
Resistance to Mold/Mildew (ASTM G21/E2180)	Passes - No More Than Slight Change
Environmental Data	
Indoor Air Quality	FloorScore Certified; CDPH v12-2017
Product Declarations	Third party verified EPD, HPD
Carbon Offset	105% Cradle to Gate (A1-A3), see website for additional information
LEED	May contribute to LEED credits: Building Product Disclosure & Optimization - EPDs Building Product Disclosure & Optimization - Sourcing Raw Materials; Building Product Disclosure & Optimization - IEQc2 - Low Emitting Materials
mindful MATERIALS	Visit mindfulmaterials.com for current transparency information Salem, NJ (USA) - ISO 14001 EMS & ISO 9001 QMS Registered, +Vantage Vinyl
Manufacturing	Verified Silver
Warranty	
	Limited 12-Year Commercial Warranty
	Limited 12-Year Quantum Guard Elite™ Wear Warranty

Sustainability/Certifications.

Carbon Offset



EPD® Verified



FloorScore



HPD Verified



mindful Materials



+Vantage Vinyl® Verified - Silver



Success Is in Our Science

Introducing Quantum Guard Elite, the patent-pending technology that provides the complete performance solution for heterogeneous sheet flooring.

- Engineered for ease of cleaning and reduced maintenance costs
- Highest abrasion resistance in the industry
- Advanced stain resistance
- Excellent slip resistance


Cleans Better Than Competitors

Advanced urethane chemistry and an optimized texture make resilient sheet with Quantum Guard Elite easy to clean. (Results after 10 passes with a wet microfiber mop on soiled floor.)



Industry-Leading Stain Resistance

With new protective compounds from the aerospace industry and dentistry, Quantum Guard Elite leads the industry in resistance to stains, including tough medical staining agents. (Results after applying multiple medical staining agents to flooring, waiting one hour and wiping with an alcohol wipe.)



WELDING ROD FROM MANNINGTON

GENERAL INFORMATION


Mannington Commercial solid heat-weld rods are designed to be used in conjunction with Mannington Commercial Homogeneous and Heterogeneous commercial sheet flooring products.

The solid welding rods can be used with all commercially available heat-welding equipment designed for use on PVC floor coverings.

Mannington Commercial recommends using a urethane tip. Urethane tips regulate the air flow of the heat, from the end of the heat welding gun, at a consistent temperature allowing the weld rod to be melted directly into the groove and reduce the potential for "burning" the seams. This consistent temperature is required when melting both the sheet vinyl and weld rod together during the installation process as this creates the strong bond and acceptable aesthetic appearance.

4mm Weld Rod (standard)

- Construction: Extruded Vinyl Rod
- Weld Rod Weight: 1.52 lbs. (0.69 kg)
- Amount per Spool: 165 Lineal Feet (50.29 m)
- Weld Rod on Spool Weight: 1.85 lbs. (0.84 kg)
- Complete Package: 2.10 lbs (0.953 kg)
- Box Dimensions: 4 ¼" X 5 ½" x 5 ½" (10.79cm x 13.97cm x 13.97cm)



IDEAL BASE FROM MANNINGTON

IdealBase™

Style	IdealBase™ (.080")	IdealBase™ (.100")	IdealBase™ (.118")
Construction	Thermoplastic Rubber - TP	Thermoplastic Rubber - TP	Thermoplastic Rubber - TP
Classification	ASTM F1861, Type TP, Group 1	ASTM F1861, Type TP, Group 1	ASTM F1861, Type TP, Group 1
Wallbase Thickness	.125 inches (3.2 mm)	.125 inches (3.2 mm)	.125 inches (3.2 mm)
Wallbase Height	6.25 inches (159 mm)	6.25 inches (159 mm)	6.25 inches (159 mm)
Toe Thickness	.080 inches (2.03 mm)	.100 inches (2.54 mm)	.118 inches (3.00 mm)
Toe Length	2.00 inches	2.00 inches	2.00 inches
Sizes	8' lengths (2.43 m)	8' lengths (2.43 m)	8' lengths (2.43 m)
Packaging	6 pieces per carton in 8' lengths	6 pieces per carton in 8' lengths	6 pieces per carton in 8' lengths
Colors	10	10	10
Adhesive	MR-101, Double-sided Tape	MR-101, Double-sided Tape	MR-101, Double-sided Tape
Seam Method	Heat weld to vinyl and rubber, direct bond to Legato flooring Mannington Cold Weld for IdealBase seams on wall Quantum Guard Elite® Colored/Clear Pen	Heat weld to vinyl and rubber, direct bond to Legato flooring Mannington Cold Weld for IdealBase seams on wall Quantum Guard Elite® Colored/Clear Pen	Heat weld to vinyl and rubber, direct bond to Legato flooring Mannington Cold Weld for IdealBase seams on wall Quantum Guard Elite® Colored/Clear Pen
Color Application - Seams			

Testing

HUD/FHA	Meets / Exceeds
Flooring Radiant Panel (ASTM E648)	Passes - Class 1; ≥ 0.45 watts/cm²
Smoke Density (ASTM E662)	Passes - < 450

Environmental Data


Indoor Air Quality	FloorScore Certified; CDPH v1.1-2010
Product Declaration	HPD
LEED	May contribute to LEED credits: Building Product Disclosure & Optimization - Sourcing Raw Materials Building Product Disclosure & Optimization - Material Ingredients; IEQc2 - Low Emitting Materials
mindful MATERIALS	Visit mM Origin website, mindfulmaterials.origin.build , for current transparency information
Manufacturing	Eustis, FL (USA)

TRESPA TOPLAB VERTICAL UNI COLOURS

This product is to be used for doors and drawers of the cabinets throughout this project refer to the finish floor plan for locations

Color: steel blue (K24.4.1).

SPECIFICATIONS	
SIZE	2550 x 1860 (SF), 3050 x 1530 (IF), 3650 x 1860 (FF)
THICKNESS	6mm, 8mm, 10mm, 13mm
TYPE	Double sided decorative, Duocolour, Single sided decorative
GRADE	Fire retardant, Standard




FORMICA EVERFORM SOLID SURFACE

This Product is to be used as the Countertop material throughout this project refer finish plan for locations

Color: Sea Glass (505)

Size & Grade Guide		
Grade 02	1/2" Solid Surface Sheet	
Texture	Thickness (IN)	Dimensions (W x L)
Solid Surfacing	0.48	30 in x 144 in





Sherwin Williams Paint Shield Interior Latex

This will be the interior coating on all walls throughout this project

Color: Truly Taupe (SW6038) Walls and Door Frames

Color Site White (SW7070) Doors




3Form Varia Room Divider

This product is used in the Nurse station as a divider between the desk space and the hallway

Pattern: Sierra

Color: Curry



Halcyon Healthcare Acoustical Panels

This ceiling panel product will be used throughout the entire project

Color: White

MAIN FEATURES

Halcyon™ Healthcare Acoustical Ceiling Panels are ideal for spaces that require superior noise absorption thanks to their high-NRC rating (.95 or 1.00), which allows for increased room-to-room speech privacy and greater sound control in open-plan areas. Aesthetically, these panels visually coordinate with Mars™ Healthcare Acoustical Panels. And their non-directional, monolithic appearance reduces installation time and waste.

- High light-reflective finish (LR-.90)
- Washable and scrubbable finish
- Impact and scratch resistant
- Exceeds FGI guidelines for healthcare applications
- ClimaPlus™ 30-year lifetime system warranty against visible sag, mold and mildew

APPLICATIONS

- Administrative Offices • Classrooms • Convention and Meeting Rooms • Department Stores and Boutiques
- Executive Areas, Conference Areas and Board Rooms • Galleries and Exhibit Spaces
- Guest Rooms and Suites • Lobbies and Reception Areas • Mall Interior Spaces
- Media Centers, Music Rooms and Libraries • Nurseries and Birthing Rooms • Patient Rooms

Overview

With ClimaPlus™ Performance

Fiberglass panels that provide high light reflectance, a water repellent membrane designed to be durable and safe with common disinfectants, superior noise reduction coefficient (NRC) values and sag resistance. Halcyon™ Healthcare Acoustical Ceiling Panels are ideal for all many areas within healthcare facilities, including patient rooms, treatment rooms, nurses' stations, laboratories, corridors, lavatories and restrooms, and kitchen or food-prep areas.



Sound Absorption
0.95 NRC



Sound Attenuation
20 CAC



Light Reflectance
UP TO 0.90



Recycled Content
40 %



Halcyon Healthcare Acoustical Panels


PERFORMANCE		PHYSICAL DATA	
Sound Absorption (NRC) 	0.95	Thickness (in.)	1
Sound Attenuation (CAC)	20	Color	White
Light Reflectance	0.90	Edge	Square Edge
Mold & Mildew Resistance	Yes	Panel Size	2 ft. x 2 ft.
Fire Resistance		Material	
Fire Rating	Class A	Fiberglass	
ASTM E1264		SUSTAINABILITY	
astm-e1264-class	XII: Glass fiber base with membrane-faced overlay, E: Lightly textured; G: Smooth, Form 2: Water-Felted	Recycled Content	40%
ASTM E84			
Flame Spread	25 or less		
Smoke Developed	50 or less		
Fire Rating	Class A		



CONSTRUCTION DOCUMENTS

E&SEmma Jackson &
Samuel Rasmussen
Design Solutions

GENERAL NOTES



① DIMENSION FLOOR PLAN
 $1/8" = 1'-0"$

**FAMILY
HEALTHCARE****ST.GEORGE
LOCATION**


Floor Plan	SHEET
12/4/2024 10:30:32 PM	1
1/8" = 1'-0"	

E&S

Emma Jackson &
Samuel Rasmussen
Design Solutions

GENERAL NOTES

FLOORING LEGEND
F1: Mannington BioSpec MD
Flooring - Frostwork
F2: Mannington BioSpec MD
Flooring - Zucca
F3: Mannington BioSpec MD
Flooring - Twilight Twinkle
F4: Mannington BioSpec MD
Flooring - Snow Pea
C1: Formica Countertop - Sea Glass



INTERIOR WALLS TO BE
COATED WITH PAINT
TAGGED (P1) ON
MATERIAL SCHEDULE.

DOOR FRAMES TO BE
COATED WITH PAINT
TAGGED (P1) ON
MATERIAL SCHEDULE.

DOORS TO BE COATED
WITH PAINT TAGGED (P2)
ON MATERIAL
SCHEDULE.

① FINISH FLOOR PLAN
1/8" = 1'-0"

**FAMILY
HEALTHCARE**

**ST.GEORGE
LOCATION**


Finish Floor	SHEET
12/4/2024 10:30:54 PM	2
1/8" = 1'-0"	

E&S

Emma Jackson &
Samuel Rasmussen
Design Solutions

GENERAL NOTES

FURNITURE LEGEND
A1: Steelcase Gesture Desk Chair - Loke
7110 507K
A2: 9to5 Seating Kelley by Husky - Color:
Latte Brown
A3: Blu Dot Dibs Arm Chair - Color: Day
A4: Double Pedestal Office Desk -
72"x30" Gray Top, Black Base
A5: 36" Round Hospitality Table by
Special T - White Top




① FURNITURE PLAN
1/8" = 1'-0"


FAMILY
HEALTHCARE

ST.GEORGE
LOCATION


Furniture Plan	SHEET
12/4/2024 10:31:02 PM	3
1/8" = 1'-0"	




⑤ Elevation Break Room
1/4" = 1'-0"




③ Elevation Procedure Room
1/4" = 1'-0"



① Elevation Restroom
1/4" = 1'-0"



④ Elevation Exam Room
1/4" = 1'-0"



② Elevation Medication Room
1/4" = 1'-0"

CASEWORK LEGEND

C1: Formica Countertop - Sea Glass
P1: Sherwin Williams Paint Shield Interior Latex - SW 6038
Truly Taupe
P2: Sherwin Williams Paint Shield Interior Latex - SW 7070 Site White
CW1: Trespa Top Lab Vertical UNI Colours - K24.4.1 Steel Blue - Casework
TD1: 3Form Translucent Divider - Sierra Curry

ALL CABINETS TO BE FACED WITH THE MATERIAL (CW1) ON THE MATERIAL SCHEDULE.


DOOR FRAMES TO BE COATED WITH PAINT TAGGED (P1) ON MATERIAL SCHEDULE.

DOORS TO BE COATED WITH PAINT TAGGED (P2) ON MATERIAL SCHEDULE.


BASE BOARDS TO MATCH THE FLOOR SPECIFICATIONS ON THE FLOORING MATERIAL SPECIFICATIONS SHEET TAGGED AS (B1, B2, B3, B4).

FAMILY
HEALTHCAREST.GEORGE
LOCATION

Elevations	SHEET
12/4/2024 10:31:10 PM	4
1/4" = 1'-0"	



③ Elevation Nurse Station
1/4" = 1'-0"



① Elevation Custom Reception Desk
1/4" = 1'-0"

CASEWORK LEGEND

C1: Formica Countertop - Sea Glass


P1: Sherwin Williams Paint Shield Interior Latex - SW 6038

Truly Taupe


P2: Sherwin Williams Paint Shield Interior Latex - SW 7070 Site White

CW1: Trespa Top Lab Vertical UNI Colours - K24.4.1 Steel Blue - Casing

TD1: 3Form Translucent Divider - Sierra Curry



④ Section Nurse Station
1/4" = 1'-0"



② Section Custom Reception Desk
1/4" = 1'-0"

FAMILY
HEALTHCAREST.GEORGE
LOCATION

Sections	SHEET
12/4/2024 10:31:16 PM	
1/4" = 1'-0"	5

Material Schedule								
Tag	Image	Product	Type	Location	Manufacturer	Quantity	Justification	Notes
B1		244 Off White	IdealBase Wall Base - Zucca	Wall Base Board for F2 Flooring	Mannington	593 ft	Cohesive aesthetic while offering durability and ease of maintenance for high traffic areas	
B2		663 Sky Grey	IdealBase Wall Base - Twilight Twinkle	Wall Base Board for F3 Flooring	Mannington	99 ft	Cohesive aesthetic while offering durability and ease of maintenance for high traffic areas	
B3		168 Blueish White	IdealBase Wall Base - Frostwork, Snow Pea	Wall Base Board for F1 and F4 Flooring	Mannington	2585 ft	Cohesive aesthetic while offering durability and ease of maintenance for high traffic areas	
C1		Sea Glass	Countertop	All Countertop	Formica	275 sq ft	Easy to clean, ideal for high-use areas such as healthcare, additionally aligning with Family Healthcare color palette	
F1		Frostwork - BioSpec MD	Flooring	Refer to Finish Floor Plan	Mannington	2476 sq ft	Features antimicrobial properties, making it ideal for healthcare settings. Neutral tone fosters a bright and sanitary environment	
F2		Zucca - BioSpec MD	Flooring	Refer to Finish Floor Plan	Mannington	593 sq ft	Welcoming ambiance, with its BioSpec MD construction ensures durability and hygienic performance suitable for medical facilities	
F3		Twilight Twinkle - BioSpec MD	Flooring	Refer to Finish Floor Plan	Mannington	99 sq ft	Welcoming ambiance, with its BioSpec MD construction ensures durability and hygienic performance suitable for medical facilities	
F4		Snow Pea - BioSpec MD	Flooring	Refer to Finish Floor Plan	Mannington	1133 sq ft	Welcoming ambiance, with its BioSpec MD construction ensures durability and hygienic performance suitable for medical facilities	
P1		SW 6038 Truly Taupe-Paint Shield Interior Latex	Wall Paint	All Walls and door frame	Sherwin Williams	72 gallons	This microbacterial paint inhibits the growth of harmful pathogens on painted surfaces, promoting a cleaner and healthier environment for both staff and patients	
P2		SW 7070 Site White Paint Shield Interior Latex	Door Paint	All doors	Sherwin Williams	2 gallons	This microbacterial paint inhibits the growth of harmful pathogens on painted surfaces, promoting a cleaner and healthier environment for both staff and patients	
W1		842410 Buttermilk	Vinyl Weld - Frostwork	Weld in carpet changes with Frostwork	Mannington	2476 ft	The bright white vinyl weld provides seamless flooring transitions with Frostwork, ensuring durability and a cohesive look	
W2		842513 Papaya	Vinyl Weld - Zucca	Weld in carpet changes with Zucca	Mannington	593 ft	Papaya-colored vinyl weld ensures a seamless and visually appealing finish for Zucca flooring, enhancing its warm, inviting appearance	
W3		842515 Liberty	Vinyl Weld - Twilight Twinkle	Weld in carpet changes with Twilight Twinkle	Mannington	99 ft	Liberty vinyl weld offers durability and a polished look for Twilight Twinkle flooring, ensuring smooth transitions and a professional finish.	
W4		842519 Artichoke	Vinyl Weld - Snow Pea	Weld in carpet changes	Mannington	1133 ft	The Artichoke-colored vinyl weld complements Snow Pea flooring, maintaining design continuity while providing strong, reliable seams.	
CW1		K24.4.1 Steel Blue Trespa Top Lab Vertical UNI Colours	Casework	Refer to Furniture Floor Plan	Trespa		Easy to clean finish ideal for casework in clinical and lab environments	
TD1		Sierra Curry	Translucent Divider	Nurse Station	3Form	15.8 sq ft	Translucent material adds visual interest while maintaining privacy and allows light to pass through, contributing to a bright, inviting interior	
CP1		Halcyon™ Healthcare Acoustical Panels	Ceiling Panels	All ceilings	USG	9075 panels	These are specifically designed for healthcare environments, offering sound absorption (NRC up to 0.95) to reduce noise levels and create a quieter, comfortable space. They are durable, easy to clean and feature anti-mold and anti-microbial properties.	2'x2' panels
Furniture Schedule								
Tag	Image	Product	Location	Manufacturer	Description	Quantity	Justification	Notes
A1		Steelcase Gesture	Desks chair	Steelcase	Loké 7110 507K	12	Ergonomically designed to support a variety of postures, this chair enhances comfort and productivity for staff working long hours at desks.	
A2		9to5 Seating Kelley 300 LB Sled Base Stacking Chair, Armless, All Plastic	Reception, Exam Rooms	Husky Heavy Duty Commercial Seating Solutions	Color: Latte Brown	38	Durable and lightweight, these chairs provide versatile and space-saving seating for high-traffic areas. The latte brown finish aligns with the warm and welcoming design aesthetic.	
A3		Blu Dot Dibs Arm Chair	Doctor Offices	Blu Dot	Color: Day	24	Comfortable and stylish, this chair adds a modern touch to doctor offices while maintaining durability and easy cleaning for healthcare environments.	
A4		Double Pedestal Industrial Office Desk	Doctor Offices, Business Office	Uline	72"x30" Gray Top, Black Base	6	Robust construction and ample workspace ensure these desks meet the functional needs of healthcare professionals. The gray top and black base complement the professional office environment.	
A5		36" Round Hospitality Table by Special T	Break Room	Office Furniture 2 go	White Top / Metallic Silver Base	4	Compact and durable, this table provides a functional and inviting surface for staff to gather during breaks. The white top and metallic silver base create a clean and modern aesthetic that complements the break room.	