

# Re-analysis Summary Report for Peer-evaluation

*Paper ID:* **Hurst\_EvoHumanBehavior\_2017\_yypJ**

*Re-analyst's ID:* **ph39a**

## Your task

As a peer-evaluator, for this paper you are asked to judge whether the analyst's applied analytical choices for Task 1 and Task 2 are acceptable. By acceptable, we mean that the analysis pipeline is within the variations that could be considered appropriate by the scientific community in addressing the given analytical task. In addition, for Task 1, we ask you to judge whether the reported conclusion adequately follows from the results of the analysis; whether the co-analyst's self-categorization of the result is adequate. Although, you are not required, it would be appreciated, if you could execute the accompanying analysis code to check any mismatch between the results of the analysis and the reported results.

*For both tasks, you should provide your evaluation via this survey:* <https://forms.gle/EAREaC6JjN2PWFfR6>

## The re-analyst's task

The re-analyst was instructed to assess the following claim of the original authors:  
... those with a faster life strategy report greater levels ... of psychopathology (p. 1.)

## The corresponding article

Here you can find the original article: [https://osf.io/tqmbe/?view\\_only=c874fcf097644e82a320679d4641163a](https://osf.io/tqmbe/?view_only=c874fcf097644e82a320679d4641163a)  
and the original data: [https://osf.io/vhmgc/?view\\_only=5c6bedb36b2549a88ac137d6c746bcb8](https://osf.io/vhmgc/?view_only=5c6bedb36b2549a88ac137d6c746bcb8)

They are provided only as context of the re-analysis.

**In Task 1, the analyst was asked to conduct the analysis without any restrictions. Here, the analyst reported the following steps and results of the analysis:**

Methods: To test the hypothesis that a faster life strategy is associated with symptom frequency of psychopathology, the correlation of the Mini-K (short form of the Arizona Life History Battery; Figueredo et al., 2004) and the DSM-5 Self-Rated Level 1 Cross-Cutting Symptom Measure for Adult (American Psychiatric Association, 2013b) was computed. The Mini-K was used as a measure for life strategies, with positive scores reflecting a slower life strategy and negative scores reflecting a faster life strategy. The DSM-5 questionnaire was used to capture the self-rated frequency of psychopathological symptoms. Thus, higher scores reflect greater levels of psychopathology. Based on these two questionnaires, the correlation will be negative, if faster life strategies are associated with higher levels of psychopathology.

Analysis: Normality was not given for either of the questionnaires. Neither was Homoscedasticity. Thus, a Spearman Correlation was computed.

Result: We found a significant negative correlation between life strategies and symptom frequency of psychopathology within this study's sample,  $r(136) = -.59$ ,  $p < .001$ .

**The analyst's conclusion:** Faster life strategies are positively associated with the symptom frequency of

psychopathology.

**The analyst's categorization of the result:**

The results show evidence for the relationship/effect as described in the claim provided in your task

**In Task 2, the analysts received the following instruction to conduct the analysis:**

You should report the Mini-K measure instead of HKSS for life history strategy.

**Here, the analyst reported the following steps and results of the analysis:**

same as in Task 1 (-> already satisfied the specific instructions of Task 2)

**Analysis language/software/code (optional to check):**

Task 1: R

Task 2: R

**Analysis codes:** <https://osf.io/7p9mw/>