

Angular Mentor Portal (v21) — Step-by-Step Setup

Frontend: Angular • Backend: Spring Boot (Eclipse). This PDF covers the Angular part: routing + layout (sidebar/navbar/footer) + run.

Prerequisites

- Node.js installed (Recommended: Node 20 LTS).
- Angular CLI installed (you have Angular CLI 21.1.4).
- VS Code (recommended) or any editor.

Step 1 — Create Angular Project

Open terminal and run:

```
ng new mentor --routing --style=scss
cd mentor
```

Step 2 — Install UI Libraries (Bootstrap + FontAwesome)

Run:

```
npm i bootstrap
npm i @fortawesome/fontawesome-free
```

Step 3 — Add Bootstrap & FontAwesome in styles.scss

Open: src/styles.scss and add:

```
@import "bootstrap/dist/css/bootstrap.min.css";
@import "@fortawesome/fontawesome-free/css/all.min.css";
```

Step 4 — Generate Components

Run these commands one by one:

```
ng g c pages/auth/login
ng g c layout/navbar
ng g c layout/sidebar
ng g c layout/footer
ng g c layout/main-layout
ng g c pages/dashboard
ng g c pages/intern/intern-list
ng g c pages/intern/intern-upload
ng g c pages/intern/intern-profile
ng g c pages/task/task-list
ng g c pages/task/task-create
ng g c pages/task/task-assign
ng g c pages/reports
```

Step 5 — Configure Routes (app.routes.ts)

Open: src/app/app.routes.ts and replace full code:

```
import { Routes } from '@angular/router';

import { LoginComponent } from '../pages/auth/login/login.component';
import { DashboardComponent } from '../pages/dashboard/dashboard.component';

import { InternListComponent } from '../pages/intern/intern-list/intern-list.component';
import { InternUploadComponent } from '../pages/intern/intern-upload/intern-upload.component';
import { InternProfileComponent } from '../pages/intern/intern-profile/intern-profile.component';

import { TaskListComponent } from '../pages/task/task-list/task-list.component';
import { TaskCreateComponent } from '../pages/task/task-create/task-create.component';
import { TaskAssignComponent } from '../pages/task/task-assign/task-assign.component';

import { ReportsComponent } from '../pages/reports/reports.component';
import { MainLayoutComponent } from '../layout/main-layout/main-layout.component';

export const routes: Routes = [
  { path: '', redirectTo: 'login', pathMatch: 'full' },

  // Login (without sidebar)
  { path: 'login', component: LoginComponent },

  // Pages with layout
  {
    path: '',
    component: MainLayoutComponent,
    children: [
      { path: 'dashboard', component: DashboardComponent },

      { path: 'interns', component: InternListComponent },
      { path: 'interns/upload', component: InternUploadComponent },
      { path: 'interns/profile/:id', component: InternProfileComponent },

      { path: 'tasks', component: TaskListComponent },
      { path: 'tasks/create', component: TaskCreateComponent },
      { path: 'tasks/assign', component: TaskAssignComponent },

      { path: 'reports', component: ReportsComponent }
    ]
  },
  { path: '**', redirectTo: 'login' }
];
```

Step 6 — app.component.html

Open: src/app/app.component.html and keep only:

```
<router-outlet></router-outlet>
```

Step 7 — Main Layout HTML

Open: src/app/layout/main-layout/main-layout.component.html:

```
<div class="layout-wrapper">
  <app-sidebar></app-sidebar>

  <div class="main-content">
    <app-navbar></app-navbar>
```

```
    <div class="page-container">
      <router-outlet></router-outlet>
    </div>

    <app-footer></app-footer>
  </div>
</div>
```

Step 8 — Main Layout SCSS

Open: `src/app/layout/main-layout/main-layout.component.scss`:

```
.layout-wrapper {
  display: flex;
  min-height: 100vh;
  background: #f5f7fb;
}

.main-content {
  flex: 1;
  display: flex;
  flex-direction: column;
}

.page-container {
  padding: 18px;
  flex: 1;
}
```

Step 9 — Sidebar HTML

Open: src/app/layout/sidebar/sidebar.component.html:

```
<div class="sidebar">
  <div class="sidebar-header">
    <h5 class="m-0">Mentor Portal</h5>
    <small>Intern Task System</small>
  </div>

  <ul class="sidebar-menu">
    <li routerLink="/dashboard" routerLinkActive="active">
      <i class="fa-solid fa-chart-line"></i>
      <span>Dashboard</span>
    </li>

    <li routerLink="/interns" routerLinkActive="active">
      <i class="fa-solid fa-users"></i>
      <span>Interns</span>
    </li>

    <li routerLink="/interns/upload" routerLinkActive="active">
      <i class="fa-solid fa-file-excel"></i>
      <span>Upload Excel</span>
    </li>

    <li routerLink="/tasks" routerLinkActive="active">
      <i class="fa-solid fa-list-check"></i>
      <span>Tasks</span>
    </li>

    <li routerLink="/tasks/create" routerLinkActive="active">
      <i class="fa-solid fa-plus"></i>
      <span>Create Task</span>
    </li>

    <li routerLink="/tasks/assign" routerLinkActive="active">
      <i class="fa-solid fa-user-check"></i>
      <span>Assign Task</span>
    </li>

    <li routerLink="/reports" routerLinkActive="active">
      <i class="fa-solid fa-file-export"></i>
      <span>Reports</span>
    </li>
  </ul>
</div>
```

Step 10 — Sidebar SCSS

Open: src/app/layout/sidebar/sidebar.component.scss:

```
.sidebar {
  width: 260px;
  background: #111827;
  color: #fff;
  padding: 16px;
  display: flex;
  flex-direction: column;
}

.sidebar-header {
  padding: 12px;
```

```
border-bottom: 1px solid rgba(255, 255, 255, 0.1);
margin-bottom: 14px;

h5 {
  font-weight: 700;
}

small {
  opacity: 0.7;
}
}

.sidebar-menu {
  list-style: none;
  padding: 0;
  margin: 0;

  li {
    padding: 12px 14px;
    border-radius: 10px;
    cursor: pointer;
    display: flex;
    align-items: center;
    gap: 10px;
    margin-bottom: 8px;
    transition: 0.2s;

    i {
      width: 20px;
      font-size: 14px;
    }

    &:hover {
      background: rgba(255, 255, 255, 0.1);
    }

    &.active {
      background: #2563eb;
    }
  }
}
```

Step 11 — Navbar HTML

Open: src/app/layout/navbar/navbar.component.html:

```
<nav class="topbar">
  <div class="topbar-left">
    <h6 class="m-0">Mentor Dashboard</h6>
  </div>

  <div class="topbar-right">
    <span class="user-name">
      <i class="fa-solid fa-user"></i>
      Mentor
    </span>
    <button class="btn btn-sm btn-danger">
      Logout
    </button>
  </div>
</nav>
```

Step 12 — Navbar SCSS

Open: src/app/layout/navbar/navbar.component.scss:

```
.topbar {
  height: 60px;
  background: #ffffff;
  border-bottom: 1px solid #e5e7eb;
  padding: 0 18px;

  display: flex;
  align-items: center;
  justify-content: space-between;
}

.topbar-right {
  display: flex;
  align-items: center;
  gap: 12px;
}

.user-name {
  font-weight: 600;
  color: #111827;
}
```

Step 13 — Footer HTML + SCSS

Footer HTML: src/app/layout/footer/footer.component.html:

```
<footer class="footer">
  <small>© 2026 Mentor Portal - Intern Task Management</small>
</footer>
```

Footer SCSS: src/app/layout/footer/footer.component.scss:

```
.footer {
  padding: 12px 18px;
  background: #fff;
  border-top: 1px solid #e5e7eb;
  text-align: center;
}
```

Step 14 — Run the Angular App

Run:

```
ng serve -o
```

Open in browser: <http://localhost:4200/login>

Next Step After This

- Create professional Login UI (Reactive Forms).
- Create AuthService + JWT token store.
- Create API services for Intern + Task modules.