```
<scenario>
<AnalysisScenario id="AS3">
    <Step id="1" name="features selection" supervisedBy="OEM">
        <Task id="1" name="internal and external temperatures
features selection with factor analysis" />
    </Step>
    <Step id="2" name="displacements prediction"</pre>
supervisedBy="OEM">
          <Task id="1" name="create dataset with internal
temperatures, external temperatures, displacements" />
        <Task id="2" name="train-test dataset split" />
        <Task id="3" name="regression coefficients calculation
with multiple linear regression analysis (MLRA) " />
        <Task id="4" name="calculation of predicted displacements"
/>
    </Step>
    <Step id="3" name="comparison of predicted vs real</pre>
displacements" supervisedBy="OEM">
        <Task id="1" name="calculation of pearson correlation" />
          <Task id="2" name="calculation of mean root squared
error" />
    </Step>
</AnalysisScenario>
</scenario>
Consider the definitions (between <definitions>
</definitions>) of step and task as well as of inclusion,
extension and specialisation between pairs of analysis scenarios.
<definitions>
An analysis scenario is composed of steps and each step is
```

accomplished through a series of tasks. You can think of a step as a macro-group of affine tasks.

Specialisation relationship between scenarios: indicates that a scenario adds several steps/tasks with respect to another scenario.

Extension relationship between scenarios: to emphasise that a scenario presents a list of steps/tasks that is a variation of the steps/tasks of another scenario.

Inclusion relationship between scenarios: indicates that a scenario is included in other scenarios by specifying that the steps/tasks within one scenario are inclusive of the steps/tasks in other ones.

</definitions>

Based on the definitions between <definitions> </definitions>, and the analysis scenarios provided in the uploaded files, suggest me

analysis scenarios that include the one delimited by <scenario></scenario> according to the definition of "inclusion" relationship.

If you are not able to answer say "I don't know". For each suggested scenario, print its steps (between <steps></steps>) and tasks (between <tasks></tasks>).

```
<scenario>
    <AnalysisScenario id="PredictiveMaintenance">
        <Step id="1" name="Data Collection">
            <!-- Tasks for data collection -->
        </Step>
        <Step id="2" name="Data Preparation">
            <!-- Tasks for data preparation -->
        </Step>
        <Step id="3" name="Feature Engineering">
            <!-- Tasks for feature engineering -->
        </Step>
        <!-- Steps and tasks from AS3 scenario with temperature
set to 0 -->
        <Step id="1" name="features selection" supervisedBy="OEM">
            <Task id="1" name="internal and external temperatures
features selection with factor analysis" />
            <!-- Set temperature to 0 -->
        </Step>
        <Step id="2" name="displacements prediction"</pre>
supervisedBy="OEM">
            <Task id="1" name="create dataset with internal
temperatures, external temperatures, displacements" />
            <Task id="2" name="train-test dataset split" />
            <Task id="3" name="regression coefficients calculation
with multiple linear regression analysis (MLRA)" />
            <Task id="4" name="calculation of predicted
displacements" />
        </Step>
        <Step id="3" name="comparison of predicted vs real</pre>
displacements" supervisedBy="OEM">
            <Task id="1" name="calculation of pearson correlation"
/>
            <Task id="2" name="calculation of mean root squared
error" />
        </Step>
        <Step id="4" name="Model Training">
            <!-- Tasks for model training -->
        </Step>
    </AnalysisScenario>
</scenario>
```