

A survey on breast lesion segmentation in Ultra-Sound images and its assessment: A survey

Joan Massich^{1,✉,□a}, Guillaume Lemaître^{1,2,✉,□a}, Mojdeh Rastrgoo^{1,2,✉,□a}, Joan Martí^{2,□b}, Fabrice Mériaudeau^{1,‡,□a},

1 Le2i-UMR CNRS 6306, Université de Bourgogne, 71200 Le Creusot, France

2 ViCOROB, Universitat de Girona, 17071 Girona, Spain

✉These authors contributed equally to this work.

‡These authors also contributed equally to this work.

□a 12 rue de la Fondaire, 71200 Le Creusot, France □b Campus Montilivi Ed.P4, 17071 Girona, Spain

†Deceased

¶Membership list can be found in the Acknowledgments section.

* joan.massich@u-bourgogne.fr

Abstract

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Introduction

Breast cancer is the leading cause of cancer deaths among females worldwide. Nevertheless, death by breast cancer are highly reduced by early treatment. Thus, to run a chance of surviving breast cancer, it is uttermost important the early detection of malignant tumors. This has motivated the establishment of Breast Screening Policy Breast Screening Policies (BSPs) to facilitate this breast cancer detection at an early stage. Despite X-ray Digital Mammography (DM) is considered the gold standard technique for BSP, other screening techniques like Ultra-Sound and Magnetic Resonance Imaging are being investigated to overcome DM limitations due to tissue superposition which can either mimic or obscure malignant pathology, and avoid X-ray radiation all together.

References