

Forma

AI Personal Trainer - Web App - Design Inspection

A visual and systemic review of the redesigned Forma web app: a premium marketing landing page plus the full logged-in product surface (dashboard, workouts, AI trainer, 3D muscle map, progress). Built with Vite + React + TypeScript + Tailwind. Dark-first, editorial, Apple/Linear-tier language.

Generated 2026-08-28 - viewport captures 1440x900 (desktop) & 390x844 (mobile)

The system in one page

One idea carried through every surface: the single most important number on a screen is rendered as a grid of glowing dots - an instrument readout, not a label - and kept rare (one per screen, maximum). Everything else supports that: near-black ground, one cobalt accent reserved strictly for interactive chrome, and five saturated gradient identities used only on data cards.

Typography

- Manrope (voice) - headings 550-650 weight, tracking -0.03em, short measures
- JetBrains Mono (data) - every number, unit, eyebrow, timestamp; tabular figures
- Hero clamp(44-92px); section heads clamp(30-56px); body 17-21px

Shape & depth

- Radius scale: 12 (chips) / 24 (cards) / 28-32 (hero) / 40-48 (bezel) / 999 (pills)
- Double-bezel: machined outer tray (p-6, hairline) + inner core with inset highlight
- Flat 3-step surface ladder - no Material drop shadows; one soft glow per view




Colour roles

- ion #4C63FF - buttons, active nav, focus, links, brand ONLY (never a card fill)
- ember / chartreuse / orchid / jade / aurum - data cards & badges ONLY
- Gradient tiles: hue blooms at the edges, clear near-black centre (inverse vignette)

Motion

- Easing cubic-bezier(0.22,1,0.36,1) and (0.32,0.72,0,1) - never linear / ease-in-out
- Scroll reveal: fade + 24px rise + 6px deblur, IntersectionObserver (no scroll listener)
- Button-in-button: nested icon translates diagonally on hover; press scales 0.98
- prefers-reduced-motion fully respected (reveals + drift freeze)

Tokens

	ground #0A0A0C	App / screen background
	surface #16161A	Card background
	surface-2 #1E1E24	Raised / nested surface
	line #2B2B32	Hairline borders
	ink #F5F4F0	Primary text (warm off-white)
	ink-dim #9B9AA3	Secondary text
	ink-faint #5B5A62	Tertiary / disabled
	ion #4C63FF	Signature accent - interactive chrome ONLY
	ion-soft #7C8CFF	Hover / pressed tint
	ember #FF8A5B to #C2410C	Effort / heart rate / intensity
	chartreuse #DEF76B to #7FA829	Form score / movement quality
	orchid #CB63FF to #6E2C91	Recovery / readiness
	jade #52E3B4 to #0E8F6D	Muscle activation / training volume
	aurum #FFCE5C to #B87F1B	Streaks / consistency / achievements

Reusable parts

InstrumentReadout

Dot-matrix hero numeral. 5x7 filled-circle glyphs, vertical identity gradient, soft glow. role=img with aria-label. One per screen. Used: hero est. duration, active-workout total volume, progress e1RM.

StatCard

Gradient identity tile - mono eyebrow, tabular value + unit, optional sparkline. Edge-bloom / clear-centre fill, inset top highlight.

RingGauge

46 discrete dots around a circle; filled arc in identity colour, mono numeral + '/100' centre. Readiness (orchid) on the dashboard.

MuscleMap

Lightweight 2D SVG stand-in for the body. Ion ramp neutral to ion by activation 0-1. Kept for small thumbnails (Home, bento).

BodyMuscles [body-muscles npm]

React wrapper around the imperative BodyChart class - 70+ anatomical muscle regions, 0-10 intensity heatmap (slate to yellow to red), clickable, front/back. Our simple {group:0..1} model is expanded to per-side muscle ids. Used on the Body page + landing body section.

DitheringImage [framer.com/m/DitheringHover]

Vendored Framer component: an image with a Bayer-8 dithered radial zone (ragged fringe) that tracks the cursor on a canvas. Drives the landing product-demo screenshot inside the browser frame. framer runtime shimmed locally; framer-motion springs kept.

ScreenCarousel [framer.com/m/infinite-3d-carousel]

Vendored Framer component: draggable + auto-playing 3D coverflow with perspective, per-card depth blur and edge fade, momentum, keyboard + pointer, reduced-motion aware. New landing section cycling five real app screenshots.

GlassFooter

Liquid-glass footer panel - layered translucency, a specular sweep across the top edge, a violet refracted rim, inner floor shadow, backdrop-blur (single element). Newsletter field + button-in-button, glass social chips, link columns. Built in-house; see note on the Framer module.

PillSelector

Single pill track, mono labels, filled ion active pill with glow. Today/Week/Month, Front/Back, Workouts sub-tabs.

Double-Bezel

Outer tray (.bezel: p-6, r-40, hairline) + inner core (r-34, inset 0 1px white/12). Wraps the feature card and the browser frame.

Cta (button-in-button)

Pill, pl-8 pr-2, trailing arrow nested in its own circle; hover lifts -2px, icon shifts diagonally, active scale 0.98.

Floating nav

Detached glass pill, w-max, sentinel-driven scroll state (no scroll listener); hamburger morphs to X; full-screen overlay with staggered link reveal.

Reveal

IntersectionObserver wrapper - fade+rise+deblur over 600ms, 2.5s failsafe so content is never stuck hidden, reduced-motion aware.

AppShell

INTERACTIONS

Behaviour

- Nav: transparent at the top; on scroll past an 8px sentinel it fades in the glass fill, hairline and a soft 70px shadow over 500ms.
- Hamburger to X: the two bars rotate +/-45deg and converge; the overlay's links fade-rise with 60ms stagger; 'Open app' last.
- Primary CTAs: hover raises the pill 2px and pushes the nested arrow circle diagonally out; press scales the whole control to 0.98.
- Scroll: every major block enters with a heavy fade-up + deblur; staggered by 60-220ms within a section. Freezes entirely under Reduce Motion.
- Camera hand-off: choosing camera mode in an active workout opens a centred 'Continue on your phone' modal - QR + short link + plain-language reason.
- Trainer chat: tapping a suggested prompt or sending a message appends a user bubble and a trainer reply; sliders show the five coaching-style dials.
- Ambient glow: one blurred orb per view drifts slowly (14s) behind the hero content; never a full-screen wash.

RESPONSIVE

- Breakpoints 640 / 1024 / 1440. Sidebar to bottom tab bar under 768px.
- Bento collapses to a single column; metrics go 2x2; hero CTAs stack full-width.
- Hero keeps full type scale on mobile - not a shrunk desktop layout.
- min-h-[100dvh] (not h-screen) to avoid iOS Safari viewport jump.

high-end-visual-design checklist

OK Banned fonts (Inter/Roboto/Arial/Helvetica)

OK Banned harsh borders / dark drop shadows

OK Edge-to-edge sticky navbar

OK Vibe + layout archetype chosen

~ Double-bezel nested architecture

OK Button-in-button trailing icon

OK Section padding at least py-24

OK Custom cubic-bezier only

OK Scroll entry animations

OK Collapses to single column < 768px

OK Animate transform/opacity only

OK backdrop-blur only on fixed/sticky

OK Grain overlay fixed + pointer-events-none

OK No scroll listener

PASS - Manrope + JetBrains Mono, self-hosted via Google Fonts

PASS - hairline white/8 borders, inset highlights, one soft glow

PASS - detached floating glass pill, w-max, mt-4

PASS - Ethereal Glass + Asymmetrical Bento

PARTIAL - feature card + browser frame; not every card

PASS - Cta component + nav 'Open app'

PASS - py-24 / sm:py-32 / lg:py-40

PASS - .ease-fluid + reveal easing; no linear/ease-in-out

PASS - Reveal on every block

PASS

PASS - no width/height/top animation

PASS - .glass on nav + overlay only; .panel-tr (no blur) in content

PASS - position:fixed pseudo-element

PASS - IntersectionObserver sentinel

OPEN FOLLOW-UPS

- Extend the double-bezel to bento + dashboard cards for full consistency.
- Gradient-tile centre reads slightly muddy at small sizes - soften the vignette.
- Mobile overlay menu is very dark (blur over pure black) - add a faint gradient.
- Consider a genuine premium display face (Clash / PP Editorial) for hero H1.
- Hook Reveal stagger to real per-item delays in the bento (currently uniform).

Vendored components

Four external pieces were integrated without disturbing routing, data flow or the existing component API. The Framer components import a `framer` runtime; a ~15-line local shim (addPropertyControls no-op, ControlType proxy, useIsStaticRenderer to false) replaces it via a Vite alias, and framer-motion is a real dependency.

body-muscles (npm, Apache-2.0, 0 deps)

Imperative SVG BodyChart, 70+ muscles, 0-10 heatmap. Wrapped in BodyMuscles.tsx; app's {group:0..1} model expanded to per-side ids. Now the Body page + landing body-section visual. Native slate to yellow to red palette kept (matches the spec's activation tiers).

framer.com/m/DitheringHover

Self-contained (react + framer-motion + framer shim). Vendored to src/vendor/framer/. Drives the landing product-demo screenshot; Bayer-8 dither zone tracks the cursor on a canvas.


framer.com/m/infinite-3d-carousel

Self-contained. Vendored. New landing section - a 3D coverflow of five real app screenshots, drag + autoplay + momentum + keyboard, reduced-motion aware.

framer.com/m/Liquid-Glass-Footer

NOT vendored: the module pulls a deep tree of nested framerusercontent sub-modules and heavy framer-runtime APIs (FormContainer, RichText, withCSS, useVariantState, addFonts...). Shimming it faithfully would be fragile. Built an equivalent GlassFooter in the design system instead - same intent (specular liquid-glass panel, newsletter, social chips, columns).


Landing - Hero



Notes

- > min-h 100dvh, eyebrow pill, clamp(44-92px) H1 with ion emphasis span
- > Z-axis: phone mock + two translucent stat panels overlapping the glow
- > Two button-in-button CTAs; ion + orchid orbs behind


Landing - Credibility band



Notes

- > Four clamp(40-64px) mono figures on a hairline-ruled band
- > Short supporting lines, ~24ch measure


Landing - Massive feature



Notes

- > Double-bezel split card, 48px outer radius
- > Copy left / phone mock right on a faint ion wash
- > Benefit list with 1.5px ion dots


Landing - Bento grid



Notes

- > 6-col grid; cards span 2/3/4 cols and 2 rows
- > One idea per card; embedded coaching-style dials + muscle map
- > Hover lifts the hairline to white/15


Landing - Product demo



Notes

- > Browser frame (double-bezel), flush; the dashboard screenshot is a DitheringHover surface - hover it to see the effect
- > 'Hover the screen' caption; centred glow behind the headline


Landing - Dithering hover (active)



Notes

- > Vendored framer.com/m/DitheringHover
- > Bayer-8 dithered radial zone with a ragged fringe follows the cursor
- > Spring-tracked position + radius (framer-motion); canvas getImageData


Landing - 3D screen carousel



Notes

- > Vendored framer.com/m/infinite-3d-carousel - NEW section
- > Five real app screenshots; perspective, per-card depth blur + fade, momentum drag, autoplay, keyboard, reduced-motion aware
- > 'Fifty-five screens. One system.'


Landing - Body section



Notes

- > Alternating text / visual; jade eyebrow
- > body-muscles BodyChart (70+ muscles) in a 36px-radius surface card


Landing - Editorial break



Notes

- > Warm off-white (#F3F1EC), near-black type - deliberate rhythm break
- > Blockquote of product principle 01, ~40ch measure


Landing - Philosophy



Notes

- > 0.9/1.1 split; 4-card sub-grid (Seen / Personal / Visible / Honest)


Landing - Final CTA



Notes

- > 48px-radius container, ion to orchid corner blooms over #0b0b12
- > clamp(34-72px) headline, single button-in-button

Landing - Liquid-glass footer



Notes

- > GlassFooter: layered translucency + specular top-edge sweep + violet rim
- > backdrop-blur (single element), inset floor shadow
- > Newsletter field + button-in-button, glass social chips, link columns


App - Home dashboard



Notes

- > Persistent sidebar; trainer message band; hero workout card
- > InstrumentReadout (est. duration) + orchid RingGauge (readiness)
- > Three gradient StatCards; muscle-map thumbnail


App - Workouts



Notes

- > PillSelector: Today / Calendar / History / Templates
- > Program header, numbered exercise list, primary CTA


App - Active workout



Notes

- > Per-exercise set tables with ghosted previous values, RPE
- > Total volume as the screen's one InstrumentReadout (jade)
- > 'Track with camera' triggers the hand-off


App - Camera hand-off



Notes

- > Centred modal: 'Continue on your phone' + QR + short link
- > Plain-language reason; 'keep logging here' escape
- > The 'web app knows its place' moment


App - Trainer chat



Notes

- > Chat thread, user bubbles in ion; suggested-prompt chips
- > Right rail: five coaching-style sliders + recent insight


App - Muscle map



Notes

- > body-muscles BodyChart replaces the 2D stand-in: 70+ clickable regions, slate to yellow to red intensity, front/back
- > Tap a muscle to its name surfaces below; Rest/Light/Heavy legend
- > Ranked muscle list with sparklines; balance + undertrained panels


App - Progress



Notes

- > AI 8-week summary; three gradient StatCards
- > SVG line chart + e1RM InstrumentReadout (ember)
- > Consistency heatmap; PR list


App - Exercise library



Notes

- > Search + muscle filter chips; two-col result rows
- > 'Form' badge marks camera-tracked exercises


App - Settings



Notes

- > Two-col panel grid; custom toggle rows
- > Camera & privacy statement; integrations; subscription


Mobile - Hero



Notes

- > Full type scale preserved; CTAs stack full-width
- > Product visual flows beneath, near edge-to-edge


Mobile - Overlay menu



Notes

- > Full-screen glass overlay; staggered link reveal; hamburger is now X


Mobile - 3D carousel



Notes

- > Same vendored component; cards bleed past the viewport, clipped by the section; drag works, autoplay pauses off-screen

Mobile - Dashboard



Notes

- > Sidebar to floating bottom tab bar; single-column stack
- > StatCards full-width; readiness ring retained