# Scheduling exercise solution

# Pierre Pelletier

# 2/7/2021

# Contents

Exercice	2
Examples	2
Using Python	2
Using R	2
Get Python object in R	2
Create latex tables	3

### Exercice

There are XX groups in the class, the orals must be spread over 6 hours, in two 3-hour sessions. For each group the duration of the oral is about  $\sim 20$  min +  $\sim 10$  min for Q&A. We will want to take two 15-minute breaks in the after 1h30 of courses. Write a program that randomly assigns a schedule to each group, write out this list of names and schedules in a table. Have a look on this: https://cran.r-project.org/web/packages/kableExtra/vignettes/awesome\_table\_in\_html.html

## **Examples**

#### Using Python

## Using R

```
library(dplyr)

##
## Attaching package: 'dplyr'

## The following objects are masked from 'package:stats':
##
## filter, lag

## The following objects are masked from 'package:base':
##
## intersect, setdiff, setequal, union

test_R = data.frame(
    'schedule'=c('h1','h2','h3'),
    'name'=c('A','B','C')
    )
```

## Get Python object in R

Table 1: Schedules using pandas' DF

schedule	name
h1	A
h2	В
h3	C

Table 2: Schedules R's DF

schedule	name
h1	A
h2	В
h3	$\mathbf{C}$

```
library(reticulate)

py$test_py

## schedule name
## 1     h1     A
## 2     h2     B
## 3     h3     C
```

#### Create latex tables

```
##
## Attaching package: 'kableExtra'
## The following object is masked from 'package:dplyr':
##
## group_rows

py$test_py %>%
   kbl(booktabs = T,
        caption = "Schedules using pandas' DF") %>%
   kable_classic(full_width = F, html_font = "Cambria")

test_R %>%
   kbl(booktabs = T,
        caption = "Schedules R's DF") %>%
   kable_classic(full_width = F, html_font = "Cambria")
```

• then we put echo = FALSE, in ```{r, echo = FALSE}``` and we don't see the input anymore

Table 3: Schedules using pandas' DF

schedule	name
h1	A
h2	B
h3	C

Table 4: Schedules R's DF

schedule	name
h1	A
h2	В
h3	$\mathbf{C}$
	B C