

Exp-2 DDL

ALTER TABLE STUDENT

```
mysql> ALTER TABLE STUDENT
-> ADD PRIMARY KEY(RegNo);
Query OK, 0 rows affected (0.43 sec)
Records: 0 Duplicates: 0 Warnings: 0

mysql> desc student;
+-----+-----+-----+-----+-----+-----+
| Field | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| RegNo | int           | NO   | PRI | NULL    |       |
| Name  | varchar(15)   | YES  |     | NULL    |       |
| Gender | char(1)       | YES  |     | NULL    |       |
| DOB   | date          | YES  |     | NULL    |       |
| MobileNo | bigint       | YES  |     | NULL    |       |
| City  | varchar(15)   | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
6 rows in set (0.10 sec)
```

ADD

```
mysql> ALTER TABLE faculty
-> ADD PRIMARY KEY(facno);
Query OK, 0 rows affected (0.16 sec)
Records: 0 Duplicates: 0 Warnings: 0

mysql> ALTER TABLE faculty
-> add check(gender='M'OR'F');
Query OK, 0 rows affected (0.20 sec)
Records: 0 Duplicates: 0 Warnings: 0

mysql> desc faculty;
+-----+-----+-----+-----+-----+-----+
| Field | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| FacNo | varchar(4)     | NO   | PRI | NULL    |       |
| FacName | varchar(20)   | YES  |     | NULL    |       |
| Gender | char(1)       | YES  |     | NULL    |       |
| DOB   | date          | YES  |     | NULL    |       |
| DOJ   | date          | YES  |     | NULL    |       |
| MobileNo | bigint       | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
6 rows in set (0.00 sec)
```

CHECK

```
mysql> ALTER TABLE faculty
    -> ADD PRIMARY KEY(facno);
Query OK, 0 rows affected (0.16 sec)
Records: 0  Duplicates: 0  Warnings: 0

mysql> ALTER TABLE faculty
    -> add check(gender='M'OR'F');
Query OK, 0 rows affected (0.20 sec)
Records: 0  Duplicates: 0  Warnings: 0

mysql> desc faculty;
```

Field	Type	Null	Key	Default	Extra
FacNo	varchar(4)	NO	PRI	NULL	
FacName	varchar(20)	YES		NULL	
Gender	char(1)	YES		NULL	
DOB	date	YES		NULL	
DOJ	date	YES		NULL	
MobileNo	bigint	YES		NULL	

```
6 rows in set (0.00 sec)
```

ADD PRIMARY KEY (FACNO)

```
mysql> ALTER TABLE faculty
    -> ADD PRIMARY KEY(facno);
Query OK, 0 rows affected (0.16 sec)
Records: 0  Duplicates: 0  Warnings: 0

mysql> ALTER TABLE faculty
    -> add check(gender='M'OR'F');
Query OK, 0 rows affected (0.20 sec)
Records: 0  Duplicates: 0  Warnings: 0

mysql> desc faculty;
```

Field	Type	Null	Key	Default	Extra
FacNo	varchar(4)	NO	PRI	NULL	
FacName	varchar(20)	YES		NULL	
Gender	char(1)	YES		NULL	
DOB	date	YES		NULL	
DOJ	date	YES		NULL	
MobileNo	bigint	YES		NULL	

```
6 rows in set (0.00 sec)
```

CHECK GENDER

```
mysql> ALTER TABLE faculty
    -> ADD PRIMARY KEY(facno);
Query OK, 0 rows affected (0.16 sec)
Records: 0  Duplicates: 0  Warnings: 0
```

```
mysql> ALTER TABLE faculty
    -> add check(gender='M'OR'F');
Query OK, 0 rows affected (0.20 sec)
Records: 0  Duplicates: 0  Warnings: 0
```

```
mysql> desc faculty;
```

Field	Type	Null	Key	Default	Extra
FacNo	varchar(4)	NO	PRI	NULL	
FacName	varchar(20)	YES		NULL	
Gender	char(1)	YES		NULL	
DOB	date	YES		NULL	
DOJ	date	YES		NULL	
MobileNo	bigint	YES		NULL	

5 rows in set (0.00 sec)

ALTER TABLE DEPARTMENT

```
mysql> ALTER TABLE department
    -> add primary key(deptno);
Query OK, 0 rows affected (0.19 sec)
Records: 0  Duplicates: 0  Warnings: 0
```

```
mysql> desc department;
```

Field	Type	Null	Key	Default	Extra
DeptNo	varchar(4)	NO	PRI	NULL	
DeptName	varchar(15)	YES		NULL	
DeptHead	varchar(4)	YES		NULL	

3 rows in set (0.00 sec)

ALTER TABLE COURSE

```
mysql> ALTER TABLE course
    -> add check(semno>=1&&semno<=6);
Query OK, 0 rows affected, 1 warning (0.18 sec)
Records: 0 Duplicates: 0 Warnings: 1
```

```
mysql> desc course;
```

Field	Type	Null	Key	Default	Extra
CourseNo	varchar(3)	NO	PRI	NULL	
CourseDesc	varchar(14)	YES		NULL	
CourseType	char(1)	YES		NULL	
SemNo	char(1)	YES		NULL	
HallNo	varchar(4)	YES		NULL	
FacNo	varchar(4)	YES		NULL	

```
6 rows in set (0.00 sec)
```