# Python Tutorial Part I

Greg (mastergreg) Liras, John (nemo) Giannelos

foss.ntua

April 3, 2012

#### Outline

- Introduction to Python
  - What is Python?
  - Freatures of Python
  - Why Python?
  - Dos and Don'ts
- 2 Python Standard Types
  - Arithmetic
  - Strings
  - Data Structures

### What is Python?

Python is an easy to learn, powerful programming language. It has efficient high-level data structures and a simple but effective approach to object-oriented programming. Pythons elegant syntax and dynamic typing, together with its interpreted nature, make it an ideal language for scripting and rapid application development in many areas on most platforms.

# Features (some of them)

In a few words, Python,

• is Scripting Language

- is Scripting Language
- is Strongly Typed

- is Scripting Language
- is Strongly Typed
- is Dynamic

- is Scripting Language
- is Strongly Typed
- is Dynamic
- is Interpreted

- is Scripting Language
- is Strongly Typed
- is Dynamic
- is Interpreted
- is Portable

- is Scripting Language
- is Strongly Typed
- is Dynamic
- is Interpreted
- is Portable
- is Object Oriented

- is Scripting Language
- is Strongly Typed
- is Dynamic
- is Interpreted
- is Portable
- is Object Oriented
- has Vast Libraries (batteries included)

- is Scripting Language
- is Strongly Typed
- is Dynamic
- is Interpreted
- is Portable
- is Object Oriented
- has Vast Libraries (batteries included)
- is Simple and non-obtrucive

# Why?

• It is easy to remember

### Why?

- It is easy to remember
- You can develop rapidly

### Why?

- It is easy to remember
- You can develop rapidly
- Readable Code (whitespace is semantically important!)

### Why?

- It is easy to remember
- You can develop rapidly
- Readable Code (whitespace is semantically important!)
- Interface with C libraries

#### **Bad Practices**

Inventing the wheel

#### **Bad Practices**

- Inventing the wheel
- One-liners Obfuscated coding

#### **Bad Practices**

- Inventing the wheel
- One-liners Obfuscated coding
- Having code on top level

#### **Bad Practices**

- Inventing the wheel
- One-liners Obfuscated coding
- Having code on top level
- Huge imports

```
>>> from foo import *
```

#### **Good Practices**

Search first code less

- Search first code less
- Use env to locate your interpreter

- Search first code less
- Use env to locate your interpreter
- Import only what you need

- Search first code less
- Use env to locate your interpreter
- Import only what you need
- Run pychecker on your code

- Search first code less
- Use env to locate your interpreter
- Import only what you need
- Run pychecker on your code
- if \_\_name\_\_ == "\_\_main\_\_": main()

#### Outline

- Introduction to Python
  - What is Python?
  - Freatures of Python
  - Why Python?
  - Dos and Don'ts
- 2 Python Standard Types
  - Arithmetic
  - Strings
  - Data Structures

# Numeric types

int (limitless:-D)

### Numeric types

- int (limitless:-D)
- float (53 bits precision)

Arithmetic

### Numeric types

- int (limitless:-D)
- float (53 bits precision)
- complex (1 + 2j)

- + (add)
- - (subtract)

- + (add)
- - (subtract)
- \* (multiply)

- + (add)
- - (subtract)
- \* (multiply)
- / (divide)

- + (add)
- - (subtract)
- \* (multiply)
- / (divide)
- % (modulo)

- + (add)
- - (subtract)
- \* (multiply)
- / (divide)
- % (modulo)
- = (assign)

# Strings

• Strings are not lists! Strings are immutable!

### Strings

- Strings are not lists! Strings are immutable!
- Simple concatenation:

```
>>> 'Hello' + 'World'
'HelloWorld'
```

- Strings are not lists! Strings are immutable!
- Simple concatenation:

```
>>> 'Hello' + 'World'
'HelloWorld'
```

• Slicing:

- Strings are not lists! Strings are immutable!
- Simple concatenation:

```
>>> 'Hello' + 'World'
'HelloWorld'
```

• Slicing:

- Strings are not lists! Strings are immutable!
- Simple concatenation:

```
>>> 'Hello' + 'World'
'HelloWorld'
```

- Slicing:

  - >>> 'HelloWorld'[6:]
     'orld'

- Strings are not lists! Strings are immutable!
- Simple concatenation:

```
>>> 'Hello' + 'World'
'HelloWorld'
```

• Slicing:

- Unicode Strings:

```
>>> ur'Hello\u0020World !'
u'Hello World !'
```

```
• >>> a = ['spam', 'eggs', 100, 1234]
>>> a
['spam', 'eggs', 100, 1234]
```

```
• >>> a = ['spam', 'eggs', 100, 1234]
>>> a
['spam', 'eggs', 100, 1234]
```

• Negative indices:

```
>>> a[-2]
```

```
>>> a = ['spam', 'eggs', 100, 1234]
>>> a
['spam', 'eggs', 100, 1234]
```

• Negative indices:

```
>>> a[-2]
```

Concatenation:

```
>>> a[:2] + ['bacon', 2*2]
['spam', 'eggs', 'bacon', 4]
```

```
• >>> a = ['spam', 'eggs', 100, 1234]
>>> a
['spam', 'eggs', 100, 1234]
```

• Negative indices:

```
>>> a[-2]
```

Concatenation:

```
>>> a[:2] + ['bacon', 2*2]
['spam', 'eggs', 'bacon', 4]
```

• Comprehension:

```
for i in a: print i
```

# **Tuples**

• Immutable (just as strings)

# **Tuples**

- Immutable (just as strings)
- Indexed

# **Tuples**

- Immutable (just as strings)
- Indexed
- Nested

```
>>> basket = ['apple', 'orange', 'apple', 'pear', 'orange', 'banana']
>>> set(basket)
set(['orange', 'pear', 'apple', 'banana'])
```

A set is an unordered collection with no duplicate elements.

```
>>> basket = ['apple', 'orange', 'apple', 'pear', 'orange', 'banana']
>>> set(basket)
set(['orange', 'pear', 'apple', 'banana'])
```

Operators:

```
>>> basket = ['apple', 'orange', 'apple', 'pear', 'orange', 'banana']
>>> set(basket)
set(['orange', 'pear', 'apple', 'banana'])
```

- Operators:
  - a b (in a but not in b)

```
>>> basket = ['apple', 'orange', 'apple', 'pear', 'orange', 'banana']
>>> set(basket)
set(['orange', 'pear', 'apple', 'banana'])
```

- Operators:
  - a b (in a but not in b)
  - a | b (in a or in b)

```
>>> basket = ['apple', 'orange', 'apple', 'pear', 'orange', 'banana']
>>> set(basket)
set(['orange', 'pear', 'apple', 'banana'])
```

- Operators:
  - a b (in a but not in b)
  - a | b (in a or in b)
  - a & b (in a and in b)

```
>>> basket = ['apple', 'orange', 'apple', 'pear', 'orange', 'banana']
>>> set(basket)
set(['orange', 'pear', 'apple', 'banana'])
```

- Operators:
  - a b (in a but not in b)
  - a | b (in a or in b)
  - a & b (in a and in b)
  - a ^b (in a or b but not in both)

## **Dictionaries**

Maps of objects

## **Dictionaries**

#### Maps of objects

Easy to create

```
>>> dict([('sape', 4139), ('guido', 4127), ('jack', 4098)])
{'sape': 4139, 'jack': 4098, 'guido': 4127}
```

### **Dictionaries**

#### Maps of objects

Easy to create

```
>>> dict([('sape', 4139), ('guido', 4127), ('jack', 4098)]) {'sape': 4139, 'jack': 4098, 'guido': 4127}
```

Simple to use

```
>>> tel = dict([('sape', 4139), ('guido', 4127), ('jack', 4098)])
>>> tel['jack']
4098
```

## Questions??

Ask! :)

### **Thanks**

- Thanks for watching
- Thanks to foss-ntua for hosting