

Time Remaining: 20min 42sec Rank: 440 Score: 0 yanweiran123@gmail.com | Contest scoreboard | Sign out

Practice Round APAC test

A. Bad Horse

B. Captain Hammer

C. Moist

Ask a question

View my submissions

Submissions **Bad Horse** 12pt Not attempted **264/840 users** correct (31%)21pt | Not attempted 227/260 users correct (87%)Captain Hammer 22pt | Not attempted 243/472 users correct (51%)Moist 4pt 6 incorrect attempts 303/519 users correct (58%)6pt Not attempted 293/300 users correct (98%)

 Top Scores 	
Piggietest	65
ivanzjj	65
Ismmd	65
chx123456	65
raypeng	65
fhector	65
mkrjn99	65
thermal	65
milkbro	65
dtyfc	65

Problem B. Captain Hammer

Confused? Read the quick-start quide.

Small input 22 points

Solve B-small

You may try multiple times, with penalties for wrong submissions.

Problem

The Hamjet is a true marvel of aircraft engineering. It is a jet airplane with a single engine so powerful that it burns all of its fuel instantly during takeoff. The Hamjet doesn't have any wings because who needs them when the fuselage is made of a special Wonderflonium isotope that makes it impervious to harm.

Piloting the Hamjet is a not a job for your typical, meek-bodied superhero. That's why the Hamjet belongs to Captain Hammer, who is himself impervious to harm. The G-forces that the pilot endures when taking a trip in the Hamjet are legen-dary.

The Hamjet takes off at an angle of θ degrees up and a speed of V meters per second. V is a fixed value that is determined by the awesome power of the Hamjet engine and the capacity of its fuel tank. The destination is D meters away. Your job is to program the Hamjet's computer to calculate θ given V and D.

Fortunately, the Hamjet's Wondeflonium hull is impervious to air friction. Even more fortunately, the Hamjet doesn't fly too far or too high, so you can assume that the Earth is flat, and that the acceleration due to gravity is a constant 9.8 m/s² down.

Input

The first line of the input gives the number of test cases, ${\bf T}.~{\bf T}$ lines follow. Each line will contain two positive integers -- ${\bf V}$ and ${\bf D}.$

Output

For each test case, output one line containing "Case #x: θ ", where x is the case number (starting from 1) and θ is in degrees up from the the horizontal. If there are several possible answers, output the smallest positive one.

An answer will be considered correct if it is within 10^{-6} of the exact answer, in absolute or relative error. See the <u>FAQ</u> for an explanation of what that means, and what formats of floating-point numbers we accept.

Limits

 $1 \le T \le 4500$;

 $1 \le V \le 300$;

 $1 \le \mathbf{D} \le 10000$;

It is guaranteed that each test case will be solvable.

Sample

nput	Output
8 98 980 98 490 299 1234	Case #1: 45.0000000 Case #2: 15.0000000 Case #3: 3.8870928

All problem statements, input data and contest analyses are licensed under the <u>Creative Commons Attribution License</u>.

