

**TO
THE
NEW™**



Introduction to JQuery

Agenda

What is jQuery ?

Why use jQuery ?

How to use ?

DOM - Document Object Model

jQuery *Refresher!*

Events

Ajax

Utility Functions

Code Organization

Exercises





What is jQuery ?



What is jQuery ?

jQuery is a lightweight, "write less, do more", JavaScript library.

The purpose of jQuery is to make it much easier to use JavaScript on your website.





Why use jQuery ?



Why use jQuery ?

- Write less, do more:
 - `$(".p.neat").addClass("ohmy").show("slow");`
- Performance
- Plugins
- It's standard
- ... and fun!





How to use jQuery ?



Add jQuery library

```
<html>


  <head>
    <title> jQuery Bootcamp </title>
  </head>
  <body>
    <!-- content goes here -->

    <script
      type="text/javascript"
      src="https://ajax.googleapis.com/ajax/libs/jquery/3.1.1/
      jquery.min.js">

    </script>

  </body>

</html>
```



How to use ?

External link

```
<script type="text/javascript" src="../"></script>
```

Embedded

```
<script type="text/javascript">
```

```
//write your code here
```

```
</script>
```



DOM

What is DOM ?

DOM is basically a tree of elements we see on our pages

How we *traverse* and search through that tree directly affects **performance**

jQuery is majorly focused towards DOM *manipulation*



DOM Ready

```
$(document).ready(function() {  
    // safe to use here  
});
```

OR

```
$(function() {  
    // shorthand version  
});
```



jQuery - selectors

```
$("div")           // select by tag name  
$(".my-class")     // select by class name  
$("#container")    // select by element ID  
$("[type=text]")   // select by attribute
```

In short, all the **CSS** selectors work here too ;)



jQuery - selectors

`$("div > span")` // child selector


`$("div span")` // descendant selector

`$("p ~ div")` // Next siblings

`$("[name$=val]")` // ends with

`$("[name^=val]")` // begins with

`$("[name*=val]")` // contains



jQuery - selectors

`$("div:first")` // first selected element

`$("div:last")` // last selected element

`$("div:even")` // even elements

`$("div:odd")` // odd elements





Traversal



Traversal

Traversal

first, last, next, prev

parents, parent

Children

Siblings

Find



Element Selector

- :text <input type="text" />
- :password <input type="password" />
- :radio <input type="radio" />
- :checkbox <input type="checkbox" />
- :submit <input type="submit" />
- :image <input type="image" />
- :button <input type="button" />
- :file <input type="file" />
- :hidden <input type="hidden" />



Manipulation



Manipulation

Manipulating DOM comprises of *changing* the existing *structure* of DOM tree

Adding, removing, moving nodes from the DOM

jQuery makes it very easy to add and remove nodes from a page



Manipulation: Adding Nodes

It's extremely easy to add new nodes to our DOM

```
var el = $("<p></p>", {  
  id: "abc",  
  class: "myClass"  
});
```



Manipulation: Adding Nodes

We can then easily insert this node several ways

```
$("body").append/prepend(el);
```

```
$("#section").html(el);
```

```
$("body").before/after(el);
```

```
el.appendTo/prependTo($("body"));
```

```
el.insertAfter/insertBefore($("body"));
```

A decorative geometric pattern at the bottom of the slide, composed of various colored triangles (orange, red, pink, purple) arranged in a jagged, mountain-like shape.

Manipulation: Adding Nodes

Changing contents

`.html(), .html(val);`

`.text(), .text(val);`

`.css('property','value')` or `.css({'property1':'value1','property2':'value2'})`

`.attr('data-id',"5")` // .prop in new version of jQuery

`.addClass() .removeClass() .toggleClass()`

Exercise :

Create an anchor tag using jQuery and add href attribute and assign it a value <http://www.google.com>

Manipulation: Deleting Nodes

It's extremely easy to delete nodes from our DOM

```
$("p.testClass").remove();
```

```
$("p.testClass").empty();
```

```
$("p.testClass").unwrap();
```

```
var el = $("p.testClass").detach();
```



Manipulation: Replacing Nodes

It's extremely easy to delete nodes from our DOM

```
$("p.testClass").replaceWith(e1);
```

```
$("<p>Hey</p>").replaceAll("p.testClass");
```

To avoid the confusion. `$('<p>Hey</p>')` is not the selector but it will be the output of `.replaceAll('p.testClass')`. Elements can not be selected this way i.e `<p> Hey </p>`



Manipulation: Replacing Nodes

It's extremely easy to copy nodes in our DOM

```
var cloning = $("p.testClass").clone();
```

Please note `.clone()` would not work when used alone. It needs any variable to store result or append/prepend to traverse it in DOM.



Methods: HTML/CSS Methods

`addClass()`

```
<script>
```

```
$(document).ready(function(){
```

```
    $("button").click(function(){
```

```
        $("p:first").addClass("intro");
```

```
    });
```

```
});
```

```
</script>
```

A decorative geometric pattern at the bottom of the slide, composed of various colored triangles (orange, red, pink, purple, blue) arranged in a jagged, mountain-like shape.

Methods: HTML/CSS Methods

removeClass()

```
<script>
```

```
$(document).ready(function(){
```

```
    $("button").click(function(){
```

```
        $("p").removeClass("intro");
```

```
    });
```

```
});
```

```
</script>
```

A decorative geometric pattern at the bottom of the slide, composed of various colored triangles (orange, red, pink, purple, blue) arranged in a jagged, mountain-like shape.

Methods: HTML/CSS Methods

toggleClass()

```
<script>
```

```
$(document).ready(function(){  
    $("button").click(function(){  
        $("p").toggleClass("main");  
    });  
});
```

```
});
```

```
</script>
```

A decorative geometric pattern at the bottom of the slide, composed of various colored triangles in shades of orange, red, pink, and purple.

Methods: HTML/CSS Methods

width()

<script>

```
$(document).ready(function(){
```

```
    $("button").click(function(){
```

```
        alert("Width of div: " + $("div").width());
```

```
    });
```

```
});
```

</script>



Methods: HTML/CSS Methods

height()

```
<script>
```

```
$(document).ready(function(){
```

```
    $("button").click(function(){
```

```
        alert("Height of div: " + $("div").height());
```

```
    });
```

```
});
```

```
</script>
```

A decorative geometric pattern at the bottom of the slide, composed of various colored triangles in shades of orange, red, pink, and purple.

Methods: HTML/CSS Methods

css()

```
<script>
```

```
$(document).ready(function(){
```

```
    $("button").click(function(){
```

```
        $("p").css("color", "red");
```

```
    });
```

```
});
```

```
</script>
```

A decorative geometric pattern at the bottom of the slide, composed of various colored triangles in shades of orange, red, pink, and purple.

Methods: HTML/CSS Methods

position()

<script>

\$(document).ready(function(){

 \$("#button").click(function(){

 var x = \$("#p").position();

 alert("Top position: " + x.top + " Left position: " + x.left);

 });

});

</script>

A decorative geometric pattern at the bottom of the slide, composed of various colored triangles (orange, yellow, pink, purple, blue) arranged in a jagged, mountain-like shape.

Methods: HTML/CSS Methods

Offset()

```
<script>
```

```
$(document).ready(function(){
```

```
    $("button").click(function(){
```

```
        var x = $("p").offset();
```

```
        alert("Top: " + x.top + " Left: " + x.left);
```

```
    });
```

```
});
```

```
</script>
```

A decorative geometric pattern at the bottom of the slide, composed of various colored triangles (orange, red, pink, purple, blue) arranged in a jagged, mountain-like shape.

Methods: HTML/CSS Methods

.attr()

<script>

```
$(document).ready(function(){
```

```
    $("button").click(function(){
```

```
        $("img").attr("width", "500");
```

```
    });
```

```
});
```

</script>



Methods: HTML/CSS Methods

val()

<script>

```
$(document).ready(function(){
```

```
    $("button").click(function(){
```

```
        $("input:text").val("Glenn Quagmire");
```

```
    });
```

```
});
```

```
</script>
```

A decorative geometric pattern at the bottom of the slide, composed of various colored triangles (orange, red, pink, purple, blue) arranged in a jagged, mountain-like shape.

Methods: HTML/CSS Methods

animate()

```
<script>
```

```
$(document).ready(function(){
```

```
    $("button").click(function(){
```

```
        $("div").animate({left: '250px'});
```

```
    });
```

```
});
```

```
</script>
```

A decorative geometric pattern at the bottom of the slide, composed of various colored triangles (orange, red, pink, purple, blue) arranged in a jagged, mountain-like shape.

Methods: HTML/CSS Methods

animate()

```
<script>
```

```
$(document).ready(function(){
```

```
    $("button").click(function(){
```

```
        $("div").animate({left: '250px'});
```

```
    });
```

```
});
```

```
</script>
```

A decorative geometric pattern at the bottom of the slide, composed of various colored triangles (orange, red, pink, purple, blue) arranged in a jagged, mountain-like shape.



What's up with
Events



Events - Basics

Event methods trigger or attach a function to an event handler for the selected elements.



jQuery Events

```
$("#selector").on("event", function(e) {  
    // event happened  
});
```

```
$("#body").on("click", function(e) {  
    // body was clicked  
});
```



Defaults / propagation

```
$("body").on("click", function(e) {  
    e.preventDefault();  
    // default action of event stops  
    e.stopPropagation();  
    // event stops bubbling up  
});
```



\$: Events

- `.hover();`
- `.toggle();`
- `.focus();`
- `.change();`
- `.blur();`
- `.click()`
- `.dblClick();`
- `.keyDown();`
- `.keyUp();`
- `.keyPress();`
- `mouseover();`
- `mousenter();`



AJAX



AJAX

AJAX stands for Asynchronous JavaScript and XML. It can send as well as receive information in a variety of formats, including JSON, XML, HTML, and even text files. AJAX's most appealing characteristic, however, is its "asynchronous" nature, which means it can do all of this without having to refresh the page.




AJAX SYNTAX

```
$.ajax({name:value, name:value, ...});
```

```
// working example
```

```
$(document).ready(function(){  
    $("button").click(function() {  
        // data path  
        $.ajax({url: "demo_ajax_load.txt", async: false, success: function(result) {  
            // get Result  
            $("div").html(result);  
        }});  
    });  
});
```

A decorative geometric pattern at the bottom of the slide, composed of various colored triangles in shades of orange, red, pink, and purple.



UTILITY FUNCTIONS



Utility Functions

JQuery provides several utilities in the format of \$(name space). These methods are helpful to complete the programming tasks.



Utility Functions

- `$.trim();`
- `$.each();`
- `$.map();`
- `$.inArray();`
- `$.extend();`
- `$.contains();`
- `$.data();`
- `$.isWindow();`
- `$.now();`





CODE ORGANIZATION




Code Organization

The essence of building applications is understanding how to organize code so that it is navigable and well-encapsulated instead of a whole slew of global functions.



Code Organization

- Always include scripts at the bottom of the page.
 - Divided into units of functionality.
 - Always use latest and stable version of jquery.
 - Minified version of javascript in production and also minified other scripts.
 - Use of For instead jquery each.
 - Use IDs instead of class selector.
 - Give your Selectors a Context
\$(expression, context)
 - Avoid Dom manipulation
use html() instead of prepend(), append(), after()
 - Make Use of HTML5 Data Attributes/jquery data()
 - Line breaks and chainability
- 



Exercise :

Create a simple button and one(or two?) paragraph with text “Hi”. Once the button is clicked, the paragraph text should change to “Hello”. If button is clicked once again, the paragraph text should again change to “Hi”. This process must repeat on subsequent clicks.

Show text value of Textbox in a `<p></p>` tag when user press ENter key.





Thank you!!

