Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source   ☐ outline   ☐ image report   [Options...]

Check by [text input ▾] ☐ css

```
<main>
      <Banner />
      <section className="services-container">
        <div className="section-title">
          <h1 className="text-uppercase text-center fluid pt-4">
            Mon offre de services
          </h1>
          <h2 className="text-center fluid fs-6">
            Voici les prestations sur lesquelles je peux intervenir.
          </h2>
          <span></span>
        </div>
        <div className="services-content row p-3">
          <div className="col-sm-12 col-md-4 py-1">
            <article
```

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

1. **Warning** **Consider adding a** `lang` **attribute to the** `html` **start tag to declare the language of this document.**

   From line 1, column 1; to line 1, column 6

   `<main>↵`

   For further guidance, consult Declaring the overall language of a page and Choosing language tags.

   If the HTML checker has misidentified the language of this document, please file an issue report or send e-mail to report the problem.

2. **Error** **Start tag seen without seeing a doctype first. Expected** `<!DOCTYPE html>`**.**

   From line 1, column 1; to line 1, column 6

   `<main>↵`

3. **Error** **Element** head **is missing a required instance of child**

element `title` **.**

From line 1, column 1; to line 1, column 6

`<main>↵`

Content model for element head:

If the document is an iframe srcdoc document or if title information is available from a higher-level protocol: Zero or more elements of metadata content, of which no more than one is a title element and no more than one is a base element.

Otherwise: One or more elements of metadata content, of which exactly one is a title element and no more than one is a base element.

4. **Error** **Element** `banner` **not allowed as child of element** `main` **in this context. (Suppressing further errors from this subtree.)**

From line 2, column 7; to line 2, column 16

`in>↵          <Banner />↵`

Content model for element main:

Flow content.

5. **Error** **Self-closing syntax (** `/>` **) used on a non-void HTML element. Ignoring the slash and treating as a start tag.**

From line 2, column 7; to line 2, column 16

`in>↵          <Banner />↵`

6. **Error** **Quote** `"` **in attribute name. Probable cause: Matching quote missing somewhere earlier.**

At line 17, column 38

`  borderRadius: "10px", minHeig`

7. **Error** **Quote** `"` **in attribute name. Probable cause: Matching quote missing somewhere earlier.**

At line 17, column 43

`erRadius: "10px", minHeight: "`

8. **Error** **Quote** `"` **in attribute name. Probable cause: Matching quote missing somewhere earlier.**

At line 17, column 57

`x", minHeight: "300px" }}↵`

9. **Error** **Quote** `"` **in attribute name. Probable cause: Matching quote missing somewhere earlier.**

At line 17, column 63

```
nHeight: "300px" }}↵
```

10. **Warning** **Attribute** `borderradius:` **is not serializable as XML 1.0.**

From line 15, column 13; to line 18, column 13

```
          <article↵              className="text-center shadow-sm p-3
mb-1 bg-body m-1 d-flex flex-column justify-content-center"↵
style={{ borderRadius: "10px", minHeight: "300px" }}↵          >↵
```

11. **Warning** **Attribute** `"10px",` **is not serializable as XML 1.0.**

From line 15, column 13; to line 18, column 13

```
          <article↵              className="text-center shadow-sm p-3
mb-1 bg-body m-1 d-flex flex-column justify-content-center"↵
style={{ borderRadius: "10px", minHeight: "300px" }}↵          >↵
```

12. **Warning** **Attribute** `minheight:` **is not serializable as XML 1.0.**

From line 15, column 13; to line 18, column 13

```
          <article↵              className="text-center shadow-sm p-3
mb-1 bg-body m-1 d-flex flex-column justify-content-center"↵
style={{ borderRadius: "10px", minHeight: "300px" }}↵          >↵
```

13. **Warning** **Attribute** `"300px"` **is not serializable as XML 1.0.**

From line 15, column 13; to line 18, column 13

```
          <article↵              className="text-center shadow-sm p-3
mb-1 bg-body m-1 d-flex flex-column justify-content-center"↵
style={{ borderRadius: "10px", minHeight: "300px" }}↵          >↵
```

14. **Warning** **Attribute** `}}` **is not serializable as XML 1.0.**

From line 15, column 13; to line 18, column 13

```
          <article↵              className="text-center shadow-sm p-3
mb-1 bg-body m-1 d-flex flex-column justify-content-center"↵
style={{ borderRadius: "10px", minHeight: "300px" }}↵          >↵
```

15. **Error** **Quote** `"` **in attribute name. Probable cause: Matching quote missing somewhere earlier.**

At line 21, column 33

```
tyle={{ color: "#0d6efd", font
```

16. **Error** **Quote** `"` **in attribute name. Probable cause: Matching quote missing somewhere earlier.**

At line 21, column 41

```
color: "#0d6efd", fontSize: "3
```

17.   **Error**   **Quote** `"` **in attribute name. Probable cause: Matching quote missing somewhere earlier.**

At line 21, column 54

```
fd", fontSize: "30px" }}↵
```

18.   **Error**   **Quote** `"` **in attribute name. Probable cause: Matching quote missing somewhere earlier.**

At line 21, column 59

```
fontSize: "30px" }}↵
```

19.   **Warning**   **Attribute** `color:` **is not serializable as XML 1.0.**

From line 19, column 15; to line 22, column 15

```
        <i↵                 className="fa-solid fa-display icon"↵
style={{ color: "#0d6efd", fontSize: "30px" }}↵         ></i>↵
```

20.   **Warning**   **Attribute** `"#0d6efd",` **is not serializable as XML 1.0.**

From line 19, column 15; to line 22, column 15

```
        <i↵                 className="fa-solid fa-display icon"↵
style={{ color: "#0d6efd", fontSize: "30px" }}↵         ></i>↵
```

21.   **Warning**   **Attribute** `fontsize:` **is not serializable as XML 1.0.**

From line 19, column 15; to line 22, column 15

```
        <i↵                 className="fa-solid fa-display icon"↵
style={{ color: "#0d6efd", fontSize: "30px" }}↵         ></i>↵
```

22.   **Warning**   **Attribute** `"30px"` **is not serializable as XML 1.0.**

From line 19, column 15; to line 22, column 15

```
        <i↵                 className="fa-solid fa-display icon"↵
style={{ color: "#0d6efd", fontSize: "30px" }}↵         ></i>↵
```

23.   **Warning**   **Attribute** `}}` **is not serializable as XML 1.0.**

From line 19, column 15; to line 22, column 15

```
        <i↵                 className="fa-solid fa-display icon"↵
style={{ color: "#0d6efd", fontSize: "30px" }}↵         ></i>↵
```

24. **Error** **Quote** `"` **in attribute name. Probable cause: Matching quote missing somewhere earlier.**

At line 35, column 38

```
 borderRadius: "10px", minHeig
```

25. **Error** **Quote** `"` **in attribute name. Probable cause: Matching quote missing somewhere earlier.**

At line 35, column 43

```
erRadius: "10px", minHeight: "
```

26. **Error** **Quote** `"` **in attribute name. Probable cause: Matching quote missing somewhere earlier.**

At line 35, column 57

```
x", minHeight: "300px" }}↵
```

27. **Error** **Quote** `"` **in attribute name. Probable cause: Matching quote missing somewhere earlier.**

At line 35, column 63

```
nHeight: "300px" }}↵
```

28. **Warning** **Attribute** `borderradius:` **is not serializable as XML 1.0.**

From line 33, column 13; to line 36, column 13

```
           <article↵                    className="text-center shadow-sm p-3
mb-1 bg-body m-1 d-flex flex-column justify-content-center"↵
style={{ borderRadius: "10px", minHeight: "300px" }}↵             >↵
```

29. **Warning** **Attribute** `"10px",` **is not serializable as XML 1.0.**

From line 33, column 13; to line 36, column 13

```
           <article↵                    className="text-center shadow-sm p-3
mb-1 bg-body m-1 d-flex flex-column justify-content-center"↵
style={{ borderRadius: "10px", minHeight: "300px" }}↵             >↵
```

30. **Warning** **Attribute** `minheight:` **is not serializable as XML 1.0.**

From line 33, column 13; to line 36, column 13

```
           <article↵                    className="text-center shadow-sm p-3
mb-1 bg-body m-1 d-flex flex-column justify-content-center"↵
style={{ borderRadius: "10px", minHeight: "300px" }}↵             >↵
```

31. **Warning** **Attribute** `"300px"` **is not serializable as XML 1.0.**

From line 33, column 13; to line 36, column 13

```
              <article↵                    className="text-center shadow-sm p-3
mb-1 bg-body m-1 d-flex flex-column justify-content-center"↵
style={{ borderRadius: "10px", minHeight: "300px" }}↵              >↵
```

32. **Warning** **Attribute** `}}` **is not serializable as XML 1.0.**

From line 33, column 13; to line 36, column 13

```
              <article↵                    className="text-center shadow-sm p-3
mb-1 bg-body m-1 d-flex flex-column justify-content-center"↵
style={{ borderRadius: "10px", minHeight: "300px" }}↵              >↵
```

33. **Error** **Quote** `"` **in attribute name. Probable cause: Matching quote missing somewhere earlier.**

At line 39, column 33

```
tyle={{ color: "#0d6efd", font
```

34. **Error** **Quote** `"` **in attribute name. Probable cause: Matching quote missing somewhere earlier.**

At line 39, column 41

```
color: "#0d6efd", fontSize: "3
```

35. **Error** **Quote** `"` **in attribute name. Probable cause: Matching quote missing somewhere earlier.**

At line 39, column 54

```
fd", fontSize: "30px" }}↵
```

36. **Error** **Quote** `"` **in attribute name. Probable cause: Matching quote missing somewhere earlier.**

At line 39, column 59

```
fontSize: "30px" }}↵
```

37. **Warning** **Attribute** `color:` **is not serializable as XML 1.0.**

From line 37, column 15; to line 40, column 15

```
              <i↵                    className="fa-solid fa-file-code icon"↵
style={{ color: "#0d6efd", fontSize: "30px" }}↵              ></i>↵
```

38. **Warning** **Attribute** `"#0d6efd",` **is not serializable as XML 1.0.**

From line 37, column 15; to line 40, column 15

```
              <i↵                    className="fa-solid fa-file-code icon"↵
style={{ color: "#0d6efd", fontSize: "30px" }}↵              ></i>↵
```

39. **Warning** **Attribute** `fontsize:` **is not serializable as XML 1.0.**

From line 37, column 15; to line 40, column 15

```
        <i↵                    className="fa-solid fa-file-code icon"↵
style={{ color: "#0d6efd", fontSize: "30px" }}↵              ></i>↵
```

40. **Warning** **Attribute** `"30px"` **is not serializable as XML 1.0.**

From line 37, column 15; to line 40, column 15

```
        <i↵                    className="fa-solid fa-file-code icon"↵
style={{ color: "#0d6efd", fontSize: "30px" }}↵              ></i>↵
```

41. **Warning** **Attribute** `}}` **is not serializable as XML 1.0.**

From line 37, column 15; to line 40, column 15

```
        <i↵                    className="fa-solid fa-file-code icon"↵
style={{ color: "#0d6efd", fontSize: "30px" }}↵              ></i>↵
```

42. **Error** **Quote** `"` **in attribute name. Probable cause: Matching quote missing somewhere earlier.**

At line 52, column 38

```
 borderRadius: "10px", minHeig
```

43. **Error** **Quote** `"` **in attribute name. Probable cause: Matching quote missing somewhere earlier.**

At line 52, column 43

```
erRadius: "10px", minHeight: "
```

44. **Error** **Quote** `"` **in attribute name. Probable cause: Matching quote missing somewhere earlier.**

At line 52, column 57

```
x", minHeight: "300px" }}↵
```

45. **Error** **Quote** `"` **in attribute name. Probable cause: Matching quote missing somewhere earlier.**

At line 52, column 63

```
nHeight: "300px" }}↵
```

46. **Warning** **Attribute** `borderradius:` **is not serializable as XML 1.0.**

From line 50, column 13; to line 53, column 13

```
        <article↵                    className="text-center shadow-sm p-3
mb-1 bg-body m-1 d-flex flex-column justify-content-center"↵
style={{ borderRadius: "10px", minHeight: "300px" }}↵              >↵
```

47. **Warning** **Attribute** `"10px",` **is not serializable as XML 1.0.**

From line 50, column 13; to line 53, column 13

```
          <article↵                className="text-center shadow-sm p-3
mb-1 bg-body m-1 d-flex flex-column justify-content-center"↵
style={{ borderRadius: "10px", minHeight: "300px" }}↵              >↵
```

48. `Warning` **Attribute** `minheight:` **is not serializable as XML 1.0.**

From line 50, column 13; to line 53, column 13

```
          <article↵                className="text-center shadow-sm p-3
mb-1 bg-body m-1 d-flex flex-column justify-content-center"↵
style={{ borderRadius: "10px", minHeight: "300px" }}↵              >↵
```

49. `Warning` **Attribute** `"300px"` **is not serializable as XML 1.0.**

From line 50, column 13; to line 53, column 13

```
          <article↵                className="text-center shadow-sm p-3
mb-1 bg-body m-1 d-flex flex-column justify-content-center"↵
style={{ borderRadius: "10px", minHeight: "300px" }}↵              >↵
```

50. `Warning` **Attribute** `}}` **is not serializable as XML 1.0.**

From line 50, column 13; to line 53, column 13

```
          <article↵                className="text-center shadow-sm p-3
mb-1 bg-body m-1 d-flex flex-column justify-content-center"↵
style={{ borderRadius: "10px", minHeight: "300px" }}↵              >↵
```

51. `Error` **Quote** `"` **in attribute name. Probable cause: Matching quote missing somewhere earlier.**

At line 56, column 33

```
tyle={{ color: "#0d6efd", font
```

52. `Error` **Quote** `"` **in attribute name. Probable cause: Matching quote missing somewhere earlier.**

At line 56, column 41

```
color: "#0d6efd", fontSize: "3
```

53. `Error` **Quote** `"` **in attribute name. Probable cause: Matching quote missing somewhere earlier.**

At line 56, column 54

```
fd", fontSize: "30px" }}↵
```

54. `Error` **Quote** `"` **in attribute name. Probable cause: Matching quote missing somewhere earlier.**

At line 56, column 59

```
fontSize: "30px" }}↵
```

55. **Warning** **Attribute** `color:` **is not serializable as XML 1.0.**

From line 54, column 15; to line 57, column 15

```
        <i↵                    className="fa-solid fa-magnifying-glass-
dollar icon"↵                  style={{ color: "#0d6efd", fontSize:
"30px" }}↵              ></i>↵
```

56. **Warning** **Attribute** `"#0d6efd",` **is not serializable as XML 1.0.**

From line 54, column 15; to line 57, column 15

```
        <i↵                    className="fa-solid fa-magnifying-glass-
dollar icon"↵                  style={{ color: "#0d6efd", fontSize:
"30px" }}↵              ></i>↵
```

57. **Warning** **Attribute** `fontsize:` **is not serializable as XML 1.0.**

From line 54, column 15; to line 57, column 15

```
        <i↵                    className="fa-solid fa-magnifying-glass-
dollar icon"↵                  style={{ color: "#0d6efd", fontSize:
"30px" }}↵              ></i>↵
```

58. **Warning** **Attribute** `"30px"` **is not serializable as XML 1.0.**

From line 54, column 15; to line 57, column 15

```
        <i↵                    className="fa-solid fa-magnifying-glass-
dollar icon"↵                  style={{ color: "#0d6efd", fontSize:
"30px" }}↵              ></i>↵
```

59. **Warning** **Attribute** `}}` **is not serializable as XML 1.0.**

From line 54, column 15; to line 57, column 15

```
        <i↵                    className="fa-solid fa-magnifying-glass-
dollar icon"↵                  style={{ color: "#0d6efd", fontSize:
"30px" }}↵              ></i>↵
```

60. **Error** **End tag** `main` **seen, but there were open elements.**

From line 69, column 5; to line 69, column 11

```
tion>↵    </main>
```

61. **Error** **Unclosed element** `banner`**.**

From line 2, column 7; to line 2, column 16

```
in>↵      <Banner />↵
```

Document checking completed.

Source

```
1.  <main>↵
2.      <Banner />↵
3.      <section className="services-container">↵
4.        <div className="section-title">↵
5.          <h1 className="text-uppercase text-center fluid pt-4">↵
6.            Mon offre de services↵
7.          </h1>↵
8.          <h2 className="text-center fluid fs-6">↵
9.            Voici les prestations sur lesquelles je peux intervenir.↵
10.         </h2>↵
11.         <span></span>↵
12.       </div>↵
13.       <div className="services-content row p-3">↵
14.         <div className="col-sm-12 col-md-4 py-1">↵
15.           <article↵
16.           className="text-center shadow-sm p-3 mb-1 bg-body m-1 d-
    flex flex-column justify-content-center"↵
17.             style={{ borderRadius: "10px", minHeight: "300px" }}↵
18.           >↵
19.             <i↵
20.               className="fa-solid fa-display icon"↵
21.               style={{ color: "#0d6efd", fontSize: "30px" }}↵
22.             ></i>↵
23.             <h5 className="text-uppercase mt-2">Ux design</h5>↵
24.             <p>↵
25.               L'<strong>UX Design</strong> est une méthode de
    conception↵
26.               centrée sur l'utilisateur. Son but est d'offrir une
    expérience↵
27.               de navigation optimale a l'internaute↵
28.             </p>↵
29.           </article>↵
30.         </div>↵
31. ↵
32.         <div className="col-sm-12 col-md-4 py-1">↵
33.           <article↵
34.           className="text-center shadow-sm p-3 mb-1 bg-body m-1 d-
    flex flex-column justify-content-center"↵
35.             style={{ borderRadius: "10px", minHeight: "300px" }}↵
36.           >↵
37.             <i↵
38.               className="fa-solid fa-file-code icon"↵
39.               style={{ color: "#0d6efd", fontSize: "30px" }}↵
40.             ></i>↵
41.             <h5 className="text-uppercase mt-2">Développement web</
    h5>↵
42.             <p>↵
43.               Le <strong>développement de sites web</strong> repose
    sur↵
44.               l'utilization des langages <i>HTML, CSS, JavaScript et
    PHP.</i>↵
45.             </p>↵
46.           </article>↵
47.         </div>↵
48. ↵
49.         <div className="col-sm-12 col-md-4 py-1">↵
50.           <article↵
51.           className="text-center shadow-sm p-3 mb-1 bg-body m-1 d-
    flex flex-column justify-content-center"↵
52.             style={{ borderRadius: "10px", minHeight: "300px" }}↵
53.           >↵
54.             <i↵
55.               className="fa-solid fa-magnifying-glass-dollar icon"↵
56.               style={{ color: "#0d6efd", fontSize: "30px" }}↵
57.             ></i>↵
58.             <h5 className="text-uppercase mt-2">Référencement</h5>↵
59.             <p>↵
60.               Le <strong>référencement naturel d'un site,</strong>
    aussi↵
61.               appelé <i>SEO</i>, consiste à mettre des techniques en
```

```
      oeuvre↵
 62.                  pour améliorer sa position dans les résultas de
      moteurs de↵
 63.                  recherche.↵
 64.              </p>↵
 65.            </article>↵
 66.          </div>↵
 67.        </div>↵
 68.      </section>↵
 69.    </main>
```

Used the HTML parser.

Total execution time 6 milliseconds.

About this checker • Report an issue • Version: 24.5.11