

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show

☒ source

☐ outline

☐ image report

Options...

Check by

text input

▼

☐ css

```
<header>
<nav className="navbar navbar-expand-lg bg-dark text-light text-uppercase"
id="mainNav">
  <div className="container">
    <Link className="navbar-brand text-white fw-bold" to="/">John Doe</
Link>
    <button className="navbar-toggler text-uppercase font-weight-bold
bg-dark text-light rounded" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarResponsive" aria-controls="navbarResponsive" aria-expanded="false"
aria-label="Toggle navigation">
      <i className="fas fa-bars"></i>
    </button>
    <div className="collapse navbar-collapse" id="navbarResponsive">
      <ul className="navbar-nav ms-auto">
        <li className="nav-item mx-0 mx-lg-1">
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.

[From line 1, column 1; to line 1, column 15](#)

```
<header>↵
```

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

2. **Error** Start tag seen without seeing a doctype first. Expected

```
<!DOCTYPE html>.
```

[From line 1, column 1; to line 1, column 15](#)

```
<header>↵
```

3. **Error** Element `head` is missing a required instance of child

element `title`.

[From line 1, column 1; to line 1, column 15](#)

```
<header>
```

Content model for element [head](#):

If the document is [an iframe srcdoc document](#) or if title information is available from a higher-level protocol: Zero or more elements of [metadata content](#), of which no more than one is a [title](#) element and no more than one is a [base](#) element.

Otherwise: One or more elements of [metadata content](#), of which exactly one is a [title](#) element and no more than one is a [base](#) element.

4. **Error** **Attribute** `classname` **not allowed on element** `nav` **at this point.**

[From line 2, column 9; to line 2, column 96](#)

```
> <nav className="navbar navbar-expand-lg bg-dark text-light text-uppercase" id="mainNav">
```

Attributes for element [nav](#):

[Global attributes](#)

5. **Error** **Attribute** `classname` **not allowed on element** `div` **at this point.**

[From line 3, column 13; to line 3, column 39](#)

```
<div className="container">
```

Attributes for element [div](#):

[Global attributes](#)

6. **Error** **Attribute** `classname` **not allowed on element** `link` **at this point.**

[From line 4, column 17; to line 4, column 73](#)

```
<Link className="navbar-brand text-white fw-bold" to="/">John D
```

Attributes for element [link](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[crossorigin](#) — How the element handles crossorigin requests

[rel](#) — Relationship between the document containing the [hyperlink](#) and the destination resource

[media](#) — Applicable media

[integrity](#) — Integrity metadata used in *Subresource Integrity* checks [\[SRI\]](#)

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[sizes](#) — Sizes of the icons (for [rel](#)="icon")

[imagesrcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc. (for [rel](#)="preload")

[imagesizes](#) — Image sizes for different page layouts (for [rel](#)="preload")

[as](#) — [Potential destination](#) for a preload request (for [rel](#)="preload" and [rel](#)="modulepreload")

[blocking](#) — Whether the element is [potentially render-blocking](#)

[color](#) — Color to use when customizing a site's icon (for [rel](#)="mask-icon")

[disabled](#) — Whether the link is disabled

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

Also, the [title](#) attribute [has special semantics](#) on this element: Title of the link;

[CSS style sheet set name](#)

7. **Error** **Attribute** **to** **not allowed on element** **link** **at this point.**

From line 4, column 17; to line 4, column 73

```
<Link className="navbar-brand text-white fw-bold"
to="/">John D
```

Attributes for element [link](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[crossorigin](#) — How the element handles crossorigin requests

[rel](#) — Relationship between the document containing the [hyperlink](#) and the destination resource

[media](#) — Applicable media

[integrity](#) — Integrity metadata used in *Subresource Integrity* checks [\[SRI\]](#)

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[sizes](#) — Sizes of the icons (for [rel](#)="icon")

[imagesrcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc. (for [rel](#)="preload")

[imagesizes](#) — Image sizes for different page layouts (for [rel](#)="preload")

[as](#) — [Potential destination](#) for a preload request (for [rel](#)="preload" and [rel](#)="modulepreload")

[blocking](#) — Whether the element is [potentially render-blocking](#)

[color](#) — Color to use when customizing a site's icon (for [rel](#)="mask-icon")

[disabled](#) — Whether the link is disabled

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

Also, the [title](#) attribute [has special semantics](#) on this element: Title of the link;

[CSS style sheet set name](#)

8. **Error** Element `link` is missing one or more of the following attributes: `href`, `itemprop`, `property`, `rel`, `resource`.

[From line 4, column 17; to line 4, column 73](#)

```
<Link className="navbar-brand text-white fw-bold"
to="/">John D
```

Attributes for element `link`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[crossorigin](#) — How the element handles crossorigin requests

[rel](#) — Relationship between the document containing the [hyperlink](#) and the destination resource

[media](#) — Applicable media

[integrity](#) — Integrity metadata used in *Subresource Integrity* checks [\[SRI\]](#)

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[sizes](#) — Sizes of the icons (for [rel](#)="icon")

[imagesrcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc. (for [rel](#)="preload")

[imagesizes](#) — Image sizes for different page layouts (for [rel](#)="preload")

[as](#) — [Potential destination](#) for a preload request (for [rel](#)="preload" and [rel](#)="modulepreload")

[blocking](#) — Whether the element is [potentially render-blocking](#)

[color](#) — Color to use when customizing a site's icon (for [rel](#)="mask-icon")

[disabled](#) — Whether the link is disabled

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

Also, the [title](#) attribute [has special semantics](#) on this element: Title of the link;

[CSS style sheet set name](#)

9. **Error** A `link` element must have an `href` or `imagesrcset` attribute, or both.

[From line 4, column 17; to line 4, column 73](#)

```
<Link className="navbar-brand text-white fw-bold"
to="/">John D
```

10. **Error** A `link` element must not appear as a descendant of a `body` element unless the `link` element has an `itemprop` attribute or has a `rel` attribute whose value contains `dns-`

```
prefetch, modulepreload, pingback, preconnect, prefetch,  
preload, prerender, or stylesheet.
```

[From line 4, column 17; to line 4, column 73](#)

```
<Link className="navbar-brand text-white fw-bold"  
to="/">John D
```

11. **Error** **Stray end tag** `link`.

[From line 4, column 82; to line 4, column 88](#)

```
">John Doe</Link>
```

12. **Error** **Attribute** `classname` **not allowed on element** `button` **at this point.**

[From line 5, column 17; to line 5, column 271](#)

```
<button className="navbar-toggler text-uppercase font-  
weight-bold bg-dark text-light rounded" type="...arResponsive" aria-  
controls="navbarResponsive" aria-expanded="false" aria-label="Toggle
```

Attributes for element `button`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[formaction](#) — [URL](#) to use for [form submission](#)

[formenctype](#) — [Entry list](#) encoding type to use for [form submission](#)

[formmethod](#) — Variant to use for [form submission](#)

[formnovalidate](#) — Bypass form control validation for [form submission](#)

[formtarget](#) — [Navigable](#) for [form submission](#)

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API

[popovertarget](#) — Targets a popover element to toggle, show, or hide

[popovertargetaction](#) — Indicates whether a targeted popover element is to be toggled, shown, or hidden

[type](#) — Type of button

[value](#) — Value to be used for [form submission](#)

13. **Error** **Attribute** `classname` **not allowed on element** `i` **at this point.**

[From line 6, column 21; to line 6, column 47](#)

```
<i className="fas fa-bars"></i>
```

Attributes for element `i`:

[Global attributes](#)

14. **Error** Attribute `classname` not allowed on element `div` at this point.

[From line 8, column 17; to line 8, column 80](#)

```
<div className="collapse navbar-collapse"
id="navbarResponsive">
```

Attributes for element `div`:

[Global attributes](#)

15. **Error** Attribute `classname` not allowed on element `ul` at this point.

[From line 9, column 21; to line 9, column 55](#)

```
<ul className="navbar-nav ms-auto">
```

Attributes for element `ul`:

[Global attributes](#)

16. **Error** Attribute `classname` not allowed on element `li` at this point.

[From line 10, column 25; to line 10, column 62](#)

```
<li className="nav-item mx-0 mx-lg-1">
```

Attributes for element `li`:

[Global attributes](#)

If the element is not a child of an `ul` or `menu` element: [value](#) — [Ordinal value](#) of the list item

17. **Error** Element `navlink` not allowed as child of element `li` in this context. (Suppressing further errors from this subtree.)

[From line 11, column 29; to line 11, column 106](#)

```
<NavLink className="nav-link py-3 px-0 px-lg-3 text-
secondary fw-bold" to="/">Accuei
```

Content model for element `li`:

[Flow content](#).

18. **Error** Attribute `classname` not allowed on element `li` at this point.

[From line 13, column 25; to line 13, column 62](#)

```
<li className="nav-item mx-0 mx-lg-1">
```

Attributes for element `li`:

[Global attributes](#)

If the element is not a child of an `ul` or `menu` element: [value](#) — [Ordinal value](#) of the list item

19. **Error** Element `navlink` not allowed as child of element `li` in this context. (Suppressing further errors from this subtree.)

[From line 14, column 29; to line 14, column 113](#)

```
<NavLink className="nav-link py-3 px-0 px-lg-3 text-secondary fw-bold" to="services">Servic
```

Content model for element `li`:

[Flow content.](#)

20. **Error** Attribute `classname` not allowed on element `li` at this point.

[From line 16, column 25; to line 16, column 62](#)

```
<li className="nav-item mx-0 mx-lg-1">↵
```

Attributes for element `li`:

[Global attributes](#)

If the element is not a child of an `ul` or `menu` element: [value](#) — [Ordinal value](#) of the list item

21. **Error** Element `navlink` not allowed as child of element `li` in this context. (Suppressing further errors from this subtree.)

[From line 17, column 29; to line 17, column 118](#)

```
<NavLink className="nav-link py-3 px-0 px-lg-3 text-secondary fw-bold " to="achievements">R  alis
```

Content model for element `li`:

[Flow content.](#)

22. **Error** Attribute `classname` not allowed on element `li` at this point.

[From line 19, column 25; to line 19, column 62](#)

```
<li className="nav-item mx-0 mx-lg-1">↵
```

Attributes for element `li`:

[Global attributes](#)

If the element is not a child of an `ul` or `menu` element: [value](#) — [Ordinal value](#) of the list item

23. **Error** Element `navlink` not allowed as child of element `li` in this context. (Suppressing further errors from this subtree.)

[From line 20, column 29; to line 20, column 109](#)

```
<NavLink className="nav-link py-3 px-0 px-lg-3 text-
secondary fw-bold" to="blog">Blog</
```

Content model for element `li`:

[Flow content.](#)

24. **Error** Attribute `classname` not allowed on element `li` at this point.

[From line 22, column 25; to line 22, column 62](#)

```
<li className="nav-item mx-0 mx-lg-1">
```

Attributes for element `li`:

[Global attributes](#)

If the element is not a child of an `ul` or `menu` element: [value](#) — [Ordinal value](#) of the list item

25. **Error** Element `navlink` not allowed as child of element `li` in this context. (Suppressing further errors from this subtree.)

[From line 23, column 29; to line 23, column 112](#)

```
<NavLink className="nav-link py-3 px-0 px-lg-3 text-
secondary fw-bold" to="contact">Me Con
```

Content model for element `li`:

[Flow content.](#)

Document checking completed.

Source

```
1. <header>
2. <nav className="navbar navbar-expand-lg bg-dark text-light
text-uppercase" id="mainNav">
3. <div className="container">
4. <Link className="navbar-brand text-white fw-bold"
to="/">John Doe</Link>
5. <button className="navbar-toggler text-uppercase font-
weight-bold bg-dark text-light rounded" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarResponsive" aria-
controls="navbarResponsive" aria-expanded="false" aria-label="Toggle
navigation">
6. <i className="fas fa-bars"></i>
7. </button>
8. <div className="collapse navbar-collapse"
id="navbarResponsive">
9. <ul className="navbar-nav ms-auto">
10. <li className="nav-item mx-0 mx-lg-1">
11. <NavLink className="nav-link py-3 px-0 px-
lg-3 text-secondary fw-bold" to="/">Accueil</NavLink>
12. </li>
13. <li className="nav-item mx-0 mx-lg-1">
```



```
14.         <NavLink className="nav-link py-3 px-0 px-  
lg-3 text-secondary fw-bold" to="services">Services</NavLink>  
15.         </li>  
16.         <li className="nav-item mx-0 mx-lq-1">  
17.             <NavLink className="nav-link py-3 px-0 px-  
lg-3 text-secondary fw-bold " to="achievements">Réalisations</  
NavLink>  
18.         </li>  
19.         <li className="nav-item mx-0 mx-lq-1">  
20.             <NavLink className="nav-link py-3 px-0 px-  
lg-3 text-secondary fw-bold" to="blog">Blog</NavLink>  
21.         </li>  
22.         <li className="nav-item mx-0 mx-lq-1">  
23.             <NavLink className="nav-link py-3 px-0 px-  
lg-3 text-secondary fw-bold" to="contact">Me Contacter</NavLink>  
24.         </li>  
25.     </ul>  
26. </div>  
27. </div>  
28. </nav>  
29. </header>
```

Used the HTML parser.

Total execution time 10 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 24.5.11