Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source ☐ outline ☐ image report [Options...]

Check by [text input ▾] ☐ css

```
<main>
      <section className="contact-container">
        <div className="shadow">
          <div className="contact-content">
            <div className="section-title">
              <h1 className="text-uppercase text-center fluid pt-4">
                Me contacter
              </h1>
              <h2 className="text-center fluid fs-5">
                 Pour me contacter en vue d'un entretien ou d'une future
                 collaboration, merci de remplir le formulaire de contact.
              </h2>
              <span></span>
            </div>
            <div className="w-10">
```

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

1. **Warning** **Consider adding a** `lang` **attribute to the** `html` **start tag to declare the language of this document.**

   From line 1, column 1; to line 1, column 6

   `<main>`↵

   For further guidance, consult Declaring the overall language of a page and Choosing language tags.

   If the HTML checker has misidentified the language of this document, please file an issue report or send e-mail to report the problem.

2. **Error** **Start tag seen without seeing a doctype first. Expected** `<!DOCTYPE html>`**.**

   From line 1, column 1; to line 1, column 6

   `<main>`↵

3. **Error** **Element** head **is missing a required instance of child**

element `title` **.**

From line 1, column 1; to line 1, column 6

`<main>↵`

Content model for element head:

If the document is an iframe srcdoc document or if title information is available from a higher-level protocol: Zero or more elements of metadata content, of which no more than one is a title element and no more than one is a base element.

Otherwise: One or more elements of metadata content, of which exactly one is a title element and no more than one is a base element.

4. **Error** **Attribute** `classname` **not allowed on element** `section` **at this point.**

From line 2, column 7; to line 2, column 45

`in>↵        <section className="contact-container">↵`

Attributes for element section:

Global attributes

5. **Error** **Attribute** `classname` **not allowed on element** `div` **at this point.**

From line 3, column 9; to line 3, column 32

`>↵          <div className="shadow">↵`

Attributes for element div:

Global attributes

6. **Error** **Attribute** `classname` **not allowed on element** `div` **at this point.**

From line 4, column 11; to line 4, column 43

`            <div className="contact-content">↵`

Attributes for element div:

Global attributes

7. **Error** **Attribute** `classname` **not allowed on element** `div` **at this point.**

From line 5, column 13; to line 5, column 43

`            <div className="section-title">↵`

Attributes for element div:

Global attributes

8. **Error** **Attribute** `classname` **not allowed on element** `h1` **at this point.**

From line 6, column 15; to line 6, column 68

```
            <h1 className="text-uppercase text-center fluid pt-4">↵
```

9. **Error** **Attribute** `classname` **not allowed on element** h2 **at this point.**

From line 9, column 15; to line 9, column 53

```
            <h2 className="text-center fluid fs-5">↵
```

10. **Error** **Attribute** `classname` **not allowed on element** div **at this point.**

From line 15, column 13; to line 15, column 34

```
            <div className="w-10">↵
```

Attributes for element div:
  Global attributes

11. **Error** **Attribute** `classname` **not allowed on element** div **at this point.**

From line 16, column 15; to line 16, column 35

```
            <div className="row">↵
```

Attributes for element div:
  Global attributes

12. **Error** **Attribute** `classname` **not allowed on element** div **at this point.**

From line 17, column 17; to line 17, column 64

```
            <div className="col-sm-12 col-md-6 text-center">↵
```

Attributes for element div:
  Global attributes

13. **Error** **Attribute** `classname` **not allowed on element** h3 **at this point.**

From line 18, column 19; to line 18, column 88

```
            <h3 className="border-bottom border-2 border-primary py-1
text-start">↵
```

14. **Error** **Attribute** `classname` **not allowed on element** form **at this point.**

From line 21, column 19; to line 21, column 57

```
            <form action="submit" className="pt-2">↵
```

Attributes for element form:
  Global attributes

accept-charset — Character encodings to use for form submission

action — URL to use for form submission

autocomplete — Default setting for autofill feature for controls in the form

enctype — Entry list encoding type to use for form submission

method — Variant to use for form submission

name — Name of form to use in the document.forms API

novalidate — Bypass form control validation for form submission

target — Navigable for form submission

rel

15. **Error** **Attribute** `classname` **not allowed on element** `input` **at this point.**

From line 22, column 21; to line 29, column 22

```
              <input↵                        className="p-2 my-3 form-
control"↵                        type="text"↵
name="name"↵                        id="name"↵
```

Attributes for element input:

Global attributes

accept   when type is file

alt   when type is image

autocomplete   when type is text, search, url, tel, email, password, date, month, week, time, datetime-local, number, range, or color

autofocus

checked   when type is checkbox or radio

dirname   when type is text or search

disabled

form

formaction   when type is submit or image

formenctype   when type is submit or image

formmethod   when type is submit or image

formnovalidate   when type is submit or image

formtarget   when type is submit or image

height   when type is image

list   when type is text, search, url, tel, email, date, month, week, time, datetime-local, number, range, or color

max   when type is date, month, week, time, datetime-local, number, or range

maxlength   when type is text, search, url, tel, email, or password

min	when type is <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>, <u>datetime-local</u>, <u>number</u>, or <u>range</u>
<u>multiple</u>	when type is <u>email</u> or <u>file</u>
<u>name</u>	
<u>pattern</u>	when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, or <u>password</u>
<u>placeholder</u>	when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, <u>password</u>, or <u>number</u>
<u>readonly</u>	when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, <u>password</u>, <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>, <u>datetime-local</u>, or <u>number</u>
<u>required</u>	when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, <u>password</u>, <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>, <u>datetime-local</u>, <u>number</u>, <u>checkbox</u>, <u>radio</u>, or <u>file</u>
<u>size</u>	when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, or <u>password</u>
<u>src</u>	when type is <u>image</u>
<u>step</u>	when type is <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>, <u>datetime-local</u>, <u>number</u>, or <u>range</u>
<u>type</u>	
<u>value</u>	when type is not <u>file</u> or <u>image</u>
<u>width</u>	when type is <u>image</u>

16. **Info** **Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).**

From line 22, column 21; to line 29, column 22

```
        <input↵                    className="p-2 my-3 form-
control"↵                type="text"↵
name="name"↵                    id="name"↵
```

17. **Error** **Attribute** `classname` **not allowed on element** `input` **at this point.**

From line 30, column 21; to line 37, column 22

```
        <input↵                    className="p-2 my-3 form-
control"↵                type="email"↵
name="email"↵                    id="email"↵
```

Attributes for element <u>input</u>:

Global attributes

<u>accept</u>	when type is <u>file</u>
<u>alt</u>	when type is <u>image</u>
<u>autocomplete</u>	when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, <u>password</u>, <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>, <u>datetime-local</u>, <u>number</u>, <u>range</u>, or <u>color</u>
<u>autofocus</u>	

checked	when type is checkbox or radio	
dirname	when type is text or search	
disabled		
form		
formaction	when type is submit or image	
formenctype	when type is submit or image	
formmethod	when type is submit or image	
formnovalidate	when type is submit or image	
formtarget	when type is submit or image	
height	when type is image	
list	when type is text, search, url, tel, email, date, month, week, time, datetime-local, number, range, or color	
max	when type is date, month, week, time, datetime-local, number, or range	
maxlength	when type is text, search, url, tel, email, or password	
min	when type is date, month, week, time, datetime-local, number, or range	
multiple	when type is email or file	
name		
pattern	when type is text, search, url, tel, email, or password	
placeholder	when type is text, search, url, tel, email, password, or number	
readonly	when type is text, search, url, tel, email, password, date, month, week, time, datetime-local, or number	
required	when type is text, search, url, tel, email, password, date, month, week, time, datetime-local, number, checkbox, radio, or file	
size	when type is text, search, url, tel, email, or password	
src	when type is image	
step	when type is date, month, week, time, datetime-local, number, or range	
type		
value	when type is not file or image	
width	when type is image	

18. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**

From line 30, column 21; to line 37, column 22

```
        <input↵                    className="p-2 my-3 form-
```

```
control"↵                              type="email"↵
```

19. | **Error** | **Attribute** `classname` **not allowed on element** `input` **at this point.**

From line 38, column 21; to line 45, column 22

```
           <input↵                     className="p-2 my-3 form-
control"↵                     type="tel"↵
name="phone"↵                        id="phone"↵
```

Attributes for element input:

    Global attributes

accept	when type is file
alt	when type is image
autocomplete	when type is text, search, url, tel, email, password, date, month, week, time, datetime-local, number, range, or color
autofocus	
checked	when type is checkbox or radio
dirname	when type is text or search
disabled	
form	
formaction	when type is submit or image
formenctype	when type is submit or image
formmethod	when type is submit or image
formnovalidate	when type is submit or image
formtarget	when type is submit or image
height	when type is image
list	when type is text, search, url, tel, email, date, month, week, time, datetime-local, number, range, or color
max	when type is date, month, week, time, datetime-local, number, or range
maxlength	when type is text, search, url, tel, email, or password
min	when type is date, month, week, time, datetime-local, number, or range
multiple	when type is email or file
name	
pattern	when type is text, search, url, tel, email, or password
placeholder	when type is text, search, url, tel, email, password, or number
readonly	when type is text, search, url, tel, email, password, date, month, week, time, datetime-local, or number

required	when type is text, search, url, tel, email, password, date, month, week, time, datetime-local, number, checkbox, radio, or file
size	when type is text, search, url, tel, email, or password
src	when type is image
step	when type is date, month, week, time, datetime-local, number, or range
type	
value	when type is not file or image
width	when type is image

20. Info **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**

From line 38, column 21; to line 45, column 22

```
            <input↵                    className="p-2 my-3 form-
control"↵                    type="tel"↵
name="phone"↵                    id="phone"↵
```

21. Error **Attribute** `classname` **not allowed on element** `input` **at this point.**

From line 46, column 21; to line 53, column 22

```
            <input↵                    className="p-2 my-3 form-
control"↵                    type="text"↵
name="suject"↵                    id="suject"↵
```

Attributes for element input:

Global attributes	
accept	when type is file
alt	when type is image
autocomplete	when type is text, search, url, tel, email, password, date, month, week, time, datetime-local, number, range, or color
autofocus	
checked	when type is checkbox or radio
dirname	when type is text or search
disabled	
form	
formaction	when type is submit or image
formenctype	when type is submit or image
formmethod	when type is submit or image
formnovalidate	when type is submit or image
formtarget	when type is submit or image

[height](#)	when type is [image](#)
[list](#)	when type is [text](#), [search](#), [url](#), [tel](#), [email](#), [date](#), [month](#), [week](#), [time](#), [datetime-local](#), [number](#), [range](#), or [color](#)
[max](#)	when type is [date](#), [month](#), [week](#), [time](#), [datetime-local](#), [number](#), or [range](#)
[maxlength](#)	when type is [text](#), [search](#), [url](#), [tel](#), [email](#), or [password](#)
[min](#)	when type is [date](#), [month](#), [week](#), [time](#), [datetime-local](#), [number](#), or [range](#)
[multiple](#)	when type is [email](#) or [file](#)
[name](#)	
[pattern](#)	when type is [text](#), [search](#), [url](#), [tel](#), [email](#), or [password](#)
[placeholder](#)	when type is [text](#), [search](#), [url](#), [tel](#), [email](#), [password](#), or [number](#)
[readonly](#)	when type is [text](#), [search](#), [url](#), [tel](#), [email](#), [password](#), [date](#), [month](#), [week](#), [time](#), [datetime-local](#), or [number](#)
[required](#)	when type is [text](#), [search](#), [url](#), [tel](#), [email](#), [password](#), [date](#), [month](#), [week](#), [time](#), [datetime-local](#), [number](#), [checkbox](#), [radio](#), or [file](#)
[size](#)	when type is [text](#), [search](#), [url](#), [tel](#), [email](#), or [password](#)
[src](#)	when type is [image](#)
[step](#)	when type is [date](#), [month](#), [week](#), [time](#), [datetime-local](#), [number](#), or [range](#)
[type](#)	
[value](#)	when type is not [file](#) or [image](#)
[width](#)	when type is [image](#)

22. **Info** **Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).**

[From line 46, column 21; to line 53, column 22](#)

```
         <input↵                          className="p-2 my-3 form-
control"↵                    type="text"↵
name="suject"↵                          id="suject"↵
```

23. **Error** **Attribute** `classname` **not allowed on element** `textarea` **at this point.**

[From line 54, column 21; to line 61, column 21](#)

```
         <textarea↵                          className="p-2 my-3 form-
control"↵                    name="message"↵
id="message"↵                          required↵
```

Attributes for element [textarea](#):

Global attributes

autocomplete — Hint for form autofill feature

cols — Maximum number of characters per line

dirname — Name of form control to use for sending the element's directionality in form submission

disabled — Whether the form control is disabled

form — Associates the element with a form element

maxlength — Maximum length of value

minlength — Minimum length of value

name — Name of the element to use for form submission and in the form.elements API

placeholder — User-visible label to be placed within the form control

readonly — Whether to allow the value to be edited by the user

required — Whether the control is required for form submission

rows — Number of lines to show

wrap — How the value of the form control is to be wrapped for form submission

24. **Error** **Bad value** `{5}` **for attribute** `rows` **on element** `textarea`**:**
     Expected a digit but saw `{` **instead.**

     From line 54, column 21; to line 61, column 21

     ```
              <textarea↵                          className="p-2 my-3 form-
     control"↵                       name="message"↵
     id="message"↵                          required↵
     ```

25. **Error** **Attribute** `classname` **not allowed on element** `button` **at**
     this point.

     From line 62, column 21; to line 65, column 21

     ```
                <button↵                          type="submit"↵
     className="btn btn-primary btn-lg fw-bold mb-5"↵
     >↵
     ```

     Attributes for element button:

     Global attributes

     disabled — Whether the form control is disabled

     form — Associates the element with a form element

     formaction — URL to use for form submission

     formenctype — Entry list encoding type to use for form submission

     formmethod — Variant to use for form submission

     formnovalidate — Bypass form control validation for form submission

     formtarget — Navigable for form submission

     name — Name of the element to use for form submission and in the

form.elements API

popovertarget — Targets a popover element to toggle, show, or hide

popovertargetaction — Indicates whether a targeted popover element is to be toggled, shown, or hidden

type — Type of button

value — Value to be used for form submission

26. **Error** **Attribute** `classname` **not allowed on element** `div` **at this point.**

From line 70, column 17; to line 70, column 52

```
        <div className="col-sm-12 col-md-6">↵
```

Attributes for element `div`:

Global attributes

27. **Error** **Attribute** `classname` **not allowed on element** `h3` **at this point.**

From line 71, column 19; to line 71, column 77

```
        <h3 className="border-bottom border-2 border-primary
py-1">↵
```

28. **Error** **Attribute** `classname` **not allowed on element** `address` **at this point.**

From line 74, column 19; to line 74, column 57

```
        <address className="mb-0 fw-bold pt-3">↵
```

Attributes for element `address`:

Global attributes

29. **Error** **Quote** `"` **in attribute name. Probable cause: Matching quote missing somewhere earlier.**

At line 77, column 39

```
tyle={{ color: "#000000" }}↵
```

30. **Error** **Quote** `"` **in attribute name. Probable cause: Matching quote missing somewhere earlier.**

At line 77, column 47

```
color: "#000000" }}↵
```

31. **Warning** **Attribute** `color:` **is not serializable as XML 1.0.**

From line 75, column 21; to line 78, column 21

```
        <i↵                    className="fa-solid fa-location-
```

```
dot"↵                          style={{ color: "#000000" }}↵
```

32. **Warning** **Attribute** `"#000000"` **is not serializable as XML 1.0.**

From line 75, column 21; to line 78, column 21

```
            <i↵                          className="fa-solid fa-location-
dot"↵                          style={{ color: "#000000" }}↵
></i>{"
```

33. **Warning** **Attribute** `}}` **is not serializable as XML 1.0.**

From line 75, column 21; to line 78, column 21

```
            <i↵                          className="fa-solid fa-location-
dot"↵                          style={{ color: "#000000" }}↵
></i>{"
```

34. **Error** **Attribute** `classname` **not allowed on element** `i` **at this point.**

From line 75, column 21; to line 78, column 21

```
            <i↵                          className="fa-solid fa-location-
dot"↵                          style={{ color: "#000000" }}↵
></i>{"
```

Attributes for element `i`:
   Global attributes

35. **Error** **Attribute** `color:` **not allowed on element** `i` **at this point.**

From line 75, column 21; to line 78, column 21

```
            <i↵                          className="fa-solid fa-location-
dot"↵                          style={{ color: "#000000" }}↵
></i>{"
```

Attributes for element `i`:
   Global attributes

36. **Error** **Attribute** `"#000000"` **not allowed on element** `i` **at this point.**

From line 75, column 21; to line 78, column 21

```
            <i↵                          className="fa-solid fa-location-
dot"↵                          style={{ color: "#000000" }}↵
></i>{"
```

Attributes for element `i`:
   Global attributes

37. **Error** **Attribute** `}}` **not allowed on element** `i` **at this point.**

From line 75, column 21; to line 78, column 21

```
            <i↵                        className="fa-solid fa-location-
dot"↵                       style={{ color: "#000000" }}↵
></i>{"
```

Attributes for element i:
   Global attributes

38. **Error** **Attribute** `classname` **not allowed on element** `p` **at this point.**

From line 81, column 19; to line 81, column 41

```
            <p className="fw-bold">↵
```

Attributes for element p:
   Global attributes

39. **Error** **Quote** `"` **in attribute name. Probable cause: Matching quote missing somewhere earlier.**

At line 84, column 39

```
tyle={{ color: "#000000" }}↵
```

40. **Error** **Quote** `"` **in attribute name. Probable cause: Matching quote missing somewhere earlier.**

At line 84, column 47

```
color: "#000000" }}↵
```

41. **Warning** **Attribute** `color:` **is not serializable as XML 1.0.**

From line 82, column 21; to line 85, column 21

```
            <i↵                        className="fa-solid fa-mobile-
screen"↵                      style={{ color: "#000000" }}↵
></i>{"
```

42. **Warning** **Attribute** `"#000000"` **is not serializable as XML 1.0.**

From line 82, column 21; to line 85, column 21

```
            <i↵                        className="fa-solid fa-mobile-
screen"↵                      style={{ color: "#000000" }}↵
></i>{"
```

43. **Warning** **Attribute** `}}` **is not serializable as XML 1.0.**

From line 82, column 21; to line 85, column 21

```
            <i↵                        className="fa-solid fa-mobile-
screen"↵                      style={{ color: "#000000" }}↵
></i>{"
```

44. **Error** **Attribute** `classname` **not allowed on element** `i` **at this point.**

    [From line 82, column 21; to line 85, column 21](#)

    ```
              <i↵                          className="fa-solid fa-mobile-
    screen"↵                       style={{ color: "#000000" }}↵
    ></i>{"
    ```

    Attributes for element `i`:
      [Global attributes](#)

45. **Error** **Attribute** `color:` **not allowed on element** `i` **at this point.**

    [From line 82, column 21; to line 85, column 21](#)

    ```
              <i↵                          className="fa-solid fa-mobile-
    screen"↵                       style={{ color: "#000000" }}↵
    ></i>{"
    ```

    Attributes for element `i`:
      [Global attributes](#)

46. **Error** **Attribute** `"#000000"` **not allowed on element** `i` **at this point.**

    [From line 82, column 21; to line 85, column 21](#)

    ```
              <i↵                          className="fa-solid fa-mobile-
    screen"↵                       style={{ color: "#000000" }}↵
    ></i>{"
    ```

    Attributes for element `i`:
      [Global attributes](#)

47. **Error** **Attribute** `}}` **not allowed on element** `i` **at this point.**

    [From line 82, column 21; to line 85, column 21](#)

    ```
              <i↵                          className="fa-solid fa-mobile-
    screen"↵                       style={{ color: "#000000" }}↵
    ></i>{"
    ```

    Attributes for element `i`:
      [Global attributes](#)

48. **Error** **Quote** `"` **in attribute name. Probable cause: Matching quote missing somewhere earlier.**

    [At line 90, column 38](#)

    ```
    yle={{ border: "0", width: "10
    ```

49. **Error** **Quote** `"` **in attribute name. Probable cause: Matching quote missing somewhere earlier.**

At line 90, column 40

```
e={{ border: "0", width: "100%
```

50.   **Error**   **Quote** `"` **in attribute name. Probable cause: Matching quote missing somewhere earlier.**

At line 90, column 50

```
r: "0", width: "100%", height:
```

51.   **Error**   **Quote** `"` **in attribute name. Probable cause: Matching quote missing somewhere earlier.**

At line 90, column 55

```
", width: "100%", height: "313
```

52.   **Error**   **Quote** `"` **in attribute name. Probable cause: Matching quote missing somewhere earlier.**

At line 90, column 66

```
100%", height: "313px" }}↵
```

53.   **Error**   **Quote** `"` **in attribute name. Probable cause: Matching quote missing somewhere earlier.**

At line 90, column 72

```
 height: "313px" }}↵
```

54.   **Warning**   **Attribute** `border:` **is not serializable as XML 1.0.**

From line 88, column 19; to line 94, column 19

```
        <iframe↵                 src="https://www.google.com/
maps/embed?pb=!1m18!1m12!1m3!1d2782.6271524621748!2d…
s40%20Rue%20Laure%20Diebold%2C%2069009%20Lyon!5e0!3m2!1spt-PT!2sfr!
```

55.   **Warning**   **Attribute** `"0",` **is not serializable as XML 1.0.**

From line 88, column 19; to line 94, column 19

```
        <iframe↵                 src="https://www.google.com/
maps/embed?pb=!1m18!1m12!1m3!1d2782.6271524621748!2d…
s40%20Rue%20Laure%20Diebold%2C%2069009%20Lyon!5e0!3m2!1spt-PT!2sfr!
```

56.   **Warning**   **Attribute** `width:` **is not serializable as XML 1.0.**

From line 88, column 19; to line 94, column 19

```
        <iframe↵                 src="https://www.google.com/
maps/embed?pb=!1m18!1m12!1m3!1d2782.6271524621748!2d…
s40%20Rue%20Laure%20Diebold%2C%2069009%20Lyon!5e0!3m2!1spt-PT!2sfr!
```

57. **Warning** **Attribute** `"100%",` **is not serializable as XML 1.0.**

From line 88, column 19; to line 94, column 19

```
          <iframe↵                    src="https://www.google.com/
maps/embed?pb=!1m18!1m12!1m3!1d2782.6271524621748!2d…
s40%20Rue%20Laure%20Diebold%2C%2069009%20Lyon!5e0!3m2!1spt-PT!2sfr!
```

58. **Warning** **Attribute** `height:` **is not serializable as XML 1.0.**

From line 88, column 19; to line 94, column 19

```
          <iframe↵                    src="https://www.google.com/
maps/embed?pb=!1m18!1m12!1m3!1d2782.6271524621748!2d…
s40%20Rue%20Laure%20Diebold%2C%2069009%20Lyon!5e0!3m2!1spt-PT!2sfr!
```

59. **Warning** **Attribute** `"313px"` **is not serializable as XML 1.0.**

From line 88, column 19; to line 94, column 19

```
          <iframe↵                    src="https://www.google.com/
maps/embed?pb=!1m18!1m12!1m3!1d2782.6271524621748!2d…
s40%20Rue%20Laure%20Diebold%2C%2069009%20Lyon!5e0!3m2!1spt-PT!2sfr!
```

60. **Warning** **Attribute** `}}` **is not serializable as XML 1.0.**

From line 88, column 19; to line 94, column 19

```
          <iframe↵                    src="https://www.google.com/
maps/embed?pb=!1m18!1m12!1m3!1d2782.6271524621748!2d…
s40%20Rue%20Laure%20Diebold%2C%2069009%20Lyon!5e0!3m2!1spt-PT!2sfr!
```

61. **Error** **Attribute** `border:` **not allowed on element** `iframe` **at this point.**

From line 88, column 19; to line 94, column 19

```
          <iframe↵                    src="https://www.google.com/
maps/embed?pb=!1m18!1m12!1m3!1d2782.6271524621748!2d…
s40%20Rue%20Laure%20Diebold%2C%2069009%20Lyon!5e0!3m2!1spt-PT!2sfr!
```

Attributes for element _iframe_:

　　Global attributes

　　src — Address of the resource

　　srcdoc — A document to render in the _iframe_

　　name — Name of content navigable

　　sandbox — Security rules for nested content

　　allow — Permissions policy to be applied to the _iframe_'s contents

　　allowfullscreen — Whether to allow the _iframe_'s contents to use

　　requestFullscreen()

　　width — Horizontal dimension

height — Vertical dimension

referrerpolicy — Referrer policy for fetches initiated by the element

loading — Used when determining loading deferral

62. **Error** **Attribute** `"0",` **not allowed on element** `iframe` **at this point.**

From line 88, column 19; to line 94, column 19

```
          <iframe↵                    src="https://www.google.com/
maps/embed?pb=!1m18!1m12!1m3!1d2782.6271524621748!2d…
s40%20Rue%20Laure%20Diebold%2C%2069009%20Lyon!5e0!3m2!1spt-PT!2sfr!
```

Attributes for element iframe:

Global attributes

src — Address of the resource

srcdoc — A document to render in the iframe

name — Name of content navigable

sandbox — Security rules for nested content

allow — Permissions policy to be applied to the iframe's contents

allowfullscreen — Whether to allow the iframe's contents to use requestFullscreen()

width — Horizontal dimension

height — Vertical dimension

referrerpolicy — Referrer policy for fetches initiated by the element

loading — Used when determining loading deferral

63. **Error** **Attribute** `width:` **not allowed on element** `iframe` **at this point.**

From line 88, column 19; to line 94, column 19

```
          <iframe↵                    src="https://www.google.com/
maps/embed?pb=!1m18!1m12!1m3!1d2782.6271524621748!2d…
s40%20Rue%20Laure%20Diebold%2C%2069009%20Lyon!5e0!3m2!1spt-PT!2sfr!
```

Attributes for element iframe:

Global attributes

src — Address of the resource

srcdoc — A document to render in the iframe

name — Name of content navigable

sandbox — Security rules for nested content

allow — Permissions policy to be applied to the iframe's contents

allowfullscreen — Whether to allow the iframe's contents to use requestFullscreen()

width — Horizontal dimension

height — Vertical dimension

referrerpolicy — Referrer policy for fetches initiated by the element

loading — Used when determining loading deferral

64. **Error** **Attribute** `"100%",` **not allowed on element** `iframe` **at this point.**

From line 88, column 19; to line 94, column 19

`<iframe↵                      src="https://www.google.com/`
`maps/embed?pb=!1m18!1m12!1m3!1d2782.6271524621748!2d…`
`s40%20Rue%20Laure%20Diebold%2C%2069009%20Lyon!5e0!3m2!1spt-PT!2sfr!`

Attributes for element iframe:

Global attributes

src — Address of the resource

srcdoc — A document to render in the iframe

name — Name of content navigable

sandbox — Security rules for nested content

allow — Permissions policy to be applied to the iframe's contents

allowfullscreen — Whether to allow the iframe's contents to use
requestFullscreen()

width — Horizontal dimension

height — Vertical dimension

referrerpolicy — Referrer policy for fetches initiated by the element

loading — Used when determining loading deferral

65. **Error** **Attribute** `height:` **not allowed on element** `iframe` **at this point.**

From line 88, column 19; to line 94, column 19

`<iframe↵                      src="https://www.google.com/`
`maps/embed?pb=!1m18!1m12!1m3!1d2782.6271524621748!2d…`
`s40%20Rue%20Laure%20Diebold%2C%2069009%20Lyon!5e0!3m2!1spt-PT!2sfr!`

Attributes for element iframe:

Global attributes

src — Address of the resource

srcdoc — A document to render in the iframe

name — Name of content navigable

sandbox — Security rules for nested content

allow — Permissions policy to be applied to the iframe's contents

allowfullscreen — Whether to allow the iframe's contents to use
requestFullscreen()

width — Horizontal dimension

height — Vertical dimension

referrerpolicy — Referrer policy for fetches initiated by the element

loading — Used when determining loading deferral

66. **Error** **Attribute** "313px" **not allowed on element** iframe **at this point.**

From line 88, column 19; to line 94, column 19

```
          <iframe↵              src="https://www.google.com/
maps/embed?pb=!1m18!1m12!1m3!1d2782.6271524621748!2d…
s40%20Rue%20Laure%20Diebold%2C%2069009%20Lyon!5e0!3m2!1spt-PT!2sfr!
```

Attributes for element iframe:

Global attributes

src — Address of the resource

srcdoc — A document to render in the iframe

name — Name of content navigable

sandbox — Security rules for nested content

allow — Permissions policy to be applied to the iframe's contents

allowfullscreen — Whether to allow the iframe's contents to use
requestFullscreen()

width — Horizontal dimension

height — Vertical dimension

referrerpolicy — Referrer policy for fetches initiated by the element

loading — Used when determining loading deferral

67. **Error** **Attribute** }} **not allowed on element** iframe **at this point.**

From line 88, column 19; to line 94, column 19

```
          <iframe↵              src="https://www.google.com/
maps/embed?pb=!1m18!1m12!1m3!1d2782.6271524621748!2d…
s40%20Rue%20Laure%20Diebold%2C%2069009%20Lyon!5e0!3m2!1spt-PT!2sfr!
```

Attributes for element iframe:

Global attributes

src — Address of the resource

srcdoc — A document to render in the iframe

name — Name of content navigable

sandbox — Security rules for nested content

allow — Permissions policy to be applied to the iframe's contents

allowfullscreen — Whether to allow the iframe's contents to use
requestFullscreen()

width — Horizontal dimension

> height — Vertical dimension
>
> referrerpolicy — Referrer policy for fetches initiated by the element
>
> loading — Used when determining loading deferral

Document checking completed.

Source

```
 1.  <main>↵
 2.      <section className="contact-container">↵
 3.        <div className="shadow">↵
 4.          <div className="contact-content">↵
 5.            <div className="section-title">↵
 6.              <h1 className="text-uppercase text-center fluid pt-4">↵
 7.                Me contacter↵
 8.              </h1>↵
 9.              <h2 className="text-center fluid fs-5">↵
10.                Pour me contacter en vue d'un entretien ou d'une
    future↵
11.                collaboration, merci de remplir le formulaire de
    contact.↵
12.              </h2>↵
13.              <span></span>↵
14.            </div>↵
15.            <div className="w-10">↵
16.              <div className="row">↵
17.                <div className="col-sm-12 col-md-6 text-center">↵
18.                  <h3 className="border-bottom border-2 border-primary
    py-1 text-start">↵
19.                    Formulaire de contact↵
20.                  </h3>↵
21.                  <form action="submit" className="pt-2">↵
22.                    <input↵
23.                      className="p-2 my-3 form-control"↵
24.                      type="text"↵
25.                      name="name"↵
26.                      id="name"↵
27.                      required↵
28.                      placeholder="Votre nom"↵
29.                    />↵
30.                    <input↵
31.                      className="p-2 my-3 form-control"↵
32.                      type="email"↵
33.                      name="email"↵
34.                      id="email"↵
35.                      required↵
36.                      placeholder="Votre adresse email"↵
37.                    />↵
38.                    <input↵
39.                      className="p-2 my-3 form-control"↵
40.                      type="tel"↵
41.                      name="phone"↵
42.                      id="phone"↵
43.                      required↵
44.                      placeholder="Votre número de téléphone"↵
45.                    />↵
46.                    <input↵
47.                      className="p-2 my-3 form-control"↵
48.                      type="text"↵
49.                      name="suject"↵
50.                      id="suject"↵
51.                      required↵
52.                      placeholder="Sujet"↵
53.                    />↵
54.                    <textarea↵
55.                      className="p-2 my-3 form-control"↵
56.                      name="message"↵
57.                      id="message"↵
```

```
 58.                            required↵
 59.                            placeholder="Votre message"↵
 60.                            rows={5}↵
 61.                        ></textarea>↵
 62.                        <button↵
 63.                            type="submit"↵
 64.                            className="btn btn-primary btn-lg fw-bold mb-5"↵
 65.                        >↵
 66.                            Envoyer↵
 67.                        </button>↵
 68.                    </form>↵
 69.                </div>↵
 70.                <div className="col-sm-12 col-md-6">↵
 71.                    <h3 className="border-bottom border-2 border-primary
     py-1">↵
 72.                        Mes coordonnées↵
 73.                    </h3>↵
 74.                    <address className="mb-0 fw-bold pt-3">↵
 75.                        <i↵
 76.                            className="fa-solid fa-location-dot"↵
 77.                            style={{ color: "#000000" }}↵
 78.                        ></i>{" "}↵
 79.                        40 Rue Laure Diebold, 69009 Lyon, France↵
 80.                    </address>↵
 81.                    <p className="fw-bold">↵
 82.                        <i↵
 83.                            className="fa-solid fa-mobile-screen"↵
 84.                            style={{ color: "#000000" }}↵
 85.                        ></i>{" "}↵
 86.                        06 20 30 40 50↵
 87.                    </p>↵
 88.                    <iframe↵
 89.                        src="https://www.google.com/maps/embed?pb=!1m18!
     1m12!1m3!1d2782.6271524621748!2d4.79640397689144!3d45.77866197108091!
     2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!3m3!1m2!
     1s0x47f4eb65edac5b3f%3A0xe01c47049cb2e2b9!
     2s40%20Rue%20Laure%20Diebold%2C%2069009%20Lyon!5e0!3m2!1spt-PT!2sfr!
     4v1718659742854!5m2!1spt-PT!2sfr"↵
 90.                        style={{ border: "0", width: "100%", height:
     "313px" }}↵
 91.                        allowFullScreen=""↵
 92.                        loading="lazy"↵
 93.                        referrerPolicy="no-referrer-when-downgrade"↵
 94.                    ></iframe>↵
 95.                </div>↵
 96.              </div>↵
 97.            </div>↵
 98.          </div>↵
 99.        </div>↵
100.      </section>↵
101.    </main>
```

Used the HTML parser.

Total execution time 17 milliseconds.

About this checker • Report an issue • Version: 24.5.11