Solution Review: Problem Challenge 1

> **We'll cover the following** ︿
>
> - Tree Diameter (medium)
> - Solution
> - Code
>   - Time complexity
>   - Space complexity

Tree Diameter (medium)

Given a binary tree, find the length of its diameter. The diameter of a tree is the number of nodes on the **longest path between any two leaf nodes**. The diameter of a tree may or may not pass through the root.

Note: You can always assume that there are at least two leaf nodes in the given tree.


Example 1:

Output: 5
Explanation: The diameter of the tree is: [4, 2, 1, 3, 6]

Example 2:

Output: 7
Explanation: The diameter of the tree is: [10, 8, 5, 3, 6, 9, 11]

Solution

This problem follows the Binary Tree Path Sum pattern. We can follow the same **DFS** approach. There will be a few differences:

1. At every step, we need to find the height of both children of the current node. For this, we will make two recursive calls similar to **DFS**.
2. The height of the current node will be equal to the maximum of the heights of its left or right children, plus '1' for the current node.

plus '1' for the current node.

3. The tree diameter at the current node will be equal to the height of the left child plus the height of the right child plus '1' for the current node: `diameter = leftTreeHeight + rightTreeHeight + 1`. To find the overall tree diameter, we will use a class level variable. This variable will store the maximum diameter of all the nodes visited so far, hence, eventually, it will have the final tree diameter.

Code

Here is what our algorithm will look like:

```python
class TreeNode:
    def __init__(self, val, left=None, right=None):
        self.val = val
        self.left = left
        self.right = right


class TreeDiameter:

    def __init__(self):
        self.treeDiameter = 0

    def find_diameter(self, root):
        self.calculate_height(root)
        return self.treeDiameter

    def calculate_height(self, currentNode):
        if currentNode is None:
            return 0

        leftTreeHeight = self.calculate_height(currentNode.left)
        rightTreeHeight = self.calculate_height(currentNode.right)

        # if the current node doesn't have a left or right subtree, we can't have
        # a path passing through it, since we need a leaf node on each side
        if leftTreeHeight is not None and rightTreeHeight is not None:

            # diameter at the current node will be equal to the height of left subtree +
            # the height of right sub-trees + '1' for the current node
            diameter = leftTreeHeight + rightTreeHeight + 1

            # update the global tree diameter
            self.treeDiameter = max(self.treeDiameter, diameter)

        # height of the current node will be equal to the maximum of the heights of
        # left or right subtrees plus '1' for the current node
        return max(leftTreeHeight, rightTreeHeight) + 1


def main():
    treeDiameter = TreeDiameter()
    root = TreeNode(1)
    root.left = TreeNode(2)
    root.right = TreeNode(3)
    root.left.left = TreeNode(4)
    root.right.left = TreeNode(5)
    root.right.right = TreeNode(6)
    print("Tree Diameter: " + str(treeDiameter.find_diameter(root)))
    root.left.left = None
    root.right.left.left = TreeNode(7)
    root.right.left.right = TreeNode(8)
    root.right.right.left = TreeNode(9)
    root.right.left.right.left = TreeNode(10)
    root.right.right.left.left = TreeNode(11)
    print("Tree Diameter: " + str(treeDiameter.find_diameter(root)))


main()
```

Run   Save   Reset   []

Time complexity

The time complexity of the above algorithm is $O(N)$, where 'N' is the total number of nodes in the tree. This is due to the fact that we traverse each node once.

Space complexity

The space complexity of the above algorithm will be $O(N)$ in the worst case. This space will be used to store the recursion stack. The worst case will happen when the given tree is a linked list (i.e., every node has only one child).

⊘ Report an Issue   ? Ask a Question