

# HTML Test 02

Total points 76/100 ?

IDB-CCSL-55

Email \*

masudrana.20091@gmail.com

✓ Choose the correct HTML to left-align the \*  
content inside a table cell

2/2

- ☐ A. <td valign="left">
- ☐ B. <td leftalign>
- ☒ C. <td align="left">
- ☐ D. <tdleft>



✓ onBlur, onClick, and onFocus are all \_\_\_\_\_ \*  
handlers.

2/2

- ☐ A. elements
- ☐ B. properties
- ☐ C. methods
- ☒ D. events



✓ How can you open a link in a new browser \*  
window?

2/2

- ☐ A. <a href="url" new>
- ☐ B. <a href="url" target="new">
- ☒ C. <a href="url" target="\_blank">



✓ Which of the following attribute is valid for a \*  
select tag contained within a form tag?

2/2

- ☐ A. name
- ☐ B. size
- ☐ C. multiple
- ☒ D. All



✓ What is the HTML feature that divides a web \*  
page into two or more scrollable parts?

2/2

- ☐ A. Split Page
- ☒ B. Frame
- ☐ C. Form
- ☐ D. Table
- ☐ E. textarea



✓ Which is the correct parent tag of <legend> \*  
tag?

2/2

- ☒ A. fieldset
- ☐ B. form
- ☐ C. frame
- ☐ D. table



✗ Which element is used to draw graphics \*  
images on a web page?

0/2

- ☐ A. script
- ☐ B. audio
- ☒ C. embed
- ☐ D. canvas



Correct answer

- ☒ D. canvas

✓ Which of the following elements is no longer \*  
supported in HTML5?

2/2

- ☒ A. <font>
- ☐ B. <q>
- ☐ C. <ins>
- ☐ D. <menu>



✗ Which element provides a secure way to \*  
authenticate the user?

0/2

- ☐ A. < keygen>
- ☐ B. < datalist>
- ☐ C. < output>
- ☒ D. < input>

✗

Correct answer

- ☒ A. < keygen>

ID \*

1277593

✓ Ancestor of all other elements on the page is \*  
called\_\_\_\_\_

2/2

- ☐ A. parent
- ☐ B. ancestor
- ☒ C. root element
- ☐ D. siblings

✓



✓ Why Content Types is used for? \*

2/2

- ☒ A. Content type specifies the nature of a link or embedded resource. ✓
- ☐ B. Content type specifies the nature of an item.
- ☐ C. Content type specifies the nature of document body.
- ☐ D. Content type specifies the nature of character entities or embedded resource.

✓ In HTML5, onblur and onfocus are: \*

2/2

- ☐ A. HTML elements
- ☐ B. Style attributes
- ☒ C. Event attributes ✓

✓ The tag that is used to pass the parameters to an applet is: \*

2/2

- ☐ A. appletpar
- ☐ B. applet
- ☒ C. param ✓
- ☐ D. val



✓ \_\_\_\_ allows you to set some element to be \*  
editable inside the browser.

2/2

- ☐ A. Spellcheck
- ☒ B. contenteditable
- ☐ C. dropzone
- ☐ D. contextmenu



✓ Which of the following tags can be used in \*  
place of a button tag?

2/2

- ☐ A. legend
- ☐ B. ol
- ☒ C. input
- ☐ D. dl



✓ How can you create an e-mail link? \*

2/2

- ☐ A. <a href="xxx@yyy">
- ☐ B. <mail>xxx@yyy</mail>
- ☐ C. <mail href="xxx@yyy">
- ☒ D. <a href="mailto:xxx@yyy.">



✓ Which attribute specify where to send a form \* data?

2/2

- ☐ A. method
- ☐ B. input
- ☐ C. output
- ☒ D. action



✗ Which of the following statement is correct \* about obsolete element?

0/2

- ☐ A. It should not use but browsers still support for backward-compatibility reasons.
- ☐ B. It is reserved for future used.
- ☐ C. It is replace by CSS.
- ☐ D. It is not yet supported by browser but w3 recommended
- ☐ E. It should not use and that browsers should not support.



Correct answer

- ☒ E. It should not use and that browsers should not support.



✗ To start a list at the count of 3, use which? \*

0/2

- ☐ A. <ol start="3">
- ☒ B. <ol begin="3">
- ☐ C. <ol list="5">

✗

Correct answer

- ☒ A. <ol start="3">

✓ What is the correct HTML for making a check \*  
box?

2/2

- ☐ A. <check>
- ☒ B. <input type="checkbox" />
- ☐ C. <checkbox>
- ☐ D. <input type="check" />

✓

✓ In HTML5, which element is used to group \*  
multiple headings?

2/2

- ☐ A. <group>
- ☐ B. <headings>
- ☒ C. <hgroup>
- ☐ D. <header>

✓





✓ Which of the following would give a yellow background to the web page? Note: The code used in the "correct" answer below was deprecated in HTML 4.01! Use styles instead for new code. 2/2

- ☐ A. <body bgcolor="Yellow">
- ☐ B. <body background="Yellow">
- ☒ C. <Body bgcolor="Yellow">
- ☐ D. <body color="Yellow">



✓ What is the correct HTML for inserting an image? 2/2

- ☐ A. <img alt="MyImage">image.gif</img>
- ☒ B. 
- ☐ C. <img href="image.gif" alt="MyImage" />
- ☐ D. <image src="image.gif" alt="MyImage" />



✓ Which are the correct code fragment for making the following list? 2/2

1. Apple  
2. Mango  
3. Orange

- ☒ A. <ol type="1"> <li>Apple</li> <li>Mango</li> <li>Orange</li> </ol>
- ☐ B. <ul> <li>1. Apple</li> <li>2. Mango</li> <li>3. Orange</li> </ul>
- ☐ C. <ol> <li>Apple</li> <li>Mango</li> <li>Orange</li> </ol>
- ☐ D. <ol type="number"> <li>Apple</li> <li>Mango</li> <li>Orange</li> </ol>



✗ Which of the following are not a markup \*  
element in html5?

0/2

- ☐ A. <aside>
- ☐ B. <summary>
- ☒ C. <progress>
- ☐ D. <embed>

✗

Correct answer

- ☒ D. <embed>

✗ Which event is fired when an element loses its \*  
focus on a form?

0/2

- ☒ A. onfocus
- ☐ B. onload
- ☐ C. onblur
- ☐ D. onselect

✗

Correct answer

- ☒ D. onselect



✓ A <!DOCTYPE> defines the document type of \*  
any HTML document. It can be of three types: 2/2

- ☒ A. Strict, Transitional, or Frameset
- ☐ B. Strict, Transitional, or Loose
- ☐ C. Fixed, Intermediate, or Loose
- ☐ D. Fixed, Intermediate, or Frameset



✓ Which of these tags are all <table> tags? \* 2/2

- ☐ A. <thead><body><tr>
- ☐ B. <table><tr><tt>
- ☒ C. <table><tr><td>
- ☐ D. <table><head><tfoot>



✓ How can you make a list that lists the items \*  
with numbers? 2/2

- ☐ A. <ul>
- ☒ B. <ol>
- ☐ C. <list>
- ☐ D. <dl>



✗ terminate() method in HTML5 is used for\_\_\_\_ \*

0/2

- ☒ A. terminate everything
- ☐ B. terminate all method
- ☐ C. terminate a web worker
- ☐ D. terminate program

✗

Correct answer

- ☒ C. terminate a web worker

Name \*

masudrana.20091@gmail.com

✗ Where does web worker(s) script run? \*

0/2

- ☐ A. in foreground
- ☐ B. in background
- ☒ C. both a and b
- ☐ D. Can't determine

✗

Correct answer

- ☒ B. in background



✓ Which is the correct URL for W3C \*  
recommended HTML5 validator?

2/2

- ☒ A. [validator.w3.org](https://validator.w3.org)
- ☐ B. [w3.validator.org](https://w3.validator.org)
- ☐ C. [w3.org/validator](https://w3.org/validator)
- ☐ D. [w3.org/validator.htm](https://w3.org/validator.htm)



✓ What is the correct HTML for making a drop- \*  
down list?

2/2

- ☐ A. `<input type="list" />`
- ☐ B. `<list>`
- ☐ C. `<input type="dropdown" />`
- ☒ D. `<select>`



✓ `<address>` element stands for \*

2/2

- ☐ A. a generic container
- ☐ B. a menu of choices
- ☒ C. author contact information
- ☐ D. information about document



✓ Which is the correct value of lang attribute in \*  
term of English?

2/2

- ☒ A. en
- ☐ B. bn
- ☐ C. abc
- ☐ D. ad



✓ What is meant by cellpadding? \*

2/2

- ☐ A. It makes the cell span more than one column.
- ☒ B. It specifies the space between the cell wall
- ☐ and the contents of the cell.
- ☐ C. It specifies the space between two cells.
- ☐ D. It makes the cell span more than one row.



✓ Which modern browser does not support the \*  
HTML5 tags?

2/2

- ☒ A. IE 8
- ☐ B. Safari
- ☐ C. Mozilla
- ☐ D. Opera



✓ Which storage object is used for storing the \*  
data with no expiry date?

2/2

- ☐ A. Session storage
- ☒ B. local storage
- ☐ C. mass storage
- ☐ D. stack storage



✗ Following method is used to get the current \*  
location of the user in Geolocation in HTML5?

0/2

- ☐ A. getCurrentPosition()
- ☐ B. getPosition()
- ☐ C. getLocation()
- ☒ D. getCurrentLocation()



Correct answer

- ☒ A. getCurrentPosition()



✗ On one of your Web pages named listing.html, you have specified a target at the following: `<a name="target4" id="target4">Old Listing</a>` How will you make a link to the above target? \*

0/2

- ☐ A. `<a url="#target4">Check Old Listing as well</a>`
- ☐ B. `<a href="#target4">Check Old Listing as well</a>`
- ☒ C. `<link href="#target4">Check Old Listing as well</link>`
- ☐ D. `<a url="#Listing.target4">Check Old Listing as well</a>`

✗

Correct answer

- ☒ B. `<a href="#target4">Check Old Listing as well</a>`

✓ How will you import a style sheet named `basic.css` in your Web page? \*

2/2

- ☐ A. `<import name="stylesheet" url="basic.css">`
- ☒ B. `<link rel="stylesheet" type="text/css" href="basic.css">`
- ☐ C. `<style name="stylesheet" url="basic.css">`
- ☐ D. `<link item="stylesheet" type="text/css" href="basic.css">`

✓

✓ What do you mean by SVG? \*

2/2

- ☐ A. Secondary vector graphics
- ☐ B. scalable vertical graphics
- ☒ C. Scalable vector graphics
- ☐ D. scalable vector graph

✓





✗ The manifest file is \_\_\_\_ \*

0/2

- ☐ A. Text file
- ☐ B. HTML file
- ☒ C. XML file
- ☐ D. java file

✗

Correct answer

- ☒ A. Text file

✓ Which of the following are not valid? \*

2/2

- ☐ A. <h2>Main Title</h2>
- ☒ B. <h>Main Title</h>
- ☐ C. <h3>Main Title</h3>
- ☐ D. <h6>Main Title</h6>

✓

✓ Which of the following statement is not true \*  
for <summary> element?

2/2

- ☐ A. Syntax: <summary></summary>
- ☐ B. The Summary element provides a summary, caption, or legend for the other contents of details element.
- ☐ C. Attributes HTML5 only: Global
- ☒ D. none

✓



✓ What is the correct HTML for making a text \*  
area?

2/2

- ☐ A. <input type="textbox" />
- ☐ B. <input type="textarea" />
- ☒ C. <textarea>



✗ Which is the correct parent tag of <caption> \*  
tag?

0/2

- ☐ A. <table>
- ☒ B. <frame>
- ☐ C. <form>
- ☐ D. <object>



Correct answer

- ☒ A. <table>

✓ Which of the following tag has alt attribute? \*

2/2

- ☐ A. <applet>
- ☐ B. <table>
- ☐ C. <a>
- ☒ D. <img>



✓ Who is making the Web standards? \*

2/2

- ☒ A. The World Wide Web Consortium
- ☐ B. Microsoft
- ☐ C. Mozilla



✓ Nearly how many new elements are included \*  
to HTML5?

2/2

- ☐ A. 100
- ☐ B. 200
- ☒ C. 30
- ☐ D. 150



This content is neither created nor endorsed by Google. - [Terms of Service](#) - [Privacy Policy](#)

# Google Forms



