MySQL Exam-3	Total points 34/50
Email address *	
masumbillah546@gmail.com	
masamsmano-rowgman.com	
O1. Which of the following data types cannot be directly the client? *	manipulated by 2/2
the client?	
(a) Cookie Data	
(b) Session Data	✓
(c) Remote IP Address	
(d) User Agent	
O2. Transactions can be used to: (Choose 2) *	2/2
(a) Recover from errors in case of a power outage or a failure in	n the SQL
connection	
(b) Ensure that the data is properly formatted	
(c) Ensure that either all statements are performed properly, or are.	that none of them 🗸
(d) Recover from user errors	

X 03. SQL security characteristic is set what? *	0/2
(a) DEFINER	
(b) INVOKER	
(c) TRIGGER	×
(d) MODIFIER	
Correct answer	
(a) DEFINER	
✓ 04. Store procedure's characteristic READE SQL DATA indicate to w	hat? *2/2
(a) SQL is present	
(b) SQL will read data	
(c) SQL will only retrieve data	✓
(d) SQL read and modify data	
05. Which is correct general form of function mysql_query()? *	2/2
(a) resource mysql_query (binary query[resource link_id])	
(b) resource mysql_query (string query[resource link_id])	✓

O6. Which is method use switch to a new database? *	2/2
(a) \$mysqli->select_db("")	✓
(b) mysql->select_db("")	
(c) mysqli->select_db()	
(d) all of the above	

07. Local variables declared within a stored routine using what 2/2 statement? * (a) DEFINE (b) ASSIGN (c) INVOKE (d) DECLARE

✓ 08. Which is the largest integer range? * 2/2 (a) BIGINT (b) INT (c) MEDUWMINT (d) SMALLINT

O9. Which is the second largest integer range *	2/2
(a) BIGINT	
(b) MEDUMINT	
(c) INT	✓
(d) SMALLINT	
 10. When you need to assign new privileges to a user for group of use 	rs? 2/2
(a) revoke command	
(b) Grant command	✓
(c) Connect command	
(d) Assign command	
11. Which command is responsible for deleting previously granted privileges from a user or a group of users? *	2/2
(a) Revoke command	✓
(b) Grand command	
(c) Connect command	

(d) Assign command

× 12. Which is the small integer range? *	0/2
(a) INT	
(b) TINYINT	
(c) SMALLINT	×
(d) None of them	
Correct answer	
(b) TINYINT	
★ 13. Which is the double precision floating point number? *	0/2
(a) semi-double	
(b) float	×
(c) single	
(c) single	

★ 14. The CHAR data type offerstring representation? *	0/2
(a) fixed-length	
(b) variable-length	
(c) attribute-length	
(d) char-length	×
Correct answer	
(a) fixed-length	
15. What is the maximum value support in VARCHAR data type *	2/2
(a) 254	
(b) 255	
(c) 256	
(d) 65535	✓
16. Where are you write "extension = php_mysql.dll" to add mysqli extension in window? *	2/2
(a) php.ini	✓
(b) php.info	

(c) mysql.ini		
(d) mysql.info		

X 17. Which of the following is/are true for stored funtions? *	0/2
(a) support execution only by the SELECT command	✓
(b) accept only input parameter & return one and only one value	
(c) can be embedded directly into a SQL command	
(d) used to manipulate data in database or perform special calculation	
Correct answer	
(a) support execution only by the SELECT command	
(b) accept only input parameter & return one and only one value	

18. When declaring variable it must take place within which block? *	2/2
(a) START/FINISH block	
(b) BEGIN/END block	✓
(c) DELIMITER/DELIMITER block	
(d) OPEN/CLOSE block	

✓ 19. What statement/s is/are used to set the value of a declared stored 2/2 routine variable? *

!

(a) SET statement

(b) SELECT INTO statement	
(c) SELECT statement	
(d) SET INTO statement	
X 20. Which of the following cases are cases when you should use transactions? (Choose 1 answer) *	
(a) Updating a single row in a table	
(b) Inserting a new row into a single table	
(c) Selecting rows from multiple different tables	
(d) Updating a single row in multiple different tables	
Correct answer	
(d) Updating a single row in multiple different tables	
21. Executing which statement causes the LOOP REPEAT or WHILE within 0/2 which it is embedded to return to the top and execute again? *	
(a) LOOP	
(b) ITERATE	
(c) REPEAT	
(d) LEAVE	
Correct answer	
(b) ITERATE	

loop of	ch statement is used when someone want to immediately exit a a BEGIN? END block pending the value of a variable or outcome ticular task? *	0/2
(a) LEAV	/E	
(b) END		
(c) FINIS	SH	
(d) DELI	MITER	×
Correct answe	er	
(a) LEAV	/E	
	ch of the following function is used for terminate the script on in PHP? *	2/2
a) break	0	
b) quit()		
c) die()	•	✓
d) None	of them	
4 04 5	ID the common control on eactor is	0.40
✓ 24. In Pl	HP the error control operator is*	2/2
a) .		

b) *	
✓ c) @	✓
d) &	
25. Which of the following is not an SQL aggregate function? *	2/2
(a) AVG	
(b) SUM	
(c) MAX and MIN	
(d) CURRENT_DATE()	~

This content is neither created nor endorsed by Google. - <u>Terms of Service</u> - <u>Privacy Policy</u>

Google Forms