7/8/2020 PHP Exam-1

PHP Exam-1	Total points 16/20
Email address * masumbillah546@gmail.com	
X 1 data type is used to represent a single v	value. * 0/2
<ul> <li>Number</li> <li>Scalar</li> <li>String</li> <li>Boolean</li> <li>Correct answer</li> <li>Scalar</li> </ul>	×
2. Which is the example of compound data type? *	2/2
Object	
Float	
array	<b>✓</b>

!

_		
0	String	

0/2
×
2/2
<b>/</b>
2/2

using gettype function

	settype() function	<b>~</b>
	6. Which of the example is reference assignment? *	2/2
	\$value="Hello"; \$value2=\$value	
	\$\$value="Hello"; \$value2=\$value	
	\$value="Hello"; \$value2=&\$value	<b>✓</b>
	✓ 7. PHP comments for a single line have the following syntax: * /* comments /*	2/2
	<b>✓</b> #	<b>✓</b>
	<b>✓</b> //	<b>✓</b>
	✓ 8. What is the correct way to add 1 to the \$count variable? *	2/2
	count++;	
	scount++;	<b>✓</b>
	++count	
_	\$count =+1	
!		

<pre>9. <?php define("x","5"); \$x=x+10; echo x; ?> *</pre>	2/2
Error	
O 15	
<u> </u>	
5	<b>✓</b>
10. How to returns any ensuring value back to the function caller? *	2/2
using break statement	
using return statement	<b>✓</b>
using Continue Statement	

This content is neither created nor endorsed by Google. - <u>Terms of Service</u> - <u>Privacy Policy</u>

Google Forms