

Exercise 1 SELECT & FILTER.

1) Syntax: SELECT *

FROM employees_table;

Results: TABLE employees

id	first_name	Last_name	department	Salary	hire_date	City
1	Alice	Green	IT	70000	2020-01-10	Johannesburg
2	Brian	Lee	HR	45000	2019-03-22	Cape Town
3	Cathy	Zulu	Finance	65000	2018-07-18	Durban
4	David	Mokoena	Marketing	50000	2021-11-05	Pretoria
5	Eva	Naidoo	IT	72000	2017-09-30	Johannesburg

2. Syntax: SELECT DISTINCT department

FROM employees_table;

Result:

department
IT
HR
Finance
Marketing

3. Syntax: SELECT first_name,

last_name,

Salary

FROM employees_table

ORDER By salary DESC;

employees_table

first_name	last_name	Salaries
Brian	Lee	45000
David	Mokoena	50000
Cathy	Zulu	65000
Alice	Green	70000
Eva	Naidoo	72000

4. Syntax

```
SELECT id,  
       first_name,  
       last_name,  
       salary  
FROM employee  
ORDER BY salary ASC  
LIMIT 3;
```

employees-table

id	first_name	last_name	salary
5	Eva	Naidoo	72000
1	Alice	Green	70000
3	Cathy	Zulu	65000

5. Syntax

```
SELECT id,  
       first_name,  
       last_name,  
       department  
FROM employees-table  
ORDER BY department
```

employees-table WHERE department = 'IT';

id	first_name	last_name	department
1	Alice	Green	IT
5	Eva	Naidoo	IT

6. Syntax

```
SELECT id,  
       first_name  
       last_name  
       department  
       salary  
FROM employees-table  
WHERE department = 'Finance' AND salary > 60000;
```


employees-table

id	first_name	last_name	department	salary
3	Cathy	Zulu	Finance	65000

8 Syntax SELECT id,
 first_name,
 last_name,
 department
 FROM employees-table
 WHERE NOT Subject = 'IT';

employee-table

id	first_name	last_name	department
2	Brian	Lee	HR
3	Cathy	Zulu	Finance
4	David	Mokoena	Marketing

7 Syntax SELECT id,
 first_name,
 last_name,
 department
 FROM employee
 WHERE department = 'HR' OR 'marketing';

employee-table

id	first_name	last_name	department
2	Brian	Lee	HR
4	David	Mokoena	marketing

9 Syntax SELECT id,
 first_name,
 last_name,
 department
 FROM employees-table
 WHERE departme IN ('IT', 'HR', 'Finance');

employees-table

id	first_name	last_name	department
1	Alice	Green	IT
2	Brian	Lee	HR
3	Cathy	Zulu	Finance
5	Eva	Naidoo	IT

10 Syntax `SELECT id, first_name, last_name, department, salary, City`
 `FROM employee`
 `WHERE departme = 'IT' AND Salary > 65000`
 `AND city = 'Johannesburg';`

employees-table

id	first_name	last_name	department	Salary	City
1	Alice	Green	IT	70000	Johannesburg
5	Eva	Naidoo	IT	72000	Johannesburg