

Step 1: Configure Keycloak Realm and Client

1. Create a New Realm

- Log in to the Keycloak Admin Console.
- Navigate to the "Realms" section.
- Click on "Add Realm" and name it GUH.
- Save the realm.

2. Create a New Client

- In the GUH realm, navigate to the "Clients" section.
- Click on "Create".
- Enter the client ID as OpenKM.
- Set the "Client Protocol" to openid-connect.
- Under "Access Type", select confidential.
- Enable the "Standard Flow Enabled" option.
- Set the "Root URL" to include the URL where OpenKM will handle the callback (e.g., `http://localhost:8080/OpenKM`).
- Set the "Valid Redirect URIs" to include the URL where OpenKM will handle the callback (e.g., `http://localhost:8080/OpenKM/*`).

3. Add Client Scope

- Ensure the openid scope is included by default.
- Go to the "Client Scopes" section of the OpenKM client.
- Assign the openid scope as a default scope.

4. Add Mapper for Username

- Navigate to the "Mappers" tab under the OpenKM client.
- Click on "Create".
- Set the following properties:
 - Name: username
 - Mapper Type: User Attribute
 - Token Claim Name: username
 - User Attribute: username
 - Claim JSON Type: String
 - Add to ID Token: ON
 - Add to Access Token: ON

5. Import Configuration

All this already configured you can import it from the json file below

```
{
  "id": "468069fe-b011-45f6-9cdf-c4182d5139f7",
  "realm": "GUH",
  "notBefore": 0,
  "defaultSignatureAlgorithm": "RS256",
  "revokeRefreshToken": false,
```

```
"refreshTokenMaxReuse": 0,
"accessTokenLifespan": 300,
"accessTokenLifespanForImplicitFlow": 900,
"ssoSessionIdleTimeout": 1800,
"ssoSessionMaxLifespan": 36000,
"ssoSessionIdleTimeoutRememberMe": 0,
"ssoSessionMaxLifespanRememberMe": 0,
"offlineSessionIdleTimeout": 2592000,
"offlineSessionMaxLifespanEnabled": false,
"offlineSessionMaxLifespan": 5184000,
"clientSessionIdleTimeout": 0,
"clientSessionMaxLifespan": 0,
"clientOfflineSessionIdleTimeout": 0,
"clientOfflineSessionMaxLifespan": 0,
"accessTokenLifespan": 60,
"accessTokenLifespanUserAction": 300,
"accessTokenLifespanLogin": 1800,
"actionTokenGeneratedByAdminLifespan": 43200,
"actionTokenGeneratedByUserLifespan": 300,
"oauth2DeviceCodeLifespan": 600,
"oauth2DevicePollingInterval": 5,
"enabled": true,
"sslRequired": "external",
"registrationAllowed": false,
"registrationEmailAsUsername": false,
"rememberMe": false,
"verifyEmail": false,
"loginWithEmailAllowed": true,
"duplicateEmailsAllowed": false,
"resetPasswordAllowed": false,
"editUsernameAllowed": false,
"bruteForceProtected": false,
"permanentLockout": false,
"maxFailureWaitSeconds": 900,
"minimumQuickLoginWaitSeconds": 60,
"waitIncrementSeconds": 60,
"quickLoginCheckMilliseconds": 1000,
"maxDeltaTimeSeconds": 43200,
"failureFactor": 30,
"roles": {
  "realm": [
    {
      "id": "a73ed423-5d23-48d4-924e-ea638e0dae6a",
      "name": "offline_access",
      "description": "${role_offline-access}",
      "composite": false,
      "clientRole": false,
      "containerId": "468069fe-b011-45f6-9cdf-c4182d5139f7",
      "attributes": {}
    },
    {
      "id": "0303a200-c653-47d2-832f-bf3d5f768e97",
```

```
"name": "uma_authorization",
"description": "${role_uma_authorization}",
"composite": false,
"clientRole": false,
"containerId": "468069fe-b011-45f6-9cdf-c4182d5139f7",
"attributes": {}
},
{
  "id": "98fc21a3-eb91-4f46-afb2-1b1da9b267ca",
  "name": "default-roles-guh",
  "description": "${role_default-roles}",
  "composite": true,
  "composites": {
    "realm": [
      "offline_access",
      "uma_authorization"
    ],
    "client": {
      "account": [
        "view-profile",
        "manage-account"
      ]
    }
  },
  "clientRole": false,
  "containerId": "468069fe-b011-45f6-9cdf-c4182d5139f7",
  "attributes": {}
}
],
"client": {
  "realm-management": [
    {
      "id": "39642c4f-1736-4d5c-95eb-770dd9914149",
      "name": "manage-users",
      "description": "${role_manage-users}",
      "composite": false,
      "clientRole": true,
      "containerId": "447f7b6a-1680-482f-8a3d-a4162cfe0b65",
      "attributes": {}
    },
    {
      "id": "e8191422-7c24-4921-9e09-8f469956674a",
      "name": "view-clients",
      "description": "${role_view-clients}",
      "composite": true,
      "composites": {
        "client": {
          "realm-management": [
            "query-clients"
          ]
        }
      }
    }
  ],
}
```

```
"clientRole": true,
"containerId": "447f7b6a-1680-482f-8a3d-a4162cfe0b65",
"attributes": {}
},
{
  "id": "17b4f815-a0a1-483c-906f-64544f438c21",
  "name": "view-events",
  "description": "${role_view-events}",
  "composite": false,
  "clientRole": true,
  "containerId": "447f7b6a-1680-482f-8a3d-a4162cfe0b65",
  "attributes": {}
},
{
  "id": "9c301f74-d4e2-4a16-94a1-256bc266a8fb",
  "name": "manage-events",
  "description": "${role_manage-events}",
  "composite": false,
  "clientRole": true,
  "containerId": "447f7b6a-1680-482f-8a3d-a4162cfe0b65",
  "attributes": {}
},
{
  "id": "c8632adb-b237-4dd1-b7a2-6e5166c67d21",
  "name": "create-client",
  "description": "${role_create-client}",
  "composite": false,
  "clientRole": true,
  "containerId": "447f7b6a-1680-482f-8a3d-a4162cfe0b65",
  "attributes": {}
},
{
  "id": "41a1d9a8-4a10-4cf7-bacb-ee8fda1606e5",
  "name": "view-realm",
  "description": "${role_view-realm}",
  "composite": false,
  "clientRole": true,
  "containerId": "447f7b6a-1680-482f-8a3d-a4162cfe0b65",
  "attributes": {}
},
{
  "id": "715284e8-4133-446a-b40d-b03a4493f4e8",
  "name": "manage-clients",
  "description": "${role_manage-clients}",
  "composite": false,
  "clientRole": true,
  "containerId": "447f7b6a-1680-482f-8a3d-a4162cfe0b65",
  "attributes": {}
},
{
  "id": "d1cfe604-f166-4c59-8f35-41875e38b80c",
  "name": "query-groups",
```

```
"description": "${role_query-groups}",
"composite": false,
"clientRole": true,
"containerId": "447f7b6a-1680-482f-8a3d-a4162cfe0b65",
"attributes": {}
},
{
  "id": "e8055d24-023d-43c3-b6d8-ebe20e1cc692",
  "name": "query-realms",
  "description": "${role_query-realms}",
  "composite": false,
  "clientRole": true,
  "containerId": "447f7b6a-1680-482f-8a3d-a4162cfe0b65",
  "attributes": {}
},
{
  "id": "a96dca80-59cd-4016-8d42-e43fb15640e5",
  "name": "impersonation",
  "description": "${role_impersonation}",
  "composite": false,
  "clientRole": true,
  "containerId": "447f7b6a-1680-482f-8a3d-a4162cfe0b65",
  "attributes": {}
},
{
  "id": "351af768-44da-4d80-a874-e1f901fc6200",
  "name": "manage-realm",
  "description": "${role_manage-realm}",
  "composite": false,
  "clientRole": true,
  "containerId": "447f7b6a-1680-482f-8a3d-a4162cfe0b65",
  "attributes": {}
},
{
  "id": "5b33288a-840e-4df1-8862-225b4b12ab82",
  "name": "manage-authorization",
  "description": "${role_manage-authorization}",
  "composite": false,
  "clientRole": true,
  "containerId": "447f7b6a-1680-482f-8a3d-a4162cfe0b65",
  "attributes": {}
},
{
  "id": "fcddc6b2-a85f-4f6c-9e73-a2f7a3b24dd9",
  "name": "manage-identity-providers",
  "description": "${role_manage-identity-providers}",
  "composite": false,
  "clientRole": true,
  "containerId": "447f7b6a-1680-482f-8a3d-a4162cfe0b65",
  "attributes": {}
},
{

```

```
"id": "cc48a05d-dd2a-44ec-83ba-d2b84ab43d6d",
"name": "query-users",
"description": "${role_query-users}",
"composite": false,
"clientRole": true,
"containerId": "447f7b6a-1680-482f-8a3d-a4162cfe0b65",
"attributes": {}
},
{
  "id": "2b4d4a37-815e-4225-a530-a50c7ee4c434",
  "name": "view-users",
  "description": "${role_view-users}",
  "composite": true,
  "composites": {
    "client": {
      "realm-management": [
        "query-users",
        "query-groups"
      ]
    }
  },
  "clientRole": true,
  "containerId": "447f7b6a-1680-482f-8a3d-a4162cfe0b65",
  "attributes": {}
},
{
  "id": "4c2d2144-0617-4d4d-910d-a0384e0ef548",
  "name": "realm-admin",
  "description": "${role_realm-admin}",
  "composite": true,
  "composites": {
    "client": {
      "realm-management": [
        "manage-users",
        "view-clients",
        "view-events",
        "manage-events",
        "view-realm",
        "create-client",
        "manage-clients",
        "query-groups",
        "query-realms",
        "manage-realm",
        "impersonation",
        "manage-authorization",
        "manage-identity-providers",
        "query-users",
        "view-users",
        "query-clients",
        "view-identity-providers",
        "view-authorization"
      ]
    }
  ]
}
```

```
    }
  },
  "clientRole": true,
  "containerId": "447f7b6a-1680-482f-8a3d-a4162cfe0b65",
  "attributes": {}
},
{
  "id": "02bcecc3-36b5-434b-8ee6-ac05c716a5db",
  "name": "query-clients",
  "description": "${role_query-clients}",
  "composite": false,
  "clientRole": true,
  "containerId": "447f7b6a-1680-482f-8a3d-a4162cfe0b65",
  "attributes": {}
},
{
  "id": "f06a2d77-f6e2-4a6f-bcfb-55b1dde23cc0",
  "name": "view-identity-providers",
  "description": "${role_view-identity-providers}",
  "composite": false,
  "clientRole": true,
  "containerId": "447f7b6a-1680-482f-8a3d-a4162cfe0b65",
  "attributes": {}
},
{
  "id": "de676af9-d2d6-4772-a5ac-3ad5c1a93aed",
  "name": "view-authorization",
  "description": "${role_view-authorization}",
  "composite": false,
  "clientRole": true,
  "containerId": "447f7b6a-1680-482f-8a3d-a4162cfe0b65",
  "attributes": {}
}
],
"OpenKM": [],
"security-admin-console": [],
"admin-cli": [],
"account-console": [],
"broker": [
  {
    "id": "7fcd22a4-f1c7-4422-ad62-345f8154b0e9",
    "name": "read-token",
    "description": "${role_read-token}",
    "composite": false,
    "clientRole": true,
    "containerId": "3b6c0aed-9153-4103-ae75-f0bb98af2e82",
    "attributes": {}
  }
],
"account": [
  {
    "id": "f68a9858-ea1b-48e6-911d-4a330ebadb95",
```

```
"name": "manage-account-links",
"description": "${role_manage-account-links}",
"composite": false,
"clientRole": true,
"containerId": "a24e97c6-922c-4003-a3c0-48312bb6a483",
"attributes": {}
},
{
  "id": "2d57db97-0627-455e-913d-a7b91bbbd77b",
  "name": "view-applications",
  "description": "${role_view-applications}",
  "composite": false,
  "clientRole": true,
  "containerId": "a24e97c6-922c-4003-a3c0-48312bb6a483",
  "attributes": {}
},
{
  "id": "b0931f77-28f7-4f57-b9b7-f1ae7c43936d",
  "name": "view-groups",
  "description": "${role_view-groups}",
  "composite": false,
  "clientRole": true,
  "containerId": "a24e97c6-922c-4003-a3c0-48312bb6a483",
  "attributes": {}
},
{
  "id": "d8bb811b-ea17-4633-bc20-dcf4a5990810",
  "name": "view-profile",
  "description": "${role_view-profile}",
  "composite": false,
  "clientRole": true,
  "containerId": "a24e97c6-922c-4003-a3c0-48312bb6a483",
  "attributes": {}
},
{
  "id": "d023ed34-43b5-49bd-afc0-f9ede100f79e",
  "name": "delete-account",
  "description": "${role_delete-account}",
  "composite": false,
  "clientRole": true,
  "containerId": "a24e97c6-922c-4003-a3c0-48312bb6a483",
  "attributes": {}
},
{
  "id": "c9bdb30d-c9c3-4217-9b5f-c7065c23eaa5",
  "name": "manage-account",
  "description": "${role_manage-account}",
  "composite": true,
  "composites": {
    "client": {
      "account": [
        "manage-account-links"
```



```

    ]
  }
},
"clientRole": true,
"containerId": "a24e97c6-922c-4003-a3c0-48312bb6a483",
"attributes": {}
},
{
  "id": "d7c8ec27-437a-4bbe-80cb-0dda7ac9e0a2",
  "name": "manage-consent",
  "description": "${role_manage-consent}",
  "composite": true,
  "composites": {
    "client": {
      "account": [
        "view-consent"
      ]
    }
  },
  "clientRole": true,
  "containerId": "a24e97c6-922c-4003-a3c0-48312bb6a483",
  "attributes": {}
},
{
  "id": "c9cd52a5-c92f-4e59-8773-365f72e8fdce",
  "name": "view-consent",
  "description": "${role_view-consent}",
  "composite": false,
  "clientRole": true,
  "containerId": "a24e97c6-922c-4003-a3c0-48312bb6a483",
  "attributes": {}
}
]
}
},
"groups": [],
"defaultRole": {
  "id": "98fc21a3-eb91-4f46-afb2-1b1da9b267ca",
  "name": "default-roles-guh",
  "description": "${role_default-roles}",
  "composite": true,
  "clientRole": false,
  "containerId": "468069fe-b011-45f6-9cdf-c4182d5139f7"
},
"requiredCredentials": [
  "password"
],
"otpPolicyType": "totp",
"otpPolicyAlgorithm": "HmacSHA1",
"otpPolicyInitialCounter": 0,
"otpPolicyDigits": 6,
"otpPolicyLookAheadWindow": 1,

```

```
"otpPolicyPeriod": 30,
"otpPolicyCodeReusable": false,
"otpSupportedApplications": [
  "totpAppGoogleName",
  "totpAppFreeOTPName",
  "totpAppMicrosoftAuthenticatorName"
],
"webAuthnPolicyRpEntityName": "keycloak",
"webAuthnPolicySignatureAlgorithms": [
  "ES256"
],
"webAuthnPolicyRpId": "",
"webAuthnPolicyAttestationConveyancePreference": "not specified",
"webAuthnPolicyAuthenticatorAttachment": "not specified",
"webAuthnPolicyRequireResidentKey": "not specified",
"webAuthnPolicyUserVerificationRequirement": "not specified",
"webAuthnPolicyCreateTimeout": 0,
"webAuthnPolicyAvoidSameAuthenticatorRegister": false,
"webAuthnPolicyAcceptableAaguids": [],
"webAuthnPolicyPasswordlessRpEntityName": "keycloak",
"webAuthnPolicyPasswordlessSignatureAlgorithms": [
  "ES256"
],
"webAuthnPolicyPasswordlessRpId": "",
"webAuthnPolicyPasswordlessAttestationConveyancePreference": "not specified",
"webAuthnPolicyPasswordlessAuthenticatorAttachment": "not specified",
"webAuthnPolicyPasswordlessRequireResidentKey": "not specified",
"webAuthnPolicyPasswordlessUserVerificationRequirement": "not specified",
"webAuthnPolicyPasswordlessCreateTimeout": 0,
"webAuthnPolicyPasswordlessAvoidSameAuthenticatorRegister": false,
"webAuthnPolicyPasswordlessAcceptableAaguids": [],
"scopeMappings": [
  {
    "clientScope": "offline_access",
    "roles": [
      "offline_access"
    ]
  }
],
"clientScopeMappings": {
  "account": [
    {
      "client": "account-console",
      "roles": [
        "manage-account",
        "view-groups"
      ]
    }
  ]
},
"clients": [
  {
```

```
"id": "4ec3a53d-8563-429f-8805-c19699a3a7a6",
"clientId": "OpenKM",
"name": "",
"description": "",
"rootUrl": "http://localhost:8080/OpenKM",
"adminUrl": "http://localhost:8080/OpenKM",
"baseUrl": "",
"surrogateAuthRequired": false,
"enabled": true,
"alwaysDisplayInConsole": true,
"clientAuthenticatorType": "client-secret",
"secret": "*****",
"redirectUris": [
  "http://localhost:8080/OpenKM/*"
],
"webOrigins": [
  "http://localhost:8080"
],
"notBefore": 0,
"bearerOnly": false,
"consentRequired": false,
"standardFlowEnabled": true,
"implicitFlowEnabled": false,
"directAccessGrantsEnabled": true,
"serviceAccountsEnabled": false,
"publicClient": false,
"frontchannelLogout": true,
"protocol": "openid-connect",
"attributes": {
  "client.secret.creation.time": "1740310013",
  "login_theme": "keycloak",
  "oauth2.device.authorization.grant.enabled": "false",
  "backchannel.logout.revoke.offline.tokens": "false",
  "use.refresh.tokens": "true",
  "tls-client-certificate-bound-access-tokens": "false",
  "oidc.ciba.grant.enabled": "false",
  "backchannel.logout.session.required": "true",
  "client_credentials.use_refresh_token": "false",
  "consent.screen.text": "Welcome",
  "require.pushed.authorization.requests": "false",
  "acr.loa.map": "{}",
  "display.on.consent.screen": "true",
  "token.response.type.bearer.lower-case": "false"
},
"authenticationFlowBindingOverrides": {},
"fullScopeAllowed": true,
"nodeReRegistrationTimeout": -1,
"protocolMappers": [
  {
    "id": "1589f07f-06c7-4ac6-9af5-1da193e1fd7e",
    "name": "username",
    "protocol": "openid-connect",
```

```
"protocolMapper": "oidc-usermodel-property-mapper",
"consentRequired": false,
"config": {
  "userinfo.token.claim": "true",
  "user.attribute": "username",
  "id.token.claim": "true",
  "access.token.claim": "true",
  "claim.name": "preferred_username",
  "jsonType.label": "String"
}
},
{
  "id": "1e81dec5-0086-4ca4-953d-c525183cc616",
  "name": "email",
  "protocol": "openid-connect",
  "protocolMapper": "oidc-usermodel-property-mapper",
  "consentRequired": false,
  "config": {
    "userinfo.token.claim": "true",
    "user.attribute": "email",
    "id.token.claim": "true",
    "access.token.claim": "true",
    "claim.name": "email",
    "jsonType.label": "String"
  }
},
{
  "id": "21b077d1-a697-41cc-957b-aa66619cd94a",
  "name": "full name",
  "protocol": "openid-connect",
  "protocolMapper": "oidc-full-name-mapper",
  "consentRequired": false,
  "config": {
    "id.token.claim": "true",
    "access.token.claim": "true",
    "userinfo.token.claim": "true"
  }
},
{
  "id": "5c2f0fb0-ccc6-42ac-9233-71b54f9ac5ac",
  "name": "nickname",
  "protocol": "openid-connect",
  "protocolMapper": "oidc-usermodel-attribute-mapper",
  "consentRequired": false,
  "config": {
    "userinfo.token.claim": "true",
    "user.attribute": "nickname",
    "id.token.claim": "true",
    "access.token.claim": "true",
    "claim.name": "nickname",
    "jsonType.label": "String"
  }
}
```

```
    },
    {
      "id": "73eb7de6-1c05-4a18-8d8e-655ad60909c0",
      "name": "profile",
      "protocol": "openid-connect",
      "protocolMapper": "oidc-usermodel-attribute-mapper",
      "consentRequired": false,
      "config": {
        "userinfo.token.claim": "true",
        "user.attribute": "profile",
        "id.token.claim": "true",
        "access.token.claim": "true",
        "claim.name": "profile",
        "jsonType.label": "String"
      }
    }
  ],
  "defaultClientScopes": [
    "web-origins",
    "acr",
    "openid",
    "roles",
    "profile",
    "email"
  ],
  "optionalClientScopes": [
    "address",
    "phone",
    "offline_access",
    "microprofile-jwt"
  ]
},
{
  "id": "a24e97c6-922c-4003-a3c0-48312bb6a483",
  "clientId": "account",
  "name": "${client_account}",
  "rootUrl": "${authBaseUrl}",
  "baseUrl": "/realms/GUH/account/",
  "surrogateAuthRequired": false,
  "enabled": true,
  "alwaysDisplayInConsole": false,
  "clientAuthenticatorType": "client-secret",
  "redirectUris": [
    "/realms/GUH/account/*"
  ],
  "webOrigins": [],
  "notBefore": 0,
  "bearerOnly": false,
  "consentRequired": false,
  "standardFlowEnabled": true,
  "implicitFlowEnabled": false,
  "directAccessGrantsEnabled": false,
```

```
"serviceAccountsEnabled": false,
"publicClient": true,
"frontchannelLogout": false,
"protocol": "openid-connect",
"attributes": {
  "post.logout.redirect.uris": "+"
},
"authenticationFlowBindingOverrides": {},
"fullScopeAllowed": false,
"nodeReRegistrationTimeout": 0,
"defaultClientScopes": [
  "web-origins",
  "acr",
  "roles",
  "profile",
  "email"
],
"optionalClientScopes": [
  "address",
  "phone",
  "offline_access",
  "microprofile-jwt"
]
},
{
  "id": "f4f725cc-bcb7-45e2-ae76-544bbdd2ecd5",
  "clientId": "account-console",
  "name": "${client_account-console}",
  "rootUrl": "${authBaseUrl}",
  "baseUrl": "/realms/GUH/account/",
  "surrogateAuthRequired": false,
  "enabled": true,
  "alwaysDisplayInConsole": false,
  "clientAuthenticatorType": "client-secret",
  "redirectUris": [
    "/realms/GUH/account/*"
  ],
  "webOrigins": [],
  "notBefore": 0,
  "bearerOnly": false,
  "consentRequired": false,
  "standardFlowEnabled": true,
  "implicitFlowEnabled": false,
  "directAccessGrantsEnabled": false,
  "serviceAccountsEnabled": false,
  "publicClient": true,
  "frontchannelLogout": false,
  "protocol": "openid-connect",
  "attributes": {
    "post.logout.redirect.uris": "+",
    "pkce.code.challenge.method": "S256"
  },
}
```

```
"authenticationFlowBindingOverrides": {},
"fullScopeAllowed": false,
"nodeReRegistrationTimeout": 0,
"protocolMappers": [
  {
    "id": "416b3efe-587c-475e-a553-a9c728a6e14d",
    "name": "audience resolve",
    "protocol": "openid-connect",
    "protocolMapper": "oidc-audience-resolve-mapper",
    "consentRequired": false,
    "config": {}
  }
],
"defaultClientScopes": [
  "web-origins",
  "acr",
  "roles",
  "profile",
  "email"
],
"optionalClientScopes": [
  "address",
  "phone",
  "offline_access",
  "microprofile-jwt"
]
},
{
  "id": "58bef73b-c5a1-4c21-928e-e75361a8bf47",
  "clientId": "admin-cli",
  "name": "${client_admin-cli}",
  "surrogateAuthRequired": false,
  "enabled": true,
  "alwaysDisplayInConsole": false,
  "clientAuthenticatorType": "client-secret",
  "redirectUris": [],
  "webOrigins": [],
  "notBefore": 0,
  "bearerOnly": false,
  "consentRequired": false,
  "standardFlowEnabled": false,
  "implicitFlowEnabled": false,
  "directAccessGrantsEnabled": true,
  "serviceAccountsEnabled": false,
  "publicClient": true,
  "frontchannelLogout": false,
  "protocol": "openid-connect",
  "attributes": {},
  "authenticationFlowBindingOverrides": {},
  "fullScopeAllowed": false,
  "nodeReRegistrationTimeout": 0,
  "defaultClientScopes": [
```

```
"web-origins",
"acr",
"roles",
"profile",
"email"
],
"optionalClientScopes": [
"address",
"phone",
"offline_access",
"microprofile-jwt"
]
},
{
"id": "3b6c0aed-9153-4103-ae75-f0bb98af2e82",
"clientId": "broker",
"name": "${client_broker}",
"surrogateAuthRequired": false,
"enabled": true,
"alwaysDisplayInConsole": false,
"clientAuthenticatorType": "client-secret",
"redirectUris": [],
"webOrigins": [],
"notBefore": 0,
"bearerOnly": true,
"consentRequired": false,
"standardFlowEnabled": true,
"implicitFlowEnabled": false,
"directAccessGrantsEnabled": false,
"serviceAccountsEnabled": false,
"publicClient": false,
"frontchannelLogout": false,
"protocol": "openid-connect",
"attributes": {},
"authenticationFlowBindingOverrides": {},
"fullScopeAllowed": false,
"nodeReRegistrationTimeout": 0,
"defaultClientScopes": [
"web-origins",
"acr",
"roles",
"profile",
"email"
],
"optionalClientScopes": [
"address",
"phone",
"offline_access",
"microprofile-jwt"
]
},
{
```



```
"id": "447f7b6a-1680-482f-8a3d-a4162cfe0b65",
"clientId": "realm-management",
"name": "${client_realm-management}",
"surrogateAuthRequired": false,
"enabled": true,
"alwaysDisplayInConsole": false,
"clientAuthenticatorType": "client-secret",
"redirectUris": [],
"webOrigins": [],
"notBefore": 0,
"bearerOnly": true,
"consentRequired": false,
"standardFlowEnabled": true,
"implicitFlowEnabled": false,
"directAccessGrantsEnabled": false,
"serviceAccountsEnabled": false,
"publicClient": false,
"frontchannelLogout": false,
"protocol": "openid-connect",
"attributes": {},
"authenticationFlowBindingOverrides": {},
"fullScopeAllowed": false,
"nodeReRegistrationTimeout": 0,
"defaultClientScopes": [
  "web-origins",
  "acr",
  "roles",
  "profile",
  "email"
],
"optionalClientScopes": [
  "address",
  "phone",
  "offline_access",
  "microprofile-jwt"
]
},
{
  "id": "fdb3c7cf-2049-44e4-a925-dd037f2ec61f",
  "clientId": "security-admin-console",
  "name": "${client_security-admin-console}",
  "rootUrl": "${authAdminUrl}",
  "baseUrl": "/admin/GUH/console/",
  "surrogateAuthRequired": false,
  "enabled": true,
  "alwaysDisplayInConsole": false,
  "clientAuthenticatorType": "client-secret",
  "redirectUris": [
    "/admin/GUH/console/*"
  ],
  "webOrigins": [
    "+"
  ]
}
```

```
],
"notBefore": 0,
"bearerOnly": false,
"consentRequired": false,
"standardFlowEnabled": true,
"implicitFlowEnabled": false,
"directAccessGrantsEnabled": false,
"serviceAccountsEnabled": false,
"publicClient": true,
"frontchannelLogout": false,
"protocol": "openid-connect",
"attributes": {
  "post.logout.redirect.uris": "+",
  "pkce.code.challenge.method": "S256"
},
"authenticationFlowBindingOverrides": {},
"fullScopeAllowed": false,
"nodeReRegistrationTimeout": 0,
"protocolMappers": [
  {
    "id": "93d59d35-6557-4ab5-b73c-ba1b488bb26c",
    "name": "locale",
    "protocol": "openid-connect",
    "protocolMapper": "oidc-usermodel-attribute-mapper",
    "consentRequired": false,
    "config": {
      "userinfo.token.claim": "true",
      "user.attribute": "locale",
      "id.token.claim": "true",
      "access.token.claim": "true",
      "claim.name": "locale",
      "jsonType.label": "String"
    }
  }
],
"defaultClientScopes": [
  "web-origins",
  "acr",
  "roles",
  "profile",
  "email"
],
"optionalClientScopes": [
  "address",
  "phone",
  "offline_access",
  "microprofile-jwt"
]
},
"clientScopes": [
  {
```

```
"id": "13d9c96d-faa8-46a6-b1e4-db9565581dc5",
"name": "roles",
"description": "OpenID Connect scope for add user roles to the access token",
"protocol": "openid-connect",
"attributes": {
  "include.in.token.scope": "false",
  "display.on.consent.screen": "true",
  "consent.screen.text": "${rolesScopeConsentText}"
},
"protocolMappers": [
  {
    "id": "0b7a779d-502b-43ea-818c-7a36fee19207",
    "name": "audience resolve",
    "protocol": "openid-connect",
    "protocolMapper": "oidc-audience-resolve-mapper",
    "consentRequired": false,
    "config": {}
  },
  {
    "id": "a555b766-4509-4f3d-8e0c-5b004b262e70",
    "name": "client roles",
    "protocol": "openid-connect",
    "protocolMapper": "oidc-usermodel-client-role-mapper",
    "consentRequired": false,
    "config": {
      "user.attribute": "foo",
      "access.token.claim": "true",
      "claim.name": "resource_access.${client_id}.roles",
      "jsonType.label": "String",
      "multivalued": "true"
    }
  },
  {
    "id": "ae8d3cd4-b68a-4f50-9a25-3d8bd8a40e1d",
    "name": "realm roles",
    "protocol": "openid-connect",
    "protocolMapper": "oidc-usermodel-realm-role-mapper",
    "consentRequired": false,
    "config": {
      "user.attribute": "foo",
      "access.token.claim": "true",
      "claim.name": "realm_access.roles",
      "jsonType.label": "String",
      "multivalued": "true"
    }
  }
]
},
{
  "id": "1ff0b983-9f8c-4a93-8ff5-07eaae0a3145",
  "name": "acr",
  "description": "OpenID Connect scope for add acr (authentication context class reference) to the token",
```

```
"protocol": "openid-connect",
"attributes": {
  "include.in.token.scope": "false",
  "display.on.consent.screen": "false"
},
"protocolMappers": [
  {
    "id": "75d183ef-fa4f-4d41-9f02-420b2ec7d35a",
    "name": "acr loa level",
    "protocol": "openid-connect",
    "protocolMapper": "oidc-acr-mapper",
    "consentRequired": false,
    "config": {
      "id.token.claim": "true",
      "access.token.claim": "true"
    }
  }
]
},
{
  "id": "7c171efe-781e-484c-a1ef-1e1244b4bc93",
  "name": "offline_access",
  "description": "OpenID Connect built-in scope: offline_access",
  "protocol": "openid-connect",
  "attributes": {
    "consent.screen.text": "${offlineAccessScopeConsentText}",
    "display.on.consent.screen": "true"
  }
},
{
  "id": "57f2b46d-0095-4cae-87f2-388646dcf716",
  "name": "role_list",
  "description": "SAML role list",
  "protocol": "saml",
  "attributes": {
    "consent.screen.text": "${samlRoleListScopeConsentText}",
    "display.on.consent.screen": "true"
  }
},
"protocolMappers": [
  {
    "id": "0ead0b17-3012-4190-ad97-af3d2e18237d",
    "name": "role list",
    "protocol": "saml",
    "protocolMapper": "saml-role-list-mapper",
    "consentRequired": false,
    "config": {
      "single": "false",
      "attribute.nameformat": "Basic",
      "attribute.name": "Role"
    }
  }
]
}
```

```

},
{
  "id": "dde7afa4-5ba9-4169-adb7-ac91d5fcbcb2",
  "name": "web-origins",
  "description": "OpenID Connect scope for add allowed web origins to the access token",
  "protocol": "openid-connect",
  "attributes": {
    "include.in.token.scope": "false",
    "display.on.consent.screen": "false",
    "consent.screen.text": ""
  },
  "protocolMappers": [
    {
      "id": "911c2d3f-8884-4787-8b91-6c9c5e378b68",
      "name": "allowed web origins",
      "protocol": "openid-connect",
      "protocolMapper": "oidc-allowed-origins-mapper",
      "consentRequired": false,
      "config": {}
    }
  ]
},
{
  "id": "7afc1d9b-0a01-488d-a4fd-f02ef65ed8b6",
  "name": "address",
  "description": "OpenID Connect built-in scope: address",
  "protocol": "openid-connect",
  "attributes": {
    "include.in.token.scope": "true",
    "display.on.consent.screen": "true",
    "consent.screen.text": "${addressScopeConsentText}"
  },
  "protocolMappers": [
    {
      "id": "d0693d80-5227-49ca-91bd-a7769c6d5d6f",
      "name": "address",
      "protocol": "openid-connect",
      "protocolMapper": "oidc-address-mapper",
      "consentRequired": false,
      "config": {
        "user.attribute.formatted": "formatted",
        "user.attribute.country": "country",
        "user.attribute.postal_code": "postal_code",
        "userinfo.token.claim": "true",
        "user.attribute.street": "street",
        "id.token.claim": "true",
        "user.attribute.region": "region",
        "access.token.claim": "true",
        "user.attribute.locality": "locality"
      }
    }
  ]
}
]

```

```
},
{
  "id": "7a02c9b7-e8f9-41c3-8f23-be163d440cf4",
  "name": "openid",
  "description": "",
  "protocol": "openid-connect",
  "attributes": {
    "include.in.token.scope": "true",
    "display.on.consent.screen": "true",
    "gui.order": "",
    "consent.screen.text": ""
  },
  "protocolMappers": [
    {
      "id": "cdeca6cf-a73e-4376-97f3-bc65d378bdcd",
      "name": "profile",
      "protocol": "openid-connect",
      "protocolMapper": "oidc-usermodel-attribute-mapper",
      "consentRequired": false,
      "config": {
        "userinfo.token.claim": "true",
        "user.attribute": "profile",
        "id.token.claim": "true",
        "access.token.claim": "true",
        "claim.name": "profile",
        "jsonType.label": "String"
      }
    },
    {
      "id": "e9bbd8aa-4717-4443-bfb1-d1394337b20f",
      "name": "full name",
      "protocol": "openid-connect",
      "protocolMapper": "oidc-full-name-mapper",
      "consentRequired": false,
      "config": {
        "id.token.claim": "true",
        "access.token.claim": "true",
        "userinfo.token.claim": "true"
      }
    },
    {
      "id": "d6a7b9b3-1a97-4f93-86a7-86e5ee4fbfd3",
      "name": "nickname",
      "protocol": "openid-connect",
      "protocolMapper": "oidc-usermodel-attribute-mapper",
      "consentRequired": false,
      "config": {
        "userinfo.token.claim": "true",
        "user.attribute": "nickname",
        "id.token.claim": "true",
        "access.token.claim": "true",
        "claim.name": "nickname",
```

```
    "jsonType.label": "String"
  }
},
{
  "id": "dcc614dd-adb4-49fe-907b-6893f7afc3cc",
  "name": "username",
  "protocol": "openid-connect",
  "protocolMapper": "oidc-usermodel-property-mapper",
  "consentRequired": false,
  "config": {
    "userinfo.token.claim": "true",
    "user.attribute": "username",
    "id.token.claim": "true",
    "access.token.claim": "true",
    "claim.name": "preferred_username",
    "jsonType.label": "String"
  }
}
],
{
  "id": "f70b977c-fddf-4e1a-8401-5b35470a71f9",
  "name": "profile",
  "description": "OpenID Connect built-in scope: profile",
  "protocol": "openid-connect",
  "attributes": {
    "include.in.token.scope": "true",
    "display.on.consent.screen": "true",
    "consent.screen.text": "${profileScopeConsentText}"
  },
  "protocolMappers": [
    {
      "id": "7543cd4e-93c6-4d46-b0da-fb54eef84c94",
      "name": "family name",
      "protocol": "openid-connect",
      "protocolMapper": "oidc-usermodel-property-mapper",
      "consentRequired": false,
      "config": {
        "userinfo.token.claim": "true",
        "user.attribute": "lastName",
        "id.token.claim": "true",
        "access.token.claim": "true",
        "claim.name": "family_name",
        "jsonType.label": "String"
      }
    }
  ],
  {
    "id": "31143f0f-89d8-4158-9c39-ea9202ac5e82",
    "name": "profile",
    "protocol": "openid-connect",
    "protocolMapper": "oidc-usermodel-attribute-mapper",
    "consentRequired": false,
```

```
"config": {
  "userinfo.token.claim": "true",
  "user.attribute": "profile",
  "id.token.claim": "true",
  "access.token.claim": "true",
  "claim.name": "profile",
  "jsonType.label": "String"
}
},
{
  "id": "ea7b8da4-f0a8-4dd3-b989-aa849749a152",
  "name": "given name",
  "protocol": "openid-connect",
  "protocolMapper": "oidc-usermodel-property-mapper",
  "consentRequired": false,
  "config": {
    "userinfo.token.claim": "true",
    "user.attribute": "firstName",
    "id.token.claim": "true",
    "access.token.claim": "true",
    "claim.name": "given_name",
    "jsonType.label": "String"
  }
},
{
  "id": "64eb0893-1c15-41f2-91bf-f06c2bc978fb",
  "name": "birthdate",
  "protocol": "openid-connect",
  "protocolMapper": "oidc-usermodel-attribute-mapper",
  "consentRequired": false,
  "config": {
    "userinfo.token.claim": "true",
    "user.attribute": "birthdate",
    "id.token.claim": "true",
    "access.token.claim": "true",
    "claim.name": "birthdate",
    "jsonType.label": "String"
  }
},
{
  "id": "9b03a079-8437-4a18-b6db-4ada47e124ee",
  "name": "website",
  "protocol": "openid-connect",
  "protocolMapper": "oidc-usermodel-attribute-mapper",
  "consentRequired": false,
  "config": {
    "userinfo.token.claim": "true",
    "user.attribute": "website",
    "id.token.claim": "true",
    "access.token.claim": "true",
    "claim.name": "website",
    "jsonType.label": "String"
  }
}
```



```
}
},
{
  "id": "2beb9f5d-3ed2-4e2e-9977-8a942511c757",
  "name": "full name",
  "protocol": "openid-connect",
  "protocolMapper": "oidc-full-name-mapper",
  "consentRequired": false,
  "config": {
    "id.token.claim": "true",
    "access.token.claim": "true",
    "userinfo.token.claim": "true"
  }
},
{
  "id": "c5974603-695c-4b6e-8e02-a36a2b174798",
  "name": "updated at",
  "protocol": "openid-connect",
  "protocolMapper": "oidc-usermodel-attribute-mapper",
  "consentRequired": false,
  "config": {
    "userinfo.token.claim": "true",
    "user.attribute": "updatedAt",
    "id.token.claim": "true",
    "access.token.claim": "true",
    "claim.name": "updated_at",
    "jsonType.label": "long"
  }
},
{
  "id": "ab2d77af-5558-49f6-9f0d-caaf662a2bb8",
  "name": "gender",
  "protocol": "openid-connect",
  "protocolMapper": "oidc-usermodel-attribute-mapper",
  "consentRequired": false,
  "config": {
    "userinfo.token.claim": "true",
    "user.attribute": "gender",
    "id.token.claim": "true",
    "access.token.claim": "true",
    "claim.name": "gender",
    "jsonType.label": "String"
  }
},
{
  "id": "64c1316d-6691-4213-8f59-66f0eb4f6d63",
  "name": "locale",
  "protocol": "openid-connect",
  "protocolMapper": "oidc-usermodel-attribute-mapper",
  "consentRequired": false,
  "config": {
    "userinfo.token.claim": "true",
```

```
"user.attribute": "locale",
"id.token.claim": "true",
"access.token.claim": "true",
"claim.name": "locale",
"jsonType.label": "String"
}
},
{
  "id": "e20dde3b-c790-4bc8-954f-e3b9186a3908",
  "name": "middle name",
  "protocol": "openid-connect",
  "protocolMapper": "oidc-usermodel-attribute-mapper",
  "consentRequired": false,
  "config": {
    "userinfo.token.claim": "true",
    "user.attribute": "middleName",
    "id.token.claim": "true",
    "access.token.claim": "true",
    "claim.name": "middle_name",
    "jsonType.label": "String"
  }
},
{
  "id": "a5546067-9bb0-485e-b7f2-a8455bdfd682",
  "name": "username",
  "protocol": "openid-connect",
  "protocolMapper": "oidc-usermodel-property-mapper",
  "consentRequired": false,
  "config": {
    "userinfo.token.claim": "true",
    "user.attribute": "username",
    "id.token.claim": "true",
    "access.token.claim": "true",
    "claim.name": "preferred_username",
    "jsonType.label": "String"
  }
},
{
  "id": "ccef90d-3b7c-4091-8cef-1cd98b1b485c",
  "name": "zoneinfo",
  "protocol": "openid-connect",
  "protocolMapper": "oidc-usermodel-attribute-mapper",
  "consentRequired": false,
  "config": {
    "userinfo.token.claim": "true",
    "user.attribute": "zoneinfo",
    "id.token.claim": "true",
    "access.token.claim": "true",
    "claim.name": "zoneinfo",
    "jsonType.label": "String"
  }
},
},
```

```
{
  "id": "257674e0-0afd-458a-9e1b-85c384fcacb9",
  "name": "nickname",
  "protocol": "openid-connect",
  "protocolMapper": "oidc-usermodel-attribute-mapper",
  "consentRequired": false,
  "config": {
    "userinfo.token.claim": "true",
    "user.attribute": "nickname",
    "id.token.claim": "true",
    "access.token.claim": "true",
    "claim.name": "nickname",
    "jsonType.label": "String"
  }
},
{
  "id": "51217c0e-a6de-492a-96e3-ce9866aa728d",
  "name": "picture",
  "protocol": "openid-connect",
  "protocolMapper": "oidc-usermodel-attribute-mapper",
  "consentRequired": false,
  "config": {
    "userinfo.token.claim": "true",
    "user.attribute": "picture",
    "id.token.claim": "true",
    "access.token.claim": "true",
    "claim.name": "picture",
    "jsonType.label": "String"
  }
}
],
{
  "id": "906c87af-4025-4a88-9ce5-b88cb4b1aefa",
  "name": "email",
  "description": "OpenID Connect built-in scope: email",
  "protocol": "openid-connect",
  "attributes": {
    "include.in.token.scope": "true",
    "display.on.consent.screen": "true",
    "consent.screen.text": "${emailScopeConsentText}"
  },
  "protocolMappers": [
    {
      "id": "251bae37-5b1d-4904-a46a-0960e889e0bc",
      "name": "email verified",
      "protocol": "openid-connect",
      "protocolMapper": "oidc-usermodel-property-mapper",
      "consentRequired": false,
      "config": {
        "userinfo.token.claim": "true",
        "user.attribute": "emailVerified",
```

```
    "id.token.claim": "true",
    "access.token.claim": "true",
    "claim.name": "email_verified",
    "jsonType.label": "boolean"
  }
},
{
  "id": "c2e68a64-3fcd-4b8f-aa6c-a93bc14913b1",
  "name": "email",
  "protocol": "openid-connect",
  "protocolMapper": "oidc-usermodel-property-mapper",
  "consentRequired": false,
  "config": {
    "userinfo.token.claim": "true",
    "user.attribute": "email",
    "id.token.claim": "true",
    "access.token.claim": "true",
    "claim.name": "email",
    "jsonType.label": "String"
  }
}
],
{
  "id": "2ae05fb8-9592-4822-8c26-cce4829f85a1",
  "name": "phone",
  "description": "OpenID Connect built-in scope: phone",
  "protocol": "openid-connect",
  "attributes": {
    "include.in.token.scope": "true",
    "display.on.consent.screen": "true",
    "consent.screen.text": "${phoneScopeConsentText}"
  },
  "protocolMappers": [
    {
      "id": "b633c0a1-0123-4484-8429-7ec23c8cb732",
      "name": "phone number verified",
      "protocol": "openid-connect",
      "protocolMapper": "oidc-usermodel-attribute-mapper",
      "consentRequired": false,
      "config": {
        "userinfo.token.claim": "true",
        "user.attribute": "phoneNumberVerified",
        "id.token.claim": "true",
        "access.token.claim": "true",
        "claim.name": "phone_number_verified",
        "jsonType.label": "boolean"
      }
    }
  ],
  {
    "id": "0c078683-0c29-40a0-b2ab-e584fde72e56",
    "name": "phone number",
```

```
"protocol": "openid-connect",
"protocolMapper": "oidc-usermodel-attribute-mapper",
"consentRequired": false,
"config": {
  "userinfo.token.claim": "true",
  "user.attribute": "phoneNumber",
  "id.token.claim": "true",
  "access.token.claim": "true",
  "claim.name": "phone_number",
  "jsonType.label": "String"
}
}
],
{
  "id": "760ab0bf-82a1-4d52-8f75-b04ec636c9bf",
  "name": "microprofile-jwt",
  "description": "Microprofile - JWT built-in scope",
  "protocol": "openid-connect",
  "attributes": {
    "include.in.token.scope": "true",
    "display.on.consent.screen": "false"
  },
  "protocolMappers": [
    {
      "id": "7b177b76-663c-412d-a2a4-912b66636e3c",
      "name": "groups",
      "protocol": "openid-connect",
      "protocolMapper": "oidc-usermodel-realm-role-mapper",
      "consentRequired": false,
      "config": {
        "multivalued": "true",
        "user.attribute": "foo",
        "id.token.claim": "true",
        "access.token.claim": "true",
        "claim.name": "groups",
        "jsonType.label": "String"
      }
    }
  ],
  {
    "id": "b1a2e288-9485-4f54-8f62-a060e43abdaa",
    "name": "upn",
    "protocol": "openid-connect",
    "protocolMapper": "oidc-usermodel-property-mapper",
    "consentRequired": false,
    "config": {
      "userinfo.token.claim": "true",
      "user.attribute": "username",
      "id.token.claim": "true",
      "access.token.claim": "true",
      "claim.name": "upn",
      "jsonType.label": "String"
    }
  }
]
```

```

    }
  }
]
}
],
"defaultDefaultClientScopes": [
  "role_list",
  "profile",
  "email",
  "roles",
  "web-origins",
  "acr",
  "openid"
],
"defaultOptionalClientScopes": [
  "offline_access",
  "address",
  "phone",
  "microprofile-jwt"
],
"browserSecurityHeaders": {
  "contentSecurityPolicyReportOnly": "",
  "xContentTypeOptions": "nosniff",
  "xRobotsTag": "none",
  "xFrameOptions": "SAMEORIGIN",
  "contentSecurityPolicy": "frame-src 'self'; frame-ancestors 'self'; object-src 'none';",
  "xXSSProtection": "1; mode=block",
  "strictTransportSecurity": "max-age=31536000; includeSubDomains"
},
"smtpServer": {},
"eventsEnabled": false,
"eventsListeners": [
  "jboss-logging"
],
"enabledEventTypes": [],
"adminEventsEnabled": false,
"adminEventsDetailsEnabled": false,
"identityProviders": [],
"identityProviderMappers": [],
"components": {
  "org.keycloak.services.clientregistration.policy.ClientRegistrationPolicy": [
    {
      "id": "0e575d61-ab6b-4174-acf5-d3639b08a04a",
      "name": "Allowed Client Scopes",
      "providerId": "allowed-client-templates",
      "subType": "authenticated",
      "subComponents": {},
      "config": {
        "allow-default-scopes": [
          "true"
        ]
      }
    }
  ]
}

```

```
},
{
  "id": "4f136959-4ecb-4025-ac2c-538ce21519e9",
  "name": "Allowed Protocol Mapper Types",
  "providerId": "allowed-protocol-mappers",
  "subType": "anonymous",
  "subComponents": {},
  "config": {
    "allowed-protocol-mapper-types": [
      "oidc-full-name-mapper",
      "saml-role-list-mapper",
      "oidc-sha256-pairwise-sub-mapper",
      "oidc-usermodel-property-mapper",
      "oidc-address-mapper",
      "saml-user-attribute-mapper",
      "oidc-usermodel-attribute-mapper",
      "saml-user-property-mapper"
    ]
  }
},
{
  "id": "0b7b2d9c-d1b8-4154-8d45-c072b590ad39",
  "name": "Trusted Hosts",
  "providerId": "trusted-hosts",
  "subType": "anonymous",
  "subComponents": {},
  "config": {
    "host-sending-registration-request-must-match": [
      "true"
    ],
    "client-uris-must-match": [
      "true"
    ]
  }
},
{
  "id": "f630d497-5845-44dd-baa2-5dabdb860078",
  "name": "Allowed Client Scopes",
  "providerId": "allowed-client-templates",
  "subType": "anonymous",
  "subComponents": {},
  "config": {
    "allow-default-scopes": [
      "true"
    ]
  }
},
{
  "id": "565a415d-3ffc-4324-8116-7af47a783d18",
  "name": "Allowed Protocol Mapper Types",
  "providerId": "allowed-protocol-mappers",
  "subType": "authenticated",
```

```
"subComponents": {},
"config": {
  "allowed-protocol-mapper-types": [
    "oidc-sha256-pairwise-sub-mapper",
    "saml-user-attribute-mapper",
    "oidc-usermodel-property-mapper",
    "oidc-full-name-mapper",
    "saml-user-property-mapper",
    "saml-role-list-mapper",
    "oidc-usermodel-attribute-mapper",
    "oidc-address-mapper"
  ]
},
{
  "id": "31c0d809-f768-40bb-958b-a4a758207da5",
  "name": "Consent Required",
  "providerId": "consent-required",
  "subType": "anonymous",
  "subComponents": {},
  "config": {}
},
{
  "id": "dbbfe1d1-7a03-4903-ba77-7ca1829672f4",
  "name": "Full Scope Disabled",
  "providerId": "scope",
  "subType": "anonymous",
  "subComponents": {},
  "config": {}
},
{
  "id": "be30e3ed-3833-4c6f-884b-1b2a86c56dca",
  "name": "Max Clients Limit",
  "providerId": "max-clients",
  "subType": "anonymous",
  "subComponents": {},
  "config": {
    "max-clients": [
      "200"
    ]
  }
},
],
"org.keycloak.keys.KeyProvider": [
  {
    "id": "fc45931f-5775-4974-9098-8949df5026b4",
    "name": "hmac-generated",
    "providerId": "hmac-generated",
    "subComponents": {},
    "config": {
      "priority": [
        "100"
      ]
    }
  }
]
```



```
    ],
    "algorithm": [
      "HS256"
    ]
  },
  {
    "id": "968f6f97-8d9e-4bd8-811b-297960b98a4a",
    "name": "rsa-enc-generated",
    "providerId": "rsa-enc-generated",
    "subComponents": {},
    "config": {
      "priority": [
        "100"
      ],
      "algorithm": [
        "RSA-OAEP"
      ]
    }
  },
  {
    "id": "6d99136e-9bcf-450b-afcc-f7feafefa32b",
    "name": "aes-generated",
    "providerId": "aes-generated",
    "subComponents": {},
    "config": {
      "priority": [
        "100"
      ]
    }
  },
  {
    "id": "7d5bdfb5-8e2f-488f-9946-bc4cd636dbae",
    "name": "rsa-generated",
    "providerId": "rsa-generated",
    "subComponents": {},
    "config": {
      "priority": [
        "100"
      ]
    }
  }
],
"internationalizationEnabled": false,
"supportedLocales": [],
"authenticationFlows": [
  {
    "id": "234ddef2-8724-4101-9f22-9e2b3bdb99cc",
    "alias": "Account verification options",
    "description": "Method with which to verify the existing account",
    "providerId": "basic-flow",
```

```
"topLevel": false,
"builtIn": true,
"authenticationExecutions": [
  {
    "authenticator": "idp-email-verification",
    "authenticatorFlow": false,
    "requirement": "ALTERNATIVE",
    "priority": 10,
    "authenticatorFlow": false,
    "userSetupAllowed": false
  },
  {
    "authenticatorFlow": true,
    "requirement": "ALTERNATIVE",
    "priority": 20,
    "authenticatorFlow": true,
    "flowAlias": "Verify Existing Account by Re-authentication",
    "userSetupAllowed": false
  }
]
},
{
  "id": "b5f7c878-0970-469e-89b2-10133daafd42",
  "alias": "Authentication Options",
  "description": "Authentication options.",
  "providerId": "basic-flow",
  "topLevel": false,
  "builtIn": true,
  "authenticationExecutions": [
    {
      "authenticator": "basic-auth",
      "authenticatorFlow": false,
      "requirement": "REQUIRED",
      "priority": 10,
      "authenticatorFlow": false,
      "userSetupAllowed": false
    },
    {
      "authenticator": "basic-auth-otp",
      "authenticatorFlow": false,
      "requirement": "DISABLED",
      "priority": 20,
      "authenticatorFlow": false,
      "userSetupAllowed": false
    },
    {
      "authenticator": "auth-spnego",
      "authenticatorFlow": false,
      "requirement": "DISABLED",
      "priority": 30,
      "authenticatorFlow": false,
      "userSetupAllowed": false
    }
  ]
}
```

```
}
]
},
{
  "id": "be0fa6bb-8ae3-4755-907b-15f2fd368f10",
  "alias": "Browser - Conditional OTP",
  "description": "Flow to determine if the OTP is required for the authentication",
  "providerId": "basic-flow",
  "topLevel": false,
  "builtin": true,
  "authenticationExecutions": [
    {
      "authenticator": "conditional-user-configured",
      "authenticatorFlow": false,
      "requirement": "REQUIRED",
      "priority": 10,
      "autheticatorFlow": false,
      "userSetupAllowed": false
    },
    {
      "authenticator": "auth-otp-form",
      "authenticatorFlow": false,
      "requirement": "REQUIRED",
      "priority": 20,
      "autheticatorFlow": false,
      "userSetupAllowed": false
    }
  ]
},
{
  "id": "85a4587b-55e3-4244-b76f-ce74413ae305",
  "alias": "Direct Grant - Conditional OTP",
  "description": "Flow to determine if the OTP is required for the authentication",
  "providerId": "basic-flow",
  "topLevel": false,
  "builtin": true,
  "authenticationExecutions": [
    {
      "authenticator": "conditional-user-configured",
      "authenticatorFlow": false,
      "requirement": "REQUIRED",
      "priority": 10,
      "autheticatorFlow": false,
      "userSetupAllowed": false
    },
    {
      "authenticator": "direct-grant-validate-otp",
      "authenticatorFlow": false,
      "requirement": "REQUIRED",
      "priority": 20,
      "autheticatorFlow": false,
      "userSetupAllowed": false
    }
  ]
}
```

```
}
]
},
{
  "id": "b64134e6-f265-4027-b14b-0f3e1b5d986e",
  "alias": "First broker login - Conditional OTP",
  "description": "Flow to determine if the OTP is required for the authentication",
  "providerId": "basic-flow",
  "topLevel": false,
  "builtIn": true,
  "authenticationExecutions": [
    {
      "authenticator": "conditional-user-configured",
      "authenticatorFlow": false,
      "requirement": "REQUIRED",
      "priority": 10,
      "autheticatorFlow": false,
      "userSetupAllowed": false
    },
    {
      "authenticator": "auth-otp-form",
      "authenticatorFlow": false,
      "requirement": "REQUIRED",
      "priority": 20,
      "autheticatorFlow": false,
      "userSetupAllowed": false
    }
  ]
},
{
  "id": "d60d3aa0-1508-479c-b66e-6f9322656c82",
  "alias": "Handle Existing Account",
  "description": "Handle what to do if there is existing account with same email/username like authenticated identity provider",
  "providerId": "basic-flow",
  "topLevel": false,
  "builtIn": true,
  "authenticationExecutions": [
    {
      "authenticator": "idp-confirm-link",
      "authenticatorFlow": false,
      "requirement": "REQUIRED",
      "priority": 10,
      "autheticatorFlow": false,
      "userSetupAllowed": false
    },
    {
      "authenticatorFlow": true,
      "requirement": "REQUIRED",
      "priority": 20,
      "autheticatorFlow": true,
      "flowAlias": "Account verification options",
    }
  ]
}
```

```
    "userSetupAllowed": false
  }
]
},
{
  "id": "46f3b271-906d-487e-abed-6e57380517e3",
  "alias": "Reset - Conditional OTP",
  "description": "Flow to determine if the OTP should be reset or not. Set to REQUIRED to force.",
  "providerId": "basic-flow",
  "topLevel": false,
  "builtIn": true,
  "authenticationExecutions": [
    {
      "authenticator": "conditional-user-configured",
      "authenticatorFlow": false,
      "requirement": "REQUIRED",
      "priority": 10,
      "authenticatorFlow": false,
      "userSetupAllowed": false
    },
    {
      "authenticator": "reset-otp",
      "authenticatorFlow": false,
      "requirement": "REQUIRED",
      "priority": 20,
      "authenticatorFlow": false,
      "userSetupAllowed": false
    }
  ]
},
{
  "id": "119efb72-ae36-4f66-abee-29bc93694c71",
  "alias": "User creation or linking",
  "description": "Flow for the existing/non-existing user alternatives",
  "providerId": "basic-flow",
  "topLevel": false,
  "builtIn": true,
  "authenticationExecutions": [
    {
      "authenticatorConfig": "create unique user config",
      "authenticator": "idp-create-user-if-unique",
      "authenticatorFlow": false,
      "requirement": "ALTERNATIVE",
      "priority": 10,
      "authenticatorFlow": false,
      "userSetupAllowed": false
    },
    {
      "authenticatorFlow": true,
      "requirement": "ALTERNATIVE",
      "priority": 20,
      "authenticatorFlow": true,
    }
  ]
}
```

```
    "flowAlias": "Handle Existing Account",
    "userSetupAllowed": false
  }
]
},
{
  "id": "31fc13d5-dd03-45ed-9787-c7fa350270de",
  "alias": "Verify Existing Account by Re-authentication",
  "description": "Reauthentication of existing account",
  "providerId": "basic-flow",
  "topLevel": false,
  "builtIn": true,
  "authenticationExecutions": [
    {
      "authenticator": "idp-username-password-form",
      "authenticatorFlow": false,
      "requirement": "REQUIRED",
      "priority": 10,
      "autheticatorFlow": false,
      "userSetupAllowed": false
    },
    {
      "authenticatorFlow": true,
      "requirement": "CONDITIONAL",
      "priority": 20,
      "autheticatorFlow": true,
      "flowAlias": "First broker login - Conditional OTP",
      "userSetupAllowed": false
    }
  ]
},
{
  "id": "3846117d-c65d-4605-91ba-f31695f5e975",
  "alias": "browser",
  "description": "browser based authentication",
  "providerId": "basic-flow",
  "topLevel": true,
  "builtIn": true,
  "authenticationExecutions": [
    {
      "authenticator": "auth-cookie",
      "authenticatorFlow": false,
      "requirement": "ALTERNATIVE",
      "priority": 10,
      "autheticatorFlow": false,
      "userSetupAllowed": false
    },
    {
      "authenticator": "auth-spnego",
      "authenticatorFlow": false,
      "requirement": "DISABLED",
      "priority": 20,
```

```
"authenticatorFlow": false,
"userSetupAllowed": false
},
{
  "authenticator": "identity-provider-redirector",
  "authenticatorFlow": false,
  "requirement": "ALTERNATIVE",
  "priority": 25,
  "authenticatorFlow": false,
  "userSetupAllowed": false
},
{
  "authenticatorFlow": true,
  "requirement": "ALTERNATIVE",
  "priority": 30,
  "authenticatorFlow": true,
  "flowAlias": "forms",
  "userSetupAllowed": false
}
]
},
{
  "id": "5cb35167-067f-4e7c-9c2d-873ec00e5aef",
  "alias": "clients",
  "description": "Base authentication for clients",
  "providerId": "client-flow",
  "topLevel": true,
  "builtin": true,
  "authenticationExecutions": [
    {
      "authenticator": "client-secret",
      "authenticatorFlow": false,
      "requirement": "ALTERNATIVE",
      "priority": 10,
      "authenticatorFlow": false,
      "userSetupAllowed": false
    },
    {
      "authenticator": "client-jwt",
      "authenticatorFlow": false,
      "requirement": "ALTERNATIVE",
      "priority": 20,
      "authenticatorFlow": false,
      "userSetupAllowed": false
    },
    {
      "authenticator": "client-secret-jwt",
      "authenticatorFlow": false,
      "requirement": "ALTERNATIVE",
      "priority": 30,
      "authenticatorFlow": false,
      "userSetupAllowed": false
    }
  ]
}
```

```

    },
    {
      "authenticator": "client-x509",
      "authenticatorFlow": false,
      "requirement": "ALTERNATIVE",
      "priority": 40,
      "autheticatorFlow": false,
      "userSetupAllowed": false
    }
  ]
},
{
  "id": "7214e4d6-90d3-4601-bb43-1c9806f04d72",
  "alias": "direct grant",
  "description": "OpenID Connect Resource Owner Grant",
  "providerId": "basic-flow",
  "topLevel": true,
  "builtIn": true,
  "authenticationExecutions": [
    {
      "authenticator": "direct-grant-validate-username",
      "authenticatorFlow": false,
      "requirement": "REQUIRED",
      "priority": 10,
      "autheticatorFlow": false,
      "userSetupAllowed": false
    },
    {
      "authenticator": "direct-grant-validate-password",
      "authenticatorFlow": false,
      "requirement": "REQUIRED",
      "priority": 20,
      "autheticatorFlow": false,
      "userSetupAllowed": false
    },
    {
      "authenticatorFlow": true,
      "requirement": "CONDITIONAL",
      "priority": 30,
      "autheticatorFlow": true,
      "flowAlias": "Direct Grant - Conditional OTP",
      "userSetupAllowed": false
    }
  ]
},
{
  "id": "63a40827-bd8f-4154-bcb7-7200f8787bba",
  "alias": "docker auth",
  "description": "Used by Docker clients to authenticate against the IDP",
  "providerId": "basic-flow",
  "topLevel": true,
  "builtIn": true,

```



```
"authenticationExecutions": [
  {
    "authenticator": "docker-http-basic-authenticator",
    "authenticatorFlow": false,
    "requirement": "REQUIRED",
    "priority": 10,
    "autheticatorFlow": false,
    "userSetupAllowed": false
  }
],
{
  "id": "c3c96e9d-744f-41fa-8575-9083a208f6b1",
  "alias": "first broker login",
  "description": "Actions taken after first broker login with identity provider account, which is not yet linked
to any Keycloak account",
  "providerId": "basic-flow",
  "topLevel": true,
  "builtin": true,
  "authenticationExecutions": [
    {
      "authenticatorConfig": "review profile config",
      "authenticator": "idp-review-profile",
      "authenticatorFlow": false,
      "requirement": "REQUIRED",
      "priority": 10,
      "autheticatorFlow": false,
      "userSetupAllowed": false
    },
    {
      "authenticatorFlow": true,
      "requirement": "REQUIRED",
      "priority": 20,
      "autheticatorFlow": true,
      "flowAlias": "User creation or linking",
      "userSetupAllowed": false
    }
  ]
},
{
  "id": "332003a7-7521-46fe-90f5-df76fc46c5e9",
  "alias": "forms",
  "description": "Username, password, otp and other auth forms.",
  "providerId": "basic-flow",
  "topLevel": false,
  "builtin": true,
  "authenticationExecutions": [
    {
      "authenticator": "auth-username-password-form",
      "authenticatorFlow": false,
      "requirement": "REQUIRED",
      "priority": 10,
```

```
"authenticatorFlow": false,
"userSetupAllowed": false
},
{
  "authenticatorFlow": true,
  "requirement": "CONDITIONAL",
  "priority": 20,
  "authenticatorFlow": true,
  "flowAlias": "Browser - Conditional OTP",
  "userSetupAllowed": false
}
]
},
{
  "id": "06078813-86e2-42f3-a79a-cac0676c8eec",
  "alias": "http challenge",
  "description": "An authentication flow based on challenge-response HTTP Authentication Schemes",
  "providerId": "basic-flow",
  "topLevel": true,
  "builtin": true,
  "authenticationExecutions": [
    {
      "authenticator": "no-cookie-redirect",
      "authenticatorFlow": false,
      "requirement": "REQUIRED",
      "priority": 10,
      "authenticatorFlow": false,
      "userSetupAllowed": false
    },
    {
      "authenticatorFlow": true,
      "requirement": "REQUIRED",
      "priority": 20,
      "authenticatorFlow": true,
      "flowAlias": "Authentication Options",
      "userSetupAllowed": false
    }
  ]
},
{
  "id": "c9bf4166-5b8f-46c1-af00-df8ffd357810",
  "alias": "registration",
  "description": "registration flow",
  "providerId": "basic-flow",
  "topLevel": true,
  "builtin": true,
  "authenticationExecutions": [
    {
      "authenticator": "registration-page-form",
      "authenticatorFlow": true,
      "requirement": "REQUIRED",
      "priority": 10,
```

```
    "authenticatorFlow": true,
    "flowAlias": "registration form",
    "userSetupAllowed": false
  }
]
},
{
  "id": "a7e7a3b3-020d-4a7c-b983-10ea40ead2b2",
  "alias": "registration form",
  "description": "registration form",
  "providerId": "form-flow",
  "topLevel": false,
  "builtin": true,
  "authenticationExecutions": [
    {
      "authenticator": "registration-user-creation",
      "authenticatorFlow": false,
      "requirement": "REQUIRED",
      "priority": 20,
      "authenticatorFlow": false,
      "userSetupAllowed": false
    },
    {
      "authenticator": "registration-profile-action",
      "authenticatorFlow": false,
      "requirement": "REQUIRED",
      "priority": 40,
      "authenticatorFlow": false,
      "userSetupAllowed": false
    },
    {
      "authenticator": "registration-password-action",
      "authenticatorFlow": false,
      "requirement": "REQUIRED",
      "priority": 50,
      "authenticatorFlow": false,
      "userSetupAllowed": false
    },
    {
      "authenticator": "registration-recaptcha-action",
      "authenticatorFlow": false,
      "requirement": "DISABLED",
      "priority": 60,
      "authenticatorFlow": false,
      "userSetupAllowed": false
    }
  ]
},
{
  "id": "6d9e60b9-9f5b-46c5-813a-32ec71c00150",
  "alias": "reset credentials",
  "description": "Reset credentials for a user if they forgot their password or something",
```

```
"providerId": "basic-flow",
"topLevel": true,
"builtIn": true,
"authenticationExecutions": [
  {
    "authenticator": "reset-credentials-choose-user",
    "authenticatorFlow": false,
    "requirement": "REQUIRED",
    "priority": 10,
    "autheticatorFlow": false,
    "userSetupAllowed": false
  },
  {
    "authenticator": "reset-credential-email",
    "authenticatorFlow": false,
    "requirement": "REQUIRED",
    "priority": 20,
    "autheticatorFlow": false,
    "userSetupAllowed": false
  },
  {
    "authenticator": "reset-password",
    "authenticatorFlow": false,
    "requirement": "REQUIRED",
    "priority": 30,
    "autheticatorFlow": false,
    "userSetupAllowed": false
  },
  {
    "authenticatorFlow": true,
    "requirement": "CONDITIONAL",
    "priority": 40,
    "autheticatorFlow": true,
    "flowAlias": "Reset - Conditional OTP",
    "userSetupAllowed": false
  }
]
},
{
  "id": "cbac7173-bc08-43a2-83ed-f63ed7e96638",
  "alias": "saml ecsp",
  "description": "SAML ECP Profile Authentication Flow",
  "providerId": "basic-flow",
  "topLevel": true,
  "builtIn": true,
  "authenticationExecutions": [
    {
      "authenticator": "http-basic-authenticator",
      "authenticatorFlow": false,
      "requirement": "REQUIRED",
      "priority": 10,
      "autheticatorFlow": false,
```

```
    "userSetupAllowed": false
  }
]
},
"authenticatorConfig": [
  {
    "id": "c9de10be-9393-4c5d-af60-4102f3e46de1",
    "alias": "create unique user config",
    "config": {
      "require.password.update.after.registration": "false"
    }
  },
  {
    "id": "392921c4-4f9b-4995-9359-0addf45657e3",
    "alias": "review profile config",
    "config": {
      "update.profile.on.first.login": "missing"
    }
  }
],
"requiredActions": [
  {
    "alias": "CONFIGURE_TOTP",
    "name": "Configure OTP",
    "providerId": "CONFIGURE_TOTP",
    "enabled": true,
    "defaultAction": false,
    "priority": 10,
    "config": {}
  },
  {
    "alias": "TERMS_AND_CONDITIONS",
    "name": "Terms and Conditions",
    "providerId": "TERMS_AND_CONDITIONS",
    "enabled": false,
    "defaultAction": false,
    "priority": 20,
    "config": {}
  },
  {
    "alias": "UPDATE_PASSWORD",
    "name": "Update Password",
    "providerId": "UPDATE_PASSWORD",
    "enabled": true,
    "defaultAction": false,
    "priority": 30,
    "config": {}
  },
  {
    "alias": "UPDATE_PROFILE",
    "name": "Update Profile",
```

```
"providerId": "UPDATE_PROFILE",
"enabled": true,
"defaultAction": false,
"priority": 40,
"config": {}
},
{
  "alias": "VERIFY_EMAIL",
  "name": "Verify Email",
  "providerId": "VERIFY_EMAIL",
  "enabled": true,
  "defaultAction": false,
  "priority": 50,
  "config": {}
},
{
  "alias": "delete_account",
  "name": "Delete Account",
  "providerId": "delete_account",
  "enabled": false,
  "defaultAction": false,
  "priority": 60,
  "config": {}
},
{
  "alias": "webauthn-register",
  "name": "Webauthn Register",
  "providerId": "webauthn-register",
  "enabled": true,
  "defaultAction": false,
  "priority": 70,
  "config": {}
},
{
  "alias": "webauthn-register-passwordless",
  "name": "Webauthn Register Passwordless",
  "providerId": "webauthn-register-passwordless",
  "enabled": true,
  "defaultAction": false,
  "priority": 80,
  "config": {}
},
{
  "alias": "update_user_locale",
  "name": "Update User Locale",
  "providerId": "update_user_locale",
  "enabled": true,
  "defaultAction": false,
  "priority": 1000,
  "config": {}
}
],
```

```

"browserFlow": "browser",
"registrationFlow": "registration",
"directGrantFlow": "direct grant",
"resetCredentialsFlow": "reset credentials",
"clientAuthenticationFlow": "clients",
"dockerAuthenticationFlow": "docker auth",
"attributes": {
  "cibaBackchannelTokenDeliveryMode": "poll",
  "cibaExpiresIn": "120",
  "cibaAuthRequestedUserHint": "login_hint",
  "oauth2DeviceCodeLifespan": "600",
  "oauth2DevicePollingInterval": "5",
  "parRequestUriLifespan": "60",
  "cibaInterval": "5",
  "realmReusableOtpCode": "false"
},
"keycloakVersion": "21.0.0",
"userManagedAccessAllowed": false,
"clientProfiles": {
  "profiles": []
},
"clientPolicies": {
  "policies": []
}
}

```

Step 2: Create the CustomOAuth2Filter Class

Code Implementation

Create a new Java class named CustomOAuth2Filter under the package com.openkm.security.

```

package com.openkm.security;

import org.springframework.security.authentication.AuthenticationManager;
import org.springframework.security.core.Authentication;
import org.springframework.security.core.AuthenticationException;
import org.springframework.security.web.authentication.AbstractAuthenticationProcessingFilter;

import javax.servlet.FilterChain;
import javax.servlet.ServletException;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
import java.io.IOException;

public class CustomOAuth2Filter extends AbstractAuthenticationProcessingFilter {

    public CustomOAuth2Filter(String defaultFilterProcessesUrl, AuthenticationManager authenticationManager) {
        super(defaultFilterProcessesUrl);
        setAuthenticationManager(authenticationManager);
    }
}

```

```

    }

    @Override
    public Authentication attemptAuthentication(HttpServletRequest request, HttpServletResponse response)
        throws AuthenticationException, IOException, ServletException {
        // Extract token from the request header or parameter
        String token = request.getHeader("Authorization");
        if (token == null || token.isEmpty()) {
            throw new AuthenticationException("No token provided") {};
        }

        // Pass the token to the authentication manager for validation
        return getAuthenticationManager().authenticate(new OAuth2AuthenticationToken(token));
    }

    @Override
    protected void successfulAuthentication(HttpServletRequest request, HttpServletResponse response,
        FilterChain chain,
        Authentication authResult) throws IOException, ServletException {
        super.successfulAuthentication(request, response, chain, authResult);
        // Proceed with the filter chain after successful authentication
        chain.doFilter(request, response);
    }
}

// Custom Authentication Token Class
class OAuth2AuthenticationToken extends
org.springframework.security.authentication.UsernamePasswordAuthenticationToken {
    private final String token;

    public OAuth2AuthenticationToken(String token) {
        super(null, null);
        this.token = token;
    }

    public String getToken() {
        return token;
    }
}

```

Step 3: Update appContext.xml

Update the appContext.xml file to include the new filter and configure the security settings.

Sample appContext.xml Configuration

```

<beans:beans xmlns:beans="http://www.springframework.org/schema/beans"
    xmlns:security="http://www.springframework.org/schema/security"
    xmlns:context="http://www.springframework.org/schema/context"
    xmlns:jee="http://www.springframework.org/schema/jee"

```



```

xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.springframework.org/schema/beans
    http://www.springframework.org/schema/beans/spring-beans-3.1.xsd
    http://www.springframework.org/schema/security
    http://www.springframework.org/schema/security/spring-security-3.2.xsd
    http://www.springframework.org/schema/context
    http://www.springframework.org/schema/context/spring-context-3.1.xsd
    http://www.springframework.org/schema/jee
    http://www.springframework.org/schema/jee/spring-jee-3.1.xsd">

<context:component-scan base-package="com.openkm"/>

<!-- OpenKM API -->
<beans:import resource="soap.xml"/>
<beans:import resource="rest.xml"/>
<beans:import resource="cmis.xml"/>

<!-- Swagger -->
<beans:bean id="swagger2Feature" class="com.openkm.core.Swagger2Config" />

<security:global-method-security secured-annotations="enabled"/>

<!-- Remove prefix to be able of use custom roles -->
<beans:bean id="roleVoter" class="org.springframework.security.access.vote.RoleVoter">
    <beans:property name="rolePrefix" value="ROLE_" />
</beans:bean>

<!-- Status -->
<security:http pattern="/Status" create-session="stateless">
    <security:intercept-url pattern="/**" access="IS_AUTHENTICATED_FULLY"/>
    <security:http-basic/>
</security:http>

<!-- Download -->
<security:http pattern="/Download" create-session="stateless">
    <security:intercept-url pattern="/**" access="IS_AUTHENTICATED_FULLY"/>
    <security:http-basic/>
</security:http>

<!-- Workflow deploy -->
<security:http pattern="/workflow-register" create-session="stateless">
    <security:intercept-url pattern="/**" access="IS_AUTHENTICATED_FULLY"/>
    <security:http-basic/>
</security:http>

<!-- WebDAV using Basic authentication -->
<security:http pattern="/webdav/**" create-session="stateless">
    <security:intercept-url pattern="/**" access="IS_AUTHENTICATED_FULLY"/>
    <security:http-basic/>
</security:http>

<!-- Syndication using Basic authentication -->

```

```

<security:http pattern="/feed/**" create-session="stateless">
  <security:intercept-url pattern="/**" access="IS_AUTHENTICATED_FULLY"/>
  <security:http-basic/>
</security:http>

<!-- OpenCMIS (Browser) using Basic authentication -->
<security:http pattern="/cmis/browser/**" create-session="stateless">
  <security:intercept-url pattern="/**" access="IS_AUTHENTICATED_FULLY"/>
  <security:http-basic/>
</security:http>

<!-- OpenCMIS (AtomPub) using Basic authentication -->
<security:http pattern="/cmis/atom/**" create-session="stateless">
  <security:intercept-url pattern="/**" access="IS_AUTHENTICATED_FULLY"/>
  <security:http-basic/>
</security:http>

<!-- OpenCMIS (AtomPub) using Basic authentication -->
<security:http pattern="/cmis/atom11/**" create-session="stateless">
  <security:intercept-url pattern="/**" access="IS_AUTHENTICATED_FULLY"/>
  <security:http-basic/>
</security:http>

<!-- REST -->
<security:http pattern="/services/rest/**" create-session="stateless">
  <security:intercept-url pattern="/**" access="IS_AUTHENTICATED_FULLY"/>
  <security:http-basic/>
</security:http>

<!-- Additional filter chain for normal users, matching all other requests -->
<security:http use-expressions="true" entry-point-ref="customAuthenticationEntryPoint">
  <security:intercept-url pattern="/**" access="isAuthenticated()"/>
  <security:custom-filter position="FORM_LOGIN_FILTER" ref="customOAuth2Filter"/>
  <security:logout logout-success-url="/login.jsp"/>
</security:http>

<!-- Custom AuthenticationEntryPoint -->
<beans:bean id="customAuthenticationEntryPoint"
class="com.openkm.core.CustomLoginUrlAuthenticationEntryPoint">
  <beans:constructor-arg value="/login.jsp"/>
</beans:bean>

<!-- Custom OAuth2 Filter -->
<beans:bean id="customOAuth2Filter" class="com.openkm.security.CustomOAuth2Filter">
  <beans:constructor-arg value="OpenKM"/>
  <beans:constructor-arg value="ZFB1qARH2EGhQw2VlxURUxLntjRBrBI"/>
  <beans:constructor-arg value="http://localhost:8180/realms/GUH/protocol/openid-connect/auth"/>
  <beans:constructor-arg value="http://localhost:8180/realms/GUH/protocol/openid-connect/token"/>
  <beans:constructor-arg value="http://localhost:8180/realms/GUH/protocol/openid-connect/userinfo"/>
</beans:bean>

<!-- Security access logger -->

```

```

<beans:bean id="loggerListener" class="com.openkm.spring.LoggerListener"/>

<jee:jndi-lookup id="dataSource" jndi-name="jdbc/OpenKMDS" resource-ref="true"/>

</beans:beans>

```

Step 4: Update Login page

Update the following jsp page from this path: `src/main/webapp/login_desktop.jsp`

```

<%@ page language="java" contentType="text/html; charset=UTF-8" pageEncoding="UTF-8" %>
<%@ page import="com.openkm.core.Config" %>
<%@ page import="com.openkm.dao.LanguageDAO" %>
<%@ page import="com.openkm.dao.bean.Language" %>
<%@ page import="java.util.List" %>
<%@ page import="java.util.Locale" %>
<%@ taglib uri="http://java.sun.com/jsp/jstl/core" prefix="c" %>
<%@ taglib uri="http://www.openkm.com/tags/utills" prefix="u" %>
<!DOCTYPE html>
<head>
  <meta charset="utf-8">
  <meta name="author" content="OpenKM">
  <meta content="OpenKM is an EDRMS EDRMS, Document Management System and Record
Management, easily to manage digital content, simplify your workload and yield high efficiency."
name="description">
  <meta name="viewport" content="width=device-width,initial-scale=1,maximum-scale=1.0">
  <link rel="Shortcut icon" href="<%=request.getContextPath() %>/logo/favicon" />
  <link rel="stylesheet" href="<%=request.getContextPath() %>/css/bootstrap/bootstrap.min.css"
type="text/css" />
  <link rel="stylesheet" href="<%=request.getContextPath() %>/css/font-awesome/font-awesome.min.css"
type="text/css" />
  <link rel="stylesheet" href="<%=request.getContextPath() %>/css/login.css" type="text/css" />
  <script type="text/javascript" src="<%=request.getContextPath() %>/js/jquery-1.11.3.min.js"></script>
  <script type="text/javascript" src="<%=request.getContextPath() %>/js/jquery.easy-ticker.min.js"></script>

  <% if (Config.RSS_NEWS) { %>
<script type="text/javascript">
  $(document).ready(function () {
    // Always show sticker when rss is enabled
    var loaded = false;
    $('#stickerController').show();

    // Change div style when sticker is enabled
    $('#openkmNews').width('<%=Config.RSS_NEWS_BOX_WIDTH %>px');
    $('#feedContainer').width('<%=Config.RSS_NEWS_BOX_WIDTH %>px');
    $('#openkmVersion').addClass("vticker-border-right");

    $('#stop').on({
      'click': function () {
        var src = ($('#stopImg').attr('src') === 'img/stop.png')

```

```

        ? 'img/pause.png'
        : 'img/stop.png';
    $('#stopImg').attr('src', src);
}
});

```

```

$('#eye').on({
    'click': function () {
        if ($('#eyeImg').attr('src') === 'img/eye.png') {
            localStorage.setItem('openkmNews', 'hide');
            $('#eyeImg').attr('src', 'img/eye-disabled.png');
            $('#feedContainer').hide();
            $('#stop').hide();
            $('#forward').hide();
            $('#backward').hide();
        } else {
            localStorage.setItem('openkmNews', 'show');
            $('#eyeImg').attr('src', 'img/eye.png');
            $('#feedContainer').show();
            $('#stop').show();
            $('#forward').show();
            $('#backward').show();
            loadRss();
        }
    }
});

```

```

if (localStorage.getItem('openkmNews') == 'hide') {
    $('#eyeImg').attr('src', 'img/eye-disabled.png');
    $('#feedContainer').hide();
    $('#stop').hide();
    $('#forward').hide();
    $('#backward').hide();
} else {
    $('#feedContainer').show();
    loadRss();
}

```

```

function loadRss() {
    // Rss must be loaded only one time, because easyTicker can not be executed twice
    if (!loaded) {
        loaded = true;
        $.get("Rss", function (data) {
            // Clean sticker
            $('#feedContainer').empty();

            // Parse xml
            var html = '<ul>';
            $(data).find('item').each(function () {
                var $item = $(this);
                var title = $item.find('title').text();
                var link = $item.find('link').text();
            });
        });
    }
}

```

```

var description = $item.find('description').text();
var pubDate = $item.find('pubDate').text();

html += "<li>";
html += "<h4>" + title + "</h4>";
html += "<em>" + pubDate + "</em>";
html += "<p>" + description + "</p>";
html += "<div align='right'><a href='" + link + "'" target='_blank' style='cursor:hand
!important;'>Read More</a></div>";
html += "</li>";
});
html += '</ul>';

// Set html
$('#feedContainer').append(html);

// Load sticker
$('#feedContainer').easyTicker({
    direction: 'up',
    easing: 'swing',
    speed: 'slow',
    interval: 5000,
    height: 'auto',
    visible: <%=Config.RSS_NEWS_VISIBLE %>,
    mousePause: 1,
    controls: {
        up: '#forward',
        down: '#backward',
        toggle: '#stop'
    }
});
});
}
}
});
</script>
<% } %>
<%
Locale locale = request.getLocale();
Cookie[] cookies = request.getCookies();
String preset = null;

if (cookies != null) {
    for (int i=0; i<cookies.length; i++) {
        if (cookies[i].getName().equals("lang")) {
            preset = cookies[i].getValue();
        }
    }
}

if (preset == null || preset.equals("")) {
    preset = locale.getLanguage() + "-" + locale.getCountry();

```

```

    }
    %>
    <title><%=Config.TEXT_TITLE%></title>
</head>
<body onload="document.forms[0].elements[0].focus()">
<div id="openkmNews" class="openkm-news">
    <div id="openkmVersion" class="openkm-version">
        <strong>Community Version</strong>
        <div id="stickerController" class="openkm-sticker" style="display:none;">
            <a href="#" id="backward" style="cursor:hand !important;"></a>
            <a href="#" id="stop" style="cursor:hand !important;"></a>
            <a href="#" id="forward" style="cursor:hand !important;"></a>
            <a href="#" id="eye" style="cursor:hand !important;"></a>
        </div>
    </div>
    <div style="display:none;" id="feedContainer" class="vticker"></div>
</div>

<div id="login-background" class="background-zen">
    <div id="col-xs-12" class="hidden-xs hidden-sm hidden-md" style="height:100%;">
        <div class="background-zen" style="height:100%;"></div>
    </div>
</div>
<u:constantsMap className="com.openkm.core.Config" var="Config"/>
<div id="login-container">
    <div class="login-title">
        
    </div>
    <div class="block remove-margin" style="border-bottom-left-radius: 10px; border-bottom-right-radius:
10px;">
        <form name="loginform" method="post" action="j_spring_security_check" onsubmit="setCookie()"
        class="form-horizontal form-bordered form-control-borderless" id="form-login">
            <div class="form-group form-header text-center">
                <div class="col-xs-12">
                    <%=Config.TEXT_BANNER %>
                    <%=Config.TEXT_WELCOME %>
                </div>
            </div>
            <c:if test="${not empty param.error}">
                <div class="form-group form-error">
                    <div id="col-xs-12">
                        <p class="text-danger text-center">
                            Authentication error
                            <c:if test="${Config.USER_PASSWORD_RESET && Config.PRINCIPAL_ADAPTER ==
'com.openkm.principal.DatabasePrincipalAdapter'}">
                                (<a href="password_reset.jsp">Forgot your password?</a>)
                            </c:if>
                        </p>
                    </div>
                </div>
            </c:if>
        </form>
    </div>
</div>

```

```

    </div>
</div>
</c:if>
<div class="form-group">
  <div class="col-xs-12">
    <div class="input-group">
      <% if (Config.SYSTEM_MAINTENANCE) { %>
        <span class="input-group-addon"><i class="gi gi-user"></i></span>
        <input name="j_username" id="j_username" type="hidden"
          value="<%=Config.SYSTEM_LOGIN_LOWERCASE?
Config.ADMIN_USER.toLowerCase():Config.ADMIN_USER%>"
          class="form-control input-lg" placeholder="System under maintenance"/>
        <% } else { %>
        <span class="input-group-addon"><i class="fa fa-user"></i></span>
        <input name="j_username" id="j_username"
          type="text" <%=Config.SYSTEM_LOGIN_LOWERCASE ? "onchange=\"makeLowercase();\" :
"" %>
          class="form-control input-lg" placeholder="User"/>
        <% } %>
      </div>
    </div>
  </div>
</div>
<div class="form-group">
  <div class="col-xs-12">
    <div class="input-group">
      <span class="input-group-addon"><i class="fa fa-asterisk"></i></span>
      <input type="password" id="j_password" name="j_password" class="form-control input-lg"
        placeholder="Password">
    </div>
  </div>
</div>
</div>
<div class="form-group form-actions">
  <div class="col-xs-5">
    <select name="j_language" id="j_language" class="form-control"
      style="border-bottom: 1px solid #eaeef1 !important;">
    <%
      List<Language> langs = LanguageDAO.findAll();
      String whole = null;
      String part = null;

      // Match whole locale
      for (Language lang : langs) {
        String id = lang.getId();

        if (preset.equalsIgnoreCase(id)) {
          whole = id;
        } else if (preset.substring(0, 2).equalsIgnoreCase(id.substring(0, 2))) {
          part = id;
        }
      }
    <%

    // Select selected

```

```

        for (Language lang : langs) {
            String id = lang.getId();
            String selected = "";

            if (whole != null && id.equalsIgnoreCase(whole)) {
                selected = "selected";
            } else if (whole == null && part != null && id.equalsIgnoreCase(part)) {
                selected = "selected";
            } else if (whole == null && part == null && Language.DEFAULT.equals(id)) {
                selected = "selected";
            }

            out.print("<option " + selected + " value=\"" + id + "\">" + lang.getName() + "</option>");
        }
    %>
</select>
</div>
<div class="col-xs-4 pull-right">
    <button name="submit" type="submit" class="btn btn-sm btn-primary btn-block"><i class="fa fa-key">
</i> Login
    </button>
</div>
</div>
<div class="form-group text-center">
    <a href="<%=request.getContextPath() %>/oauth2/authorization/keycloak" class="btn btn-sm btn-
primary btn-block">
        <i class="fa fa-key"></i> Login with Keycloak
    </a>
</div>
<% if (Config.SYSTEM_DEMO) { %>
<div class="form-group low" style="background-color:white !important;">
    <div class="col-xs-12 hidden-lg">
        <jsp:include flush="true" page="login_demo_users.jsp"/>
    </div>
</div>
<% } %>
<div class="form-group form-footer"
    style="border-bottom-left-radius: 10px !important; border-bottom-right-radius: 10px !important;">
    <div class="col-xs-12 text-center">
        <p>&copy; 2006-2022 OpenKM. All rights reserved.</p>
    </div>
</div>
</form>
</div>
</div>

<% if (Config.SYSTEM_DEMO) { %>
<div class="demo_users high">
    <div class="col-xs-12 hidden-xs hidden-sm hidden-md">
        <jsp:include flush="true" page="login_demo_users.jsp"/>
    </div>
</div>
</div>

```



```

<% } %>

<script type="text/javascript">
function makeLowercase() {
    var username = document.getElementById('j_username');
    username.value = username.value.toLowerCase();
}

function setCookie() {
    var exdate = new Date();
    var value = document.getElementById('j_language').value;
    exdate.setDate(exdate.getDate() + 7);
    document.cookie = "lang=" + escape(value) + ";expires=" + exdate.toUTCString();
}
</script>
</body>
</html>

```

Notes:

- Make use to adapt the following values from the appContext

```

<beans:bean id="customOAuth2Filter" class="com.openkm.security.CustomOAuth2Filter">
    <beans:constructor-arg value="OpenKM"/>
    <beans:constructor-arg value="ZFB1qARH2EGhQw2VlxfURUxLntjRBrBI"/>
    <beans:constructor-arg value="http://localhost:8180/realms/GUH/protocol/openid-connect/auth"/>
    <beans:constructor-arg value="http://localhost:8180/realms/GUH/protocol/openid-connect/token"/>
    <beans:constructor-arg value="http://localhost:8180/realms/GUH/protocol/openid-connect/userinfo"/>
</beans:bean>

```