

App documantaion

Admin Requests

Description	Method + Path	Request + Response
Admin adding product to store	POST/ "/shoesOnline/main/admin"	<div>Request: { name: "name", gender: "MEN'S" or "WOMEN'S" or ("MEN'S /WOMEN'S"), brand: "Nike", size: "40-50", color: "yellow", price: 459, on_sale: 1 or 0, image: "url", category_id: 4 }</div> <div>Response: { msg: "product added :)" } else { err: "missing some info about product" }</div>

Admin editing product	<div>PUT/ "/shoesOnline/main/admin"</div>	<div>Request: { name: "name", gender: "MEN'S" or "WOMEN'S" or ("MEN'S /WOMEN'S"), size: "40-50", color: "yellow", price: 459, on_sale: 1 or 0, image: "url", product_id: 4 }</div> <div>Response: { msg: "Changes saved :)" } else { err: "some info is missing" }</div>
-----------------------	--	--

User Requests

Description	Method + Path	Request + Response
-------------	---------------	--------------------

Register	<p>POST/</p> <p>"/shoesOnline/register"</p>	<div><pre>Request: { name: "name", lastname: "lastanme", username: "username", userID: "userID", password: "password", city: "city", street: "street", }</pre></div> <div><pre>Response: { msg: "user added successfully" } else { err: "username allready taken" } else { err: "please make sure you feild the form completely" }</pre></div>
----------	---	--

Login	POST/ "/shoesOnline/login"	<div> Request: { <pre> username: "username", password: "username", } </pre> </div> <div> Response: { <pre> isAdmin: false, msg: "user logged succssesfully" } else { isAdmin: true, msg: "admin logged succssesfully" } else { err: `Wrong username or password` } else { err: `Wrong username or password` } </pre> </div>
Checks is user has session and giving relevent data	GET/ "/shoesOnline/"	<div> Response: { <pre> msg: "admin has logged in", //err if no session hasSession: true, hasCart: false, username: user[0].username, productsAmount, ordersAmount, isAdmin: true, // city: "city", if isAdmin is false // street: "street", if isAdmin is false } </pre> </div>

Check if the user id is already in use	POST/ "/shoesOnline/checkId"	<div> Request: { userID: "userID" } </div> <div> Response: { msg: "ID is Okay" } else { err: "This ID is already in use" } </div>
Destroy session and login out	DELETE/ "/shoesOnline/"	<div> Response: { msg: "bye bye! hope to see you again :)" } </div>
Gets products by category	GET/ "/shoesOnline/main/category:category"	<div> Response: { products: [{ id: 1, name: "COURT LEGACY NN", gender: "MEN'S", brand: "Nike", size: "40-47", color: "white", price: 459, on_sale: 1, image: "url", category_id: 1 },], } </div>

Gets products by search value	<p>GET/</p> <p>"/shoesOnline/main/search?searchValue=string"</p>	<pre> Response: { products: [{ id: 1, name: "COURT LEGACY NN", gender: "MEN'S", brand: "Nike", size: "40-47", color: "white", price: 459, on_sale: 1, image: "url", category_id: 1 },] } </pre>
Get products by filtering between color, size, brand	<p>GET/</p> <p>"/shoesOnline/main/filterBy?color_g=white,brand_g=Nike,size_g=35,38"</p>	<pre> Response: { products: [{ id: 1, name: "COURT LEGACY NN", gender: "MEN'S", brand: "Nike", size: "40-47", color: "white", price: 459, on_sale: 1, image: "url", category_id: 1 },] } </pre>
Gets all dates that are full booked	<p>GET/</p> <p>"/shoesOnline/main/takenDates"</p>	<pre> Response: {takenDates: [{ arrivalTime: "2015-03-25T00:00:00.000Z", COUNT(arrivalTime): 4 },] } </pre>

Get user cart	GET/ "/shoesOnline/main/cart"	<pre> Response: { userCart: [{ cart_id: 1, name: "COURT LEGACY NN", brand: "Nike", amount: 2, price: 918, gender: "MEN'S", size: 32, color: "white", image: "url", id: 1 }], sumPrice: 918 } else { msg: "Your cart is empty please add products" } </pre>
Add product to user cart	POST/ "/shoesOnline/main/"	<pre> Request: { product_id: 1, amount: 2, size: 32 } </pre> <pre> Response: { msg: "item added succsesfully :)" } else { err: "Missing some info" } </pre>

Remove item from user cart	DELETE/ "/shoesOnline/main/item"	<div>Request: { product_id: 2, size: 42 }</div> <div>Response: { msg: "item removed :)" } else { err: "Mssing some info" }</div>
Empty user cart	DELETE/ "/shoesOnline/main/all"	<div>Response: { msg: "all products has removed from your cart :)" }</div>
Handling user checkout giving all data for invoice	POST/ "/shoesOnline/main/checkout"	<div>Request: { city: "Rosh HaAing", street: "Halechi 36", digits: "1234" arrivalDate: "2022-04-23" }</div>


```
Response: {
  checkoutInfo: {
    client: [
      {
        id: 2,
        username:
"kingNothing",
        name: "lidan",
        lastname:
"levi",
        city: "Rosh
HaAying",
        street:
"Halechi 36"
      }
    ],
    digits: 1234,
    cart: [
      {
        cart_id: 1,
        name: "COURT
LEGACY NN",
        brand: "Nike",
        amount: 2,
        price: 918,
        gender:
"MEN'S",
        size: 32,
        color: "white",
        image: "url"
      }
    ],
    orderId: 39,
    orderDate: "2022-05-
01T15:23:35.000Z",
    dueDate: "2022-04-23",
    subTotal: 918,
    total: 933
  }
}
```