

Desarrollo de aplicaciones avanzadas con Android

SEMANA 1

ENDPOINTS

1. Endpoint utilizado para buscar un usuario y obtener su id.

GET `/users/search`

`https://api.instagram.com/v1/users/search?q=jack&access_token=ACCESS-TOKEN` **RESPONSE ▾**

Get a list of users matching the query.

REQUIREMENTS

Scope: public_content

PARAMETERS

ACCESS_TOKEN	A valid access token.
Q	A query string.
COUNT	Number of users to return.

2. Endpoint utilizado para obtener los últimos contenidos de un usuario específico.

GET `/users/{user-id}/media/recent`

`https://api.instagram.com/v1/users/{user-id}/media/recent/?access_token=ACCESS-TOKEN` **RESPONSE ▾**

Get the most recent media published by a user.
The public_content scope is required if the user is not the owner of the access_token.

REQUIREMENTS

Scope: public_content

PARAMETERS

ACCESS_TOKEN	A valid access token.
MAX_ID	Return media earlier than this max_id.
MIN_ID	Return media later than this min_id.
COUNT	Count of media to return.




Petagram



Contacto

Acerca De

Configurar Cuenta



Rob



1



1



1






Petagram

Usuario

petagramks

GUARDAR CUENTA

petagramks pentagrama percatamos >



Petagram



PetagramAppKs



0



0



0



0



0

