- 1. Cyclic motion and inversion of surface flow direction in a dense polymer brush under shear, M. Müller and C. Pastorino, Europhys. Lett. 81, 28002 (2008).
- Evolution of the crystal-field splittings in the cubic CeIn\$_ 3-x \$Sn\$_ x \$
 P. Roura-Bas , V. Vildosola and A. M. Llois. J. Magn. Magn. Mater. 320 (2008) 468.
- 3. Colossal magnetic anisotropy of monatomic free and deposited platinum nanowires". A. Smogunov, A. Dal Corso, A. Delin, R. Weht y E. Tosatti. Nature Nanotechnology 3 (2008) 22.
- 4. "Kinetically driven refolding of the hyperstable EBNA1 origin DNA-binding dimeric β-barrel domain into amyloid-like spherical oligomers". E. Freire, C. Oddo, Frappier L., de Prat Gay G., Proteins: Structure Function & Bioinformatics. (2008) 1; 70(2):450-61.
- 5. Catena-[triaqua-μ3-Acetato-κ4O,O'-μ-Acetato-κ2O,O'-)-barium(II)]. E. Freire and Baggio R.Acta Cryst. (2008) Sección C. Vol 64, m164-m166.
- 6. Site preference, size effects, and segregation in RuAlB alloys. H. O. Mosca, G. Bozzolo, and J. E. Garcés. Scripta Materialia 58, 1025-1028 (2008)
- 7. Energy of formation, lattice parameter and bulk modulus of (Ni,X)Ti alloys with X = Fe, Pd, Pt, Au, Al, Cu, Zr, Hf. G.Bozzolo, H.O. Mosca and M.F. del Grosso Intermetallics 16, 668-675 (2008)
- 8. Algorithm for the calculation of the coefficient of thermal expansion of multicomponent metallic alloys. G.Bozzolo, M. F. del Grosso and H. O. Mosca Materials Letters 62, 3975-3977 (2008)
- 9. Atomistic modeling of Pt additions to NiAl. M.F.del Grosso, H.O.Mosca and G.Bozzolo. Intermetallics 16, 1305-1309 (2008)
- Surface structure and composition of NiTi alloys and their influence on the temperaturedependent segregation behavior. G. Bozzolo, H.O.Mosca and M.F.del Grosso. Applied Surface Science 255, 3004-3010 (2008)
- 11. Two Hard Spheres in a Spherical Pore: Exact Analytic Results in two and three dimensions. I .Urrutia. J. Statistical Phys..: Springer. vol.131 n°. p597 611. (2008)
- 12. Bandwidth and Fermi surface of iron oxypnictides: Covalency and sensitivity to structural changes V. Vildosola, L. Pourovskii, R. Arita, S. Biermann, and A. Georges, Physical Review B 78, 064518 (2008).
- 13. Local moment versus Kondo behavior of the 4f-electrons in rare-earth iron oxypnictides L. Pourovskii, V. Vildosola, S. Biermann, A. Georges, European Physical Society, 84, 37006 (2008).
- 14. Simplifying strong electronic correlations in uranium: Localized uranium heavy-fermion *UX2Zn20 (M=Co,Rh) compounds* E. D. Bauer, C. Wang, V. R. Fanelli, J. M. Lawrence, E.

- A. Goremychkin, N. R. de Souza, F. Ronning, J. D. Thompson, A. Silhanick, V. L. Vildosola, A. M. Lobos, A. A. Aligia, S. Bovev, D. García, J. L. Sarrao, Physical Review B 78, 115120 (2008).
- 15. *d- and f-orbital correlations in the REFeAsO compounds* T. Miyake, L. Pourovskii, V. Vildosola, S. Biermann, A. Georges, Journal of the Physical Society of Japan 77, Suppl. C, 99 (2008).
- 16. Semiclassical electronic transport in MnAs thin films. Christian Helman, J.Milano, L.Steren and A.M.Llois. J. Mag. Mag. Mater. 320, e415 (2008)
- 17. I-V curves of Fe/MgO (001) single- and double-barrier tunnel junctions. J.Peralta-Ramos, A.M.Llois, I. Rungger and S.Sanvito. Phys Rev B 78, 024430 (2008)
- 18. Catena-[triaqua-μ3-Acetato-κ4O,O'-μ-Acetato-κ2O,O'-)-barium(II)]Eleonora Freire and Ricardo Baggio (2008). Acta Cryst. C64, m164–m166. (Ref. Sq3131).
- 19. "Synthesis and GABAA receptor activity of oxygen-bridged neurosteroid analogs". Lautaro D. Alvarez, Adriana S. Veleiro, Ricardo F. Baggio, María T. Garland, Valeria C. Edelsztein, Héctor Coirini and Gerardo Burton. Bioorganic & Medicinal Chemistry 16 (2008) 3831–3838.
- "Disodium zinc bis-sulfate tetrahydrate (zinc astrakanite) revisited". M. Enriqueta Díaz de Vivar, Sergio Baggio, Andrés Ibáñez and Ricardo Baggio (2008). Acta Cryst. E64, i30i31. (ZnAstrak) (Ref. Fi2061)
- 21. Rosiglitazone maleate, 0.25 hydrate: a pseudo-polymorphic form (2008). Silvia L. Cuffini, Sonia Faudone, María Teresa Garland & Ricardo Baggio. Acta Cryst. C64, o119-o122. (Ref. Gd3164)
- 22. Cadmium sulfite hydrate, revisited. Sergio Baggio, Andrés Ibáñez and Ricardo Baggio(2008). Acta Cryst. E64, i143-i44. Ref. Br2070)
- 23. Structure and magnetic properties of an hybrid system μ2-2,2'-bipyridine-carboxylate-N,N':O,μ2-phosphate-O,O' copper(II). Y. Moreno, G. Cárdenas, A. Tissot, O. Peña, J.-Y. Pivan and R. Baggio. Inorg.Chem. (2008), 47, 2334-2337
- 24. An unusual two-dimensional hydrogen-bonding network in bis(2,9-dimethyl- 1,10-phenanthrolin-1-ium) peroxodisulfate dihydrate. Miguel Angel Harvey, Sergio Baggio, María Teresa Garland and Ricardo Baggio (2008). Acta Cryst. C64, o489-o492. (Ref. bm3054)
- 25. Structure/Function Relationships of Several Biopolymers as Related to Invertase Stability in Dehydrated Systems. P. R. Santagapita, L.. Gómez Brizuela, M. F. Mazzobre, H. L. Ramirez, H. R. Corti, R. Villalonga Santana y M. P. Buera. Biomacromolecules, 9, 741–747 (2008).
- 26. Viscosity of concentrated sucrose and trehalose aqueous solutions including the supercooled regime. M. P. Longinotti y H. R. Corti. J. Phys. Chem. Ref. Data, 37,

- 27. Dielectric relaxation in supercooled and glassy sucrose and sucrose-borate aqueous solutions. M.P.Longinotti, H.R.Corti y J.J. de Pablo. Carbohyd. Res., 343, 2650-2656 (2008).
- 28. An alternative solution of the fluorescence recovery kinetics after spot-bleaching for measuring diffusion coefficients. 1. Theory and numerical analysis. G. A. Frank · M. C. Marconi · H. R. Corti. J. Solution Chem., 37, 1575-1591 (2008).
- 29. An alternative solution of the fluorescence recovery kinetics after spot-bleaching for measuring diffusion coefficients. 2. Diffusion of fluorescein in sucrose aqueous solutions. H. R. Corti · G. A. Frank · M. C. Marconi. J. Solution Chem., 37, 1593-1608 (2008).
- 30. Diffusion-viscosity decoupling in supercooled aqueous trehalose solutions. H. R. Corti, G. A. Frank, M. C. Marconi. J. Phys. Chem. B, 112, 12899-12906 (2008).
- 31. Comments on "New Physico-Chemical Properties of Extremely Dilute Solutions. A Conductivity Study at 25 oC in Relation to Ageing".H. R. Corti. J. Solution Chem, 37, 1819-1824 (2008).
- 32. Exploring the picosecond time domain of the solvation dynamics of Coumarine-153 in beta-cyclodextrins Rodriguez, J.; Marti, J.; Guardia, E.; Laria, D. J. Phys. Chem. B, 112, 8990 (2008).
- 33. Confinement of polar solvents within beta-cyclodextrins. Rodriguez, J.; Rico, D.; Domeniani, L.; Laria, D. J. Phys. Chem. B. 112, 7522 (2008)
- 34. Formation and Structural Properties of Ce#Zr Mixed Oxide Nanotubes. Rodolfo O. Fuentes, Leandro M. Acuña, Maria G. Zimicz, Diego G. Lamas, J. G. Sacanell, A. Gabriela Leyva, and Richard T. Baker. Chemistry of Materials 20, 7356 (2008).
- 35. "Magnetic behavior of single La0.67Ca0.33MnO3 nanotubes: Surface and shape effects" M.I.Doltz, W.Bast, D.Antonio, H.Pastoriza, J.Curiale, R.D.Sanchez and A.G.Leyva. J Appl. Phys. 103, 083909 (2008)
- 36. "Photocatalytic reduction of Pb(II) over TiO2: new insights on the effect of different electron donors". Leonardo Murruni, Flavio Conde, Gabriela Leyva, Marta I. Litter . Applied Catalysis B: Environmental, Volume 84, Issues 3-4, 1 December 2008, Pages 563-569
- 37. "Study of magnetic properties of La2/3 Sr1/3 MnO3 nanotubes by Monte Carlo simulation" A. Cuchillo, P. Vargas, P. Levy, R.D. Sánchez, J.Curiale, A.G. Leyva, H.E. Troiani Journal of Magnetism and Magnetic Materials, Volume 320, Issue 14, July 2008, Pages e331-e334
- 38. "Preparation and characterisation of nanostructured gadolinia-doped ceria tubes" Rodolfo O. Fuentes, Fernando F. Mun oz, Leandro M. Acun A. Gabriela Leyva and Richard T. Baker. J. Mater. Chem., 2008, 18, 5689–5695

- 39. "Equilibrium tuned by a magnetic field in phase separated manganite" M.Quintero, F. Parisi, G. Leyva, L. Ghivelder. J. Phys.: Condens. Matter 20, 345204 (2008).
 - 40. "Dynamic response of magnetic nanoparticles arranged in a tubular shape" Curiale, J., Sanchez, R.D., Ramos, C.A., Leyva, A.G., Butera, A. Journal of Magnetism and Magnetic Materials 320 (14) pp e218-e221, (2008).
 - 41. "Solvatomorphs of dimeric transition metal complexes based on the V4O12 cyclic anion as building block: Crystalline packing and magnetic properties V. Paredes-García, S. Gaune, M. Saldías, M.T. Garland, R. Baggio, A. Vega, M. Salah El Fallah, A. Escuer, E. Le Fu, D. Venegas-Yazigi, E. Spodine. Inorganica Chimica Acta 361 (2008) 3681–3689
 - 42. "Favoured conformations of methyl isopropyl, ethyl isopropyl, methyl tert- butyl, and ethyl tert-butyl 2-(triphenylphosphoranylidene)malonate" Castañeda,F. Silva,P. Bunton,C.A., Garland, M.T. and Baggio, R. (2008). Acta Cryst. C64, o405-o410
 - 43. "1-D Polymers with Alternate Cu2 and Ln2 Cores (Ln = Gd, Er, Y) and Carboxylate Linkages".Rafael Calvo, Raul E. Rapp, Edson Chagas, Rosana P. Sartoris, Ricardo Baggio,& María T. Garland, Mireille Perec. (2008.) Inorg. Chem.,47, 10389-10397.
 - 44. "Halogen bonding in 1,2-Dibromo-4,5-dimethoxy-bencene and 1,2-Diiodo- 4,5-dimethoxy-bencene". Fabio D. Cukiernik, Andrés Zelcer, María Teresa Garland and Ricardo Baggio.(2008) Acta Cryst. C64, o604-o608. (Ref. Uk3001)
 - 45. "Di-μ-acetato-κ3O,O_:O;κ3O:O,O_-bis[(acetato-κ2O,O_)(1,10 phenanthroline-κ2N,N_)cadmium(II)]" Miguel Angel Harvey, Sergio Baggio, María Teresa Garland and Ricardo Baggio (2008). Acta Cryst. E64, , m1450. (Ref. Kj 2097)
 - 46. "Catena {Tetraaqua-[tetrakis(μ2-butenoate-O,O,O')-hexakis(μ2-butenoate-O,O')]dicopper(ii)-di-holmium(iii) trihydrate"}.(2008) Mireille Perec, Maria Teresa Garland and Ricardo Baggio, Acta Cryst. E64, m1463-m1464- (Ref. HB2821)
 - 47. "The novel ligand 4'-phenyl-3,2':6',3"-terpyridine (L) and the supramolecular structure of the dinuclear complex [Zn2(l-L)(acac)4] _ H2O (acac = acetylacetonato)"Juan Granifo, Moisés Vargas , María T. Garland, Andrés Ibáñez, Rubén Gaviño, Ricardo Baggio (2008). Inorg.Chem.Comm. 11, 1388- 1391.
 - 48. [2-(2-{Bis[2-(1H-imidazol-2-ylmethyleneamino)ethyl] amino}ethyliminomethy) imidazolido]cobalt(III) bis(tetrafluoridoborate) monohydrate. Ana María Atria, Gino Corsini, Arlyn Talamilla, María Teresa Garland and Ricardo Baggio. (2008) Acta Cryst.. C64, m387–m389 (Ref. Fg3063).
 - 49. Two classes of bipartite networks: Nested biological and social Systems. Enrique Burgos, Horacio Ceva, Laura Hernández, R. P. J. Perazzo, Mariano Devoto, and Diego Medan. Phys. Rev. E 78, 046113 (2008)
 - 50. Wang–Landau study of the critical behavior of the bimodal 3D random field Ising model. Laura Hernández, Horacio Ceva. Physica A 387 (2008) 2793–2800

- 51. A new three steps metal fractionation scheme for fly ashes collected in an Argentine thermal power plant. Patricia Smichowski, Griselda Polla, Darío Gómez, Antonio José Fernández Espinosa, Ana Calleja FUEL 87 (7) 2008, pag. 1249-1259
- 52. On-line speciation analysis of Sb(III) and Sb(V) using L-proline immobilized on controlled pore glass and hydride generation inductively coupled plasma optical emission spectrometry for detection. Amauri A. Menegário, Patricia Smichowski, Paulo S. Tonello, and Griselda Polla. Analytica Chimica Acta 625 (2008) 131-136
- 53. Trace aluminium determination in biological samples after microwave digestion followed by solid phase extraction with L-methionine on controlled pore glass. Pacheco, Gil, Smichowski, Polla, and Martinez Microchemical Journal 89 (2008) 1–6
- 54. Selective determination of inorganic selenium species in parenteral solutions using L-methionine as retaining agent in ETAAS Q1 Pablo H. Pacheco, Raul A. Gil, Patricia Smichowski, Griselda Polla and Luis D. Martinez J. Anal. At. Spectrom JAAS, 23 (2008) 397-401
- 55. Transitions involving conical magnetic phases in a model with bilinear and biqyadratic interactions. Vittorio Massidda, Journal of Magnetism and Magnetic Materials 230 (2008) 851 856