

Authorization-server API Documentation

Table of Contents

[AuthorizationController](#)

- [GET /signup/account/{accountId}/token/{token}](#).
- [POST /forgetpassword](#)
- [GET /forgetpassword/account/{accountId}/token/{token}](#).
- [DELETE /signout](#)
- [POST /signup](#)

AuthorizationController

GET /signup/account/{accountId}/token/{token}

performAccountActivationTokenVerification
(performAccountActivationTokenVerificationUsingGET)

Path parameters

- accountId (required)**
Path Parameter — accountId format: int64
- token (required)**
Path Parameter — token

Return type

Response

Example data

Content-Type: application/json

```
""
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

- 200
OK [Response](#)
- 401
Unauthorized
- 403
Forbidden
- 404
Not Found

POST /forgetpassword

performPasswordRecovery (performPasswordRecoveryUsingPOST)

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

accounts [object](#) (required)

Body Parameter — accounts

Return type

Response

Example data

Content-Type: application/json

```
""
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

OK [Response](#)

201

Created

401

Unauthorized

403

Forbidden

404

Not Found

GET /forgetpassword/account/{accountId}/token/{token}

performPasswordResetTokenVerification (performPasswordResetTokenVerificationUsingGET)

Path parameters

accountId (required)

Path Parameter — accountId format: int64

token (required)

Path Parameter — token

Return type

Response

Example data

Content-Type: application/json

```
""
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

OK [Response](#)

401

Unauthorized

403

Forbidden

404

Not Found

DELETE /signout

performSignout (performSignoutUsingDELETE)

Return type

Response

Example data

Content-Type: application/json

```
""
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

OK [Response](#)

204

No Content

401

Unauthorized

403

Forbidden

POST /signup

performSignup (performSignupUsingPOST)

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

accounts [Accounts](#) (required)

Body Parameter — accounts

Return type

Response

Example data

Content-Type: application/json

""

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

OK [Response](#)

201

Created

401

Unauthorized

403

Forbidden

404

Not Found