

Warehouse-service API Documentation

Table of Contents

[WarehousesResource](#)

- [POST /api/warehouses](#)
- [DELETE /api/warehouses/{warehouseId}](#)
- [GET /api/warehouses/page/{pageNumber}/limit/{pageSize}](#)
- [GET /api/warehouses/{warehouseId}](#)
- [POST /api/warehouses/search](#)
- [PUT /api/warehouses/{warehouseId}](#)

WarehousesResource

POST /api/warehouses

create (createUsingPOST)

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

warehouses [Warehouses](#) (required)

Body Parameter —

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

201

Created

401

Unauthorized

403

Forbidden

404

Not Found

DELETE /api/warehouses/{warehouseId}

delete (deleteUsingDELETE)

Path parameters

warehouseId (required)

Path Parameter — format: int64

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

OK

204

Not Content

401

Unauthorized

403

Forbidden

GET /api/warehouses/page/{pageNumber}/limit/{pageSize}

getAll (getAllUsingGET)

Path parameters

pageNumber (required)

Path Parameter — format: int64

pageSize (required)

Path Parameter — format: int64

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

OK

401

Unauthorized

403

Forbidden

404

Not Found

GET /api/warehouses/{warehouseId}

get (getUsingGET)

Path parameters

warehouseId (required)

Path Parameter — format: int64

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

OK

401

Unauthorized

403

Forbidden

404

Not Found

POST /api/warehouses/search

search (searchUsingPOST)

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

criteria [object](#) (required)

Body Parameter —

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

OK

201

Created

401

Unauthorized

403

Forbidden

404

Not Found

PUT /api/warehouses/{warehouseId}

update (updateUsingPUT)

Path parameters

warehouseId (required)

Path Parameter — format: int64

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

warehouses [Warehouses](#) (required)

Body Parameter —

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

OK

201

Created

401

Unauthorized

403

Forbidden

404

Not Found
