Parcel-service API Documentation

Table of Contents

CategoriesResource

InvoicesResource

ParcelsResource

RatingsResource

CategoriesResource

POST /api/categories

create (**createUsingPOST**)

Consumes
This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

categories Categories (required)
Body Parameter —

Produces
This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses
201
Created
401
Unauthorized
403
Forbidden
404
Not Found

DELETE /api/categories/{categoryId}

delete (**deleteUsingDELETE**)

Path parameters

categoryId (required)
Path Parameter — format: int64

Consumes
This API call consumes the following media types via the Content-Type request header:

- application/json

Produces
This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses
200
OK
204
Not Content
401
Unauthorized
403
Frobidden

GET /api/categories/page/{pageNumber}/limit/{pageSize}

getAll (**getAllUsingGET**)

Path parameters

pageNumber (required)
Path Parameter — format: int64

pageSize (required)
Path Parameter — format: int64

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses
200
OK
401
Unauthorized
403
Forbidden
404
Not Found

GET /api/categories/{categoryId}

get (**getUsingGET**)

Path parameters

categoryId (required)
Path Parameter — format: int64

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses
200
OK
401
Unauthorized
403
Forbidden
404
Not Found

POST /api/categories/search

search (**searchUsingPOST**)

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

    criterias [object](#) **(required)**
    Body Parameter —

Produces
This API call produces the following media types according to the Accept request header; the
media type will be conveyed by the Content-Type response header.

- `application/json`

Responses
200
OK
201
Created
401
Unauthorized
403
Forbidden
404
Not Found

PUT /api/categories/{categoryId}

update (**updateUsingPUT**)

Path parameters

    categoryId (required)
    Path Parameter — format: int64

Consumes
This API call consumes the following media types via the Content-Type request header:

- `application/json`

Request body

    categories [Categories](#) **(required)**
    Body Parameter —

Produces
This API call produces the following media types according to the Accept request header; the
media type will be conveyed by the Content-Type response header.

- `application/json`

Responses
200
OK
201
Created
401
Unauthorized
403
Forbidden
404
Not Found

InvoicesResource

POST /api/invoices

create (**createUsingPOST**)

Consumes
This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

invoices **Invoices** (required)
Body Parameter —

Produces
This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses
201
Created
401
Unauthorized
403
Forbidden
404
Not Found

DELETE /api/invoices/{invoiceId}

delete (**deleteUsingDELETE**)

Path parameters

invoiceId (required)
Path Parameter — format: int64

Consumes
This API call consumes the following media types via the Content-Type request header:

- application/json

Produces
This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses
200
OK
204
Not Content
401

Unauthorized
403
Frobidden

GET /api/invoices/page/{pageNumber}/limit/{pageSize}

getAll (**getAllUsingGET**)

Path parameters

pageNumber (required)
Path Parameter — format: int64

pageSize (required)
Path Parameter — format: int64

Consumes
This API call consumes the following media types via the Content-Type request header:

- application/json

Produces
This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses
200
OK
401
Unauthorized
403
Forbidden
404
Not Found

GET /api/invoices/{categoryId}

get (**getUsingGET**)

Path parameters

categoryId (required)
Path Parameter — format: int64

Consumes
This API call consumes the following media types via the Content-Type request header:

- application/json

Produces
This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses
200

OK
401
Unauthorized
403
Forbidden
404
Not Found

POST /api/invoices/search

search (**searchUsingPOST**)

Consumes
This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

criterias object **(required)**
Body Parameter —

Produces
This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses
200
OK
201
Created
401
Unauthorized
403
Forbidden
404
Not Found

PUT /api/invoices/{invoiceId}

update (**updateUsingPUT**)

Path parameters

invoiceId (required)
Path Parameter — format: int64

Consumes
This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

invoices Invoices **(required)**
Body Parameter —

Produces
This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses
200
OK
201
Created
401
Unauthorized
403
Forbidden
404
Not Found

ParcelsResource

POST /api/parcels

create (**createUsingPOST**)

Consumes
This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

parcels **Parcels** (required)
Body Parameter —

Produces
This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses
201
Created
401
Unauthorized
403
Forbidden
404
Not Found

DELETE /api/parcels/{parcelId}

delete (**deleteUsingDELETE**)

Path parameters

parcelId (required)
Path Parameter — format: int64

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses
200
OK
204
Not Content
401
Unauthorized
403
Frobidden

GET /api/parcels/page/{pageNumber}/limit/{pageSize}

getAll (**getAllUsingGET**)

Path parameters

pageNumber (required)
Path Parameter — format: int64

pageSize (required)
Path Parameter — format: int64

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses
200
OK
401
Unauthorized
403
Forbidden
404
Not Found

GET /api/parcels/{categoryId}

get (**getUsingGET**)

Path parameters

   categoryId (required)
   Path Parameter — format: int64

Consumes
This API call consumes the following media types via the Content-Type request header:

- application/json

Produces
This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses
200
OK
401
Unauthorized
403
Forbidden
404
Not Found

POST /api/parcels/search

search (**searchUsingPOST**)

Consumes
This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

   criterias object (required)
   Body Parameter —

Produces
This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses
200
OK
201
Created
401
Unauthorized
403
Forbidden
404
Not Found

PUT /api/parcels/{parcelId}

update (**updateUsingPUT**)

Path parameters

parcelId (required)
Path Parameter — format: int64

Consumes
This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

parcels Parcels (required)
Body Parameter —

Produces
This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses
200
OK
201
Created
401
Unauthorized
403
Forbidden
404
Not Found

RatingsResource

POST /api/ratings

create (**createUsingPOST**)

Consumes
This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

ratings Ratings (required)
Body Parameter —

Produces
This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses
201
Created
401
Unauthorized
403
Forbidden
404
Not Found

DELETE /api/ratings/{ratingId}

delete (**deleteUsingDELETE**)

Path parameters

    ratingId (required)
    Path Parameter — format: int64

Consumes
This API call consumes the following media types via the Content-Type request header:

- application/json

Produces
This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses
200
OK
204
Not Content
401
Unauthorized
403
Frobidden

GET /api/ratings/page/{pageNumber}/limit/{pageSize}

getAll (**getAllUsingGET**)

Path parameters

    pageNumber (required)
    Path Parameter — format: int64

    pageSize (required)
    Path Parameter — format: int64

Consumes
This API call consumes the following media types via the Content-Type request header:

- application/json

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses
200
OK
401
Unauthorized
403
Forbidden
404
Not Found

GET /api/ratings/{ratingId}

get (**getUsingGET**)

Path parameters

ratingId (required)
Path Parameter — format: int64

Consumes
This API call consumes the following media types via the Content-Type request header:

- application/json

Produces
This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses
200
OK
401
Unauthorized
403
Forbidden
404
Not Found

POST /api/ratings/search

search (**searchUsingPOST**)

Consumes
This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

criterias object (required)
Body Parameter —

Produces
This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses
200
OK
201
Created
401
Unauthorized
403
Forbidden
404
Not Found

PUT /api/ratings/{ratingId}

update (**updateUsingPUT**)

Path parameters

ratingId (required)
Path Parameter — format: int64

Consumes
This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

ratings Ratings (required)
Body Parameter —

Produces
This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses
200
OK
201
Created
401
Unauthorized
403
Forbidden
404
Not Found