

Vehicle-service API Documentation

Table of Contents

[TypesResource](#)

- [POST /api/types](#)
- [DELETE /api/types/{typeId}](#)
- [GET /api/types/page/{pageNumber}/limit/{pageSize}](#)
- [GET /api/types/{typeId}](#)
- [POST /api/types/search](#)
- [PUT /api/types/{typeId}](#)

[VehiclesResource](#)

- [POST /api/vehicles](#)
- [DELETE /api/vehicles/{vehicleId}](#)
- [GET /api/vehicles/page/{pageNumber}/limit/{pageSize}](#)
- [GET /api/vehicles/{vehicleId}](#)
- [POST /api/vehicles/search](#)
- [PUT /api/vehicles/{vehicleId}](#)

TypesResource

POST /api/types

create (createUsingPOST)

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

types [Types](#) (required)
Body Parameter —

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

201
Created
401
Unauthorized
403
Forbidden
404
Not Found

DELETE /api/types/{typeId}

delete (`deleteUsingDELETE`)

Path parameters

typeId (required)

Path Parameter — format: int64

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

OK

204

Not Content

401

Unauthorized

403

Forbidden

GET /api/types/page/{pageNumber}/limit/{pageSize}

getAll (`getAllUsingGET`)

Path parameters

pageNumber (required)

Path Parameter — format: int64

pageSize (required)

Path Parameter — format: int64

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

OK

401

Unauthorized

403

Forbidden

404

Not Found

GET /api/types/{typeId}

get (getUsingGET)

Path parameters

typeId (required)

Path Parameter — format: int64

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

OK

401

Unauthorized

403

Forbidden

404

Not Found

POST /api/types/search

search (searchUsingPOST)

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

criteria [object](#) (required)

Body Parameter —

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

OK

201

Created

401

Unauthorized

403

Forbidden

PUT /api/types/{typeId}

update ([updateUsingPUT](#))

Path parameters

typeId (required)

Path Parameter — format: int64

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

types [Types](#) (required)

Body Parameter —

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

OK

201

Created

401

Unauthorized

403

Forbidden

404

Not Found

VehiclesResource

POST /api/vehicles

create ([createUsingPOST](#))

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

vehicles [Vehicles](#) (required)

Body Parameter —

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

201

Created

401

Unauthorized

403

Forbidden

404

Not Found

DELETE /api/vehicles/{vehicleId}

delete (deleteUsingDELETE)

Path parameters

vehicleId (required)

Path Parameter — format: int64

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

OK

204

Not Content

401

Unauthorized

403

Forbidden

GET /api/vehicles/page/{pageNumber}/limit/{pageSize}

getAll (getAllUsingGET)

Path parameters

pageNumber (required)

Path Parameter — format: int64

pageSize (required)

Path Parameter — format: int64

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

OK

401

Unauthorized

403

Forbidden

404

Not Found

GET /api/vehicles/{vehicleId}

get (getUsingGET)

Path parameters

vehicleId (required)

Path Parameter — format: int64

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

OK

401

Unauthorized

403

Forbidden

404

Not Found

POST /api/vehicles/search

search (searchUsingPOST)

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

criteria [object](#) (required)

Body Parameter —

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

OK

201

Created

401

Unauthorized

403

Forbidden

404

Not Found

PUT /api/vehicles/{vehicleId}

update (updateUsingPUT)

Path parameters

vehicleId (required)

Path Parameter — format: int64

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

vehicles [Vehicles](#) (required)

Body Parameter —

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

OK

201

Created

401

Unauthorized

403

Forbidden

404

Not Found