

# Cucumber Report

Sep 15, 2023, 11:48:58 AM

Start : Sep 15, 11:48:50.666 AM

End : Sep 15, 11:48:57.405 AM

Duration : 6.739 s

Features




Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 1  
FAILED - 4  
SKIPPED - 0


PASSED - 7  
FAILED - 4  
SKIPPED - 5




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Employee Endpoint</u>	6.739 s	5	1	4	0	16	7	4	5

#	Feature Name	Scenario Name
1	<u>Employee Endpoint</u>	<u>/employee should return all the employees</u>
2		<u>/create should create a new Employee</u>
3		<u>/put should update an Employee`s information</u>
4		<u>/delete should delete an Employee`s information</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@getAll	1	0	1	0	1	0	1	0
@getEmployee	1	1	0	0	1	0	1	0
@createEmployee	1	0	1	0	1	0	1	0
@updateEmployee	1	0	1	0	1	0	1	0
@deleteEmployee	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Employee Endpoint</u>	5	1	4	0	6.739 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Employee Endpoint</u>	<u>/employee should return all the employees</u>	3	1	1	1	2.780 s
2		<u>/employee/{id} should return an employee</u>	3	3	0	0	1.674 s
3		<u>/create should create a new Employee</u>	4	1	1	2	0.886 s
4		<u>/put should update an Employee`s information</u>	3	1	1	1	0.603 s
5		<u>/delete should delete an Employee`s information</u>	3	1	1	1	0.746 s

## Employee Endpoint

<b>FAILED</b>	DURATION - 6.739 s	Scenarios		Steps	
/ 11:48:50.666 AM // 11:48:57.405 AM /		Total - 5		Total - 16	
		Pass - 1		Pass - 7	
		Fail - 4		Fail - 4	
		Skip - 0		Skip - 5	



## /employee should return all the employees

<div>FAILED</div> <div>DURATION - 2.780 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 11:48:50.673 AM // 11:48:53.453 AM /</div>				
<div>Employee Endpoint</div>				
<div>@getAll</div>				

#	Step / Hook Details	Status	Duration
1	Given I perform a GET request to the employee endpoint	PASSED	2.705 s
2	Then I verify that it returns status code 200  java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <404>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:139)	FAILED	0.044 s

#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepDefinitions.EmployeesSteps.verifyStatusCode(EmployeesSteps.java:30) at ?.I verify that it returns status code 200(file:///Users/mateo/Desktop/Trabajos/Trabajos%20Mateo/Universidad/ Universidad%20Privada%20Boliviana/Semestre%20VII/2.%20Certificacio%CC%81n%20II/Parciales/ProyectoFinalRestAssured/src/test/ resources/Tests.feature:7) * Not displayable characters are replaced by '?'. </pre>		
3	And I verify that the body does not have size 0	SKIPPED	0.001 s



### /employee/{id} should return an employee

PASSED	DURATION - 1.674 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:48:53.471 AM // 11:48:55.145 AM /				
Employee Endpoint				
@getEmployee				



#	Step / Hook Details	Status	Duration
1	Given an id I GET an employee: "23"	PASSED	0.901 s
2	Then I verify that it returns status code 200	PASSED	0.001 s
3	And I verify that I obtain the employee 23	PASSED	0.772 s

### /create should create a new Employee

FAILED	DURATION - 0.886 s		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 11:48:55.156 AM // 11:48:56.042 AM /				
Employee Endpoint				
@createEmployee				

#	Step / Hook Details	Status	Duration
1	Given the data, I should perform a POST: Mateo 3500 20	PASSED	0.880 s
2	Then I verify that it returns status code 200  <pre>java.lang.AssertionError: 1 expectation failed. Expected status code &lt;200&gt; but was &lt;429&gt;.     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)     at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)     at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)     at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)     at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)     at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)     at java.base/java.lang.reflect.Method.invoke(Method.java:568)     at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)     at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.</pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	<pre> java:198)   at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)   at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)   at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)   at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)   at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)   at stepDefinitions.EmployeesSteps.verifyStatusCode(EmployeesSteps.java:30)   at ?.I verify that it returns status code 200(file:///Users/mateo/Desktop/Trabajos/Trabajos%20Mateo/Universidad/ Universidad%20Privada%20Boliviana/Semestre%20VII/2.%20Certificacio%CC%81n%20II/Parciales/ProyectoFinalRestAssured/src/test/ resources/Tests.feature:20) * Not displayable characters are replaced by '?'. </pre>		
3	And I verify that the body does not have size 0	SKIPPED	0.000 s
4	Then I verify the body response with the same data	SKIPPED	0.001 s
	Mateo 3500 20		



### Input should update an Employee's information

<b>FAILED</b> DURATION - 0.603 s / 11:48:56.050 AM // 11:48:56.653 AM / Employee Endpoint @updateEmployee		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given and id "21" I should update the Employee's inf with the following data Mateo 71391 20	PASSED	0.599 s
2	Then I verify that it returns status code 200 <pre> java.lang.AssertionError: 1 expectation failed. Expected status code &lt;200&gt; but was &lt;429&gt;.   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) </pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepDefinitions.EmployeesSteps.verifyStatusCode(EmployeesSteps.java:30) at ?.I verify that it returns status code 200(file:///Users/mateo/Desktop/Trabajos/Trabajos%20Mateo/Universidad/ Universidad%20Privada%20Boliviana/Semestre%20VII/2.%20Certificacio%CC%81n%20II/Parciales/ProyectoFinalRestAssured/src/test/ resources/Tests.feature:29) * Not displayable characters are replaced by '?'. </pre>		
3	Then I verify the body response with the same data	SKIPPED	0.001 s
	Mateo 71391 20		

### /delete should delete an Employee`s information

FAILED	DURATION - 0.746 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 11:48:56.659 AM // 11:48:57.405 AM /				
Employee Endpoint				
@deleteEmployee				

#	Step / Hook Details	Status	Duration
1	Given an id "21", I should delete the Employee`1s information	PASSED	0.741 s
2	Then I verify that it returns status code 200  <pre> java.lang.AssertionError: 1 expectation failed. Expected status code &lt;200&gt; but was &lt;429&gt;.     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)     at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)     at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)     at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)     at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)     at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)     at java.base/java.lang.reflect.Method.invoke(Method.java:568)     at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)     at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)     at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)     at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)     at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)     at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)     at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)     at stepDefinitions.EmployeesSteps.verifyStatusCode(EmployeesSteps.java:30)     at ?.I verify that it returns status code 200(file:///Users/mateo/Desktop/Trabajos/Trabajos%20Mateo/Universidad/Universidad%20Privada%20Boliviana/Semestre%20VII/2.%20Certificacio%CC%81n%20II/Parciales/ProyectoFinalRestAssured/src/test/resources/Tests.feature:36)           </pre> * Not displayable characters are replaced by '?'.	FAILED	0.003 s
3	And I verify that the employee was deleted by their id: "21"	SKIPPED	0.001 s