Cucumber Report

Start : sep. 14, 7:01:24.925 p. m.

End : sep. 14, 7:01:29.925 p. m.

Duration : 5.000 s

Features	Scenarios	Steps
PASSED - 0	PASSED - 1	PASSED - 7
FAILED - 1	FAILED - 4	FAILED - 4
SKIPPED - 0	SKIPPED - 0	SKIPPED - 5

1

5

16

40 50 60
30 Pass % 70
20 80
10 90
0 % 100
0 %

40 50 60
30 Pass % 70
20 80
10 90
0 100
20 %

40 50 60
30 Pass % 70
20 80
10 90
0 100
43 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Employees endpoint	5.000 s	5	1	4	0	16	7	4	5

#	Feature Name	Scenario Name
1	*Employees endpoint*	*/employee/{id} should return an employee*
2		*/create should create a new Employee*
3		*/put should update an Employee`s information*
4		*/delete should delete an Employee`s information*

TAG	Scenario				Feature			
Name	*T*	*P*	*F*	*S*	*T*	*P*	*F*	*S*
@getAll	1	1	0	0	1	0	1	0
@getEmployee	1	0	1	0	1	0	1	0
@createEmployee	1	0	1	0	1	0	1	0
@updateEmployee	1	0	1	0	1	0	1	0
@deleteEmployee	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Employees endpoint	5	1	4	0	5.000 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Employees endpoint	/employees should return all the employees	3	3	0	0	2.428 s
2		/employee/{id} should return an employee	3	1	1	1	0.731 s
3		/create should create a new Employee	4	1	1	2	0.718 s
4		/put should update an Employee`s information	3	1	1	1	0.542 s
5		/delete should delete an Employee`s information	3	1	1	1	0.555 s

Employees endpoint

FAILED	DURATION - 5.000 s	Scenarios Total - 5 Pass - 1 Fail - 4 Skip - 0	Steps Total - 16 Pass - 7 Fail - 4 Skip - 5
/ 7:01:24.925 p. m. // 7:01:29.925 p. m. /			

/employees should return all the employees

PASSED	DURATION - 2.428 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0
/ 7:01:24.928 p. m. // 7:01:27.356 p. m. /			
Employees endpoint			
@getAll			

| #	Step / Hook Details	Status	Duration
1	Given I perform a GET to the employees endpoint	PASSED	1.909 s
2	Then I verify status code 200 is returned	PASSED	0.020 s
3	And I verify that the body does not have size 0	PASSED	0.482 s

/employee/{id} should return an employee

FAILED	DURATION - 0.731 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1
/ 7:01:27.361 p. m. // 7:01:28.092 p. m. /			
Employees endpoint			
@getEmployee			

#	Step / Hook Details	Status	Duration
1	Given an id I GET an employee: "23"	PASSED	0.712 s
2	Then I verify status code 200 is returned	FAILED	0.013 s

	java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <429>.
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	  at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
	  at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57)
	  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)
	  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
	  at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
	  at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
	  at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)
	  at io.restassured.internal.ResponseSpecificationImpl.this2validateResponseIfRequired(ResponseSpecificationImpl.groovy)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	  at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)
	  at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)
	  at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)
	  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)
	  at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)
	  at io.restassured.specification.ResponseSpecification$statusCode$0.callCurrent(Unknown Source)
	  at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)
	  at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)
	  at stepDefinitions.EmployeesSteps.verifyStatusCode(EmployeesSteps.java:30)
	  at ?.I verify status code 200 is returned(file:///D:/Universidad/6to%20SEMESTRE/CERTIFICACION%20II/Tercer%20Parcial/Trabajos%20practicos/RestAssuredProyectoFinal/src/test/resources/Tests.feature:14)
	* Not displayable characters are replaced by '?'.		

3	And I verify that I obtain the employee 23	SKIPPED	0.002 s

## /create should create a new Employee

FAILED	DURATION - 0.718 s
/ 7:01:28.103 p. m. // 7:01:28.821 p. m. /	
Employees endpoint	
@createEmployee	

Steps
Total - 4
Pass - 1
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given the data, I should perform a POST: Santiago 5300 26	PASSED	0.715 s
2	Then I verify status code 200 is returned	FAILED	0.002 s

	java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <429>.
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	   at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
	   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
	   at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
	   at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
	   at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)
	   at io.restassured.internal.ResponseSpecificationImpl.this2validateResponseIfRequired(ResponseSpecificationImpl.groovy)
	   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	   at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	   at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)
	   at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)
	   at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)
	   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)
	   at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)
	   at io.restassured.specification.ResponseSpecification$statusCode$0.callCurrent(Unknown Source)
	   at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)
	   at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)		

| #	Step / Hook Details	Status	Duration
	at stepDefinitions.EmployeesSteps.verifyStatusCode(EmployeesSteps.java:30) at ?.I verify status code 200 is returned(file:///D:/Universidad/6to%20SEMESTRE/CERTIFICACION%20II/Tercer%20Parcial/Trabajos%20practicos/RestAssuredProyectoFinal/src/test/resources/Tests.feature:22) * Not displayable characters are replaced by '?'.		
3	And I verify that the body does not have size 0	SKIPPED	0.000 s
4	Then I verify the body response with the same data	SKIPPED	0.000 s
	Santiago 5300 26		

/put should update an Employee`s information

FAILED	DURATION - 0.542 s
/ 7:01:28.825 p. m. // 7:01:29.367 p. m. /	
Employees endpoint	
@updateEmployee	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given and id "21" I should update the Employee`s inf with the following data Lucas 123456 20	PASSED	0.540 s
2	Then I verify status code 200 is returned	FAILED	0.002 s
	java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <429>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this2validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification$statusCode$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepDefinitions.EmployeesSteps.verifyStatusCode(EmployeesSteps.java:30) at ?.I verify status code 200 is returned(file:///D:/Universidad/6to%20SEMESTRE/CERTIFICACION%20II/Tercer%20Parcial/Trabajos%20practicos/RestAssuredProyectoFinal/src/test/resources/Tests.feature:32) * Not displayable characters are replaced by '?'.		
3	Then I verify the body response with the same data Lucas | 123456	SKIPPED	0.000 s

/delete should delete an Employee`s information

FAILED	DURATION - 0.555 s		Steps	
/ 7:01:29.370 p. m. // 7:01:29.925 p. m. /			Total - 3	
			Pass - 1	
Employees endpoint			Fail - 1	
			Skip - 1	
@deleteEmployee				

#	Step / Hook Details	Status	Duration
1	Given an id "21", I should delete the Employee`1s information	PASSED	0.550 s
2	Then I verify status code 200 is returned	FAILED	0.002 s
	java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <429>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this2validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification$statusCode$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepDefinitions.EmployeesSteps.verifyStatusCode(EmployeesSteps.java:30) at ?.I verify status code 200 is returned(file:///D:/Universidad/6to%20SEMESTRE/CERTIFICACION%20II/Tercer%20Parcial/ Trabajos%20practicos/RestAssuredProyectoFinal/src/test/resources/Tests.feature:39) * Not displayable characters are replaced by '?'.		
3	And I verify that the employee was deleted by their id: "21"	SKIPPED	0.000 s