

```
No.      Time      Source      Destination      Protocol Length Info
 174 1043.793449  150.0.0.3    150.0.0.1      TCP      60      27921 → 2000 [ACK] Seq=29 Ack=63 Win=4066 Len=0

Frame 174: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface 0
Interface id: 0 (-)
Interface name: -
Encapsulation type: Ethernet (1)
Arrival Time: Apr 18, 2022 18:04:36.854274000 Hora de verano romance
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1650297876.854274000 seconds
[Time delta from previous captured frame: 0.212647000 seconds]
[Time delta from previous displayed frame: 0.212647000 seconds]
[Time since reference or first frame: 1043.793449000 seconds]
Frame Number: 174
Frame Length: 60 bytes (480 bits)
Capture Length: 60 bytes (480 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp]
[Coloring Rule Name: TCP]
[Coloring Rule String: tcp]
Ethernet II, Src: cc:03:32:a8:00:00 (cc:03:32:a8:00:00), Dst: cc:02:30:78:00:00 (cc:02:30:78:00:00)
Destination: cc:02:30:78:00:00 (cc:02:30:78:00:00)
Address: cc:02:30:78:00:00 (cc:02:30:78:00:00)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0. .... = IG bit: Individual address (unicast)
Source: cc:03:32:a8:00:00 (cc:03:32:a8:00:00)
Address: cc:03:32:a8:00:00 (cc:03:32:a8:00:00)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0. .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
Padding: 000000000000
Internet Protocol Version 4, Src: 150.0.0.3, Dst: 150.0.0.1
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0xc0 (DSCP: CS6, ECN: Not-ECT)
1100 00.. = Differentiated Services Codepoint: Class Selector 6 (48)
.... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 40
Identification: 0x55e8 (21992)
Flags: 0x0000
0... .... = Reserved bit: Not set
.0.. .... = Don't fragment: Not set
..0. .... = More fragments: Not set
...0 0000 0000 0000 = Fragment offset: 0
Time to live: 255
Protocol: TCP (6)
Header checksum: 0x3923 [validation disabled]
[Header checksum status: Unverified]
Source: 150.0.0.3
Destination: 150.0.0.1
Transmission Control Protocol, Src Port: 27921, Dst Port: 2000, Seq: 29, Ack: 63, Len: 0
Source Port: 27921
Destination Port: 2000
[Stream index: 0]
[TCP Segment Len: 0]
Sequence number: 29 (relative sequence number)
[Next sequence number: 29 (relative sequence number)]
Acknowledgment number: 63 (relative ack number)
0101 .... = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
000. .... = Reserved: Not set
...0 .... = Nonce: Not set
.... 0... = Congestion Window Reduced (CWR): Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
.... ...1 = Acknowledgment: Set
.... .... 0... = Push: Not set
.... .... .0.. = Reset: Not set
.... .... ..0. = Syn: Not set
.... .... ...0 = Fin: Not set
[TCP Flags: .....A....]
Window size value: 4066
[Calculated window size: 4066]
[Window size scaling factor: -2 (no window scaling used)]
Checksum: 0xa0b0 [unverified]
[Checksum Status: Unverified]
Urgent pointer: 0
[SEQ/ACK analysis]
[This is an ACK to the segment in frame: 173]
[The RTT to ACK the segment was: 0.212647000 seconds]
[iRTT: 0.043849000 seconds]
[Timestamps]
[Time since first frame in this TCP stream: 3.431455000 seconds]
[Time since previous frame in this TCP stream: 0.212647000 seconds]
```