Relational Algebra - Division

Gary KL Tam

Department of Computer Science
Swansea University

Division – Past Muddiest Points

- Division was a bit confusing and to understand

$$T_1 \div T_2$$

T_1

pid	cid
$p1$	$c1$
$p1$	$c2$
$p1$	$c3$
$p2$	$c2$
$p2$	$c3$
$p3$	$c1$
$p4$	$c1$
$p4$	$c2$
$p4$	$c3$

T_2

cid
$c1$
$c2$
$c3$

Results:
p1
p4

$$\Pi_{S_1-S_2}(T_1) - \Pi_{S_1-S_2}\left(\Pi_{S_1-S_2}(T_1) \times T_2 - T_1\right) = T_1 \div T_2$$

Division

$$\Pi_{S_1-S_2}(T_1) - \Pi_{S_1-S_2}\left(\Pi_{S_1-S_2}(T_1) \times T_2 - T_1\right) = T_1 \div T_2$$

Which operations go first?

- Complex expressions can be composed recursively, just as in arithmetic.
- Parentheses and precedence rules define the order of evaluation.
- Precedence, from highest to lowest, is:
  σ, Π, ρ
  $\times$, $\bowtie$
  $\cap$, $\div$
  $\cup$, $-$
- Unless very sure, use brackets!

Division Example

- Get supplier which supply **all** the parts

supp_id	part_id
A	1
A	2
A	3
B	1
B	2
C	3
D	3

÷

part_id
1
2
3

=

Supp_id
A

Division Example

- Get supplier which supply **all** the parts

supp_id	part_id
A	1
A	2
A	3
B	1
B	2
C	3
D	3

÷

part_id
1
2
3

=

Supp_id
A

$$T_1 \div T_2 = \Pi_{S_1 - S_2}(T_1) - \Pi_{S_1 - S_2}(\Pi_{S_1 - S_2}(T_1) \times T_2 - T_1)$$

S_1= {supp_id, part_id} S_2= {part_id} S_1-S_2 = {supp_id}

Note1: S_1 and S_2 are set of attributes that form the ***schema***!
They are not the set of tuples.

Note2: $S_2 \subset S_1$

Division Example

- Get supplier which supply **all** the parts

supp_id	part_id
A	1
A	2
A	3
B	1
B	2
C	3
D	3

÷

part_id
1
2
3

=

Supp_id
A

$$T_1 \div T_2 = \Pi_{s_1 - s_2}(T_1) - \Pi_{s_1 - s_2}(\boxed{\Pi_{s_1 - s_2}(T_1)} \times T_2 - T_1)$$

All suppliers that supply

supp_id
A
B
C
D

Division Example

- Get supplier which supply **all** the parts

supp_id	part_id
A	1
A	2
A	3
B	1
B	2
C	3
D	3

÷

part_id
1
2
3

=

Supp_id
A

$$T_1 \div T_2 = \Pi_{S_1 - S_2}(T_1) - \Pi_{S_1 - S_2}(\Pi_{S_1 - S_2}(T_1) \times T_2 - T_1)$$

All possible combinations of Parts and Suppliers (which supply).

supp_id	part_id
A	1
A	2
A	3
B	1
B	2
B	3
C	1
C	2
C	3
D	1
D	2
D	3

Division Example

- Get supplier which supply **all** the parts

supp_id	part_id
A	1
A	2
A	3
B	1
B	2
C	3
D	3

÷

part_id
1
2
3

=

Supp_id
A

$$T_1 \div T_2 = \Pi_{s_1 - s_2}(T_1) - \Pi_{s_1 - s_2}(\Pi_{s_1 - s_2}(T_1) \times T_2 - T_1)$$

supp_id	part_id
A	1
A	2
A	3
B	1
B	2
B	3
C	1
C	2
C	3
D	1
D	2
D	3

All possible combinations of Parts and Suppliers (which supply).

−

supp_id	part_id
A	1
A	2
A	3
B	1
B	2
C	3
D	3

Supplier and parts that they **really** supply

Division Example

- Get supplier which supply **all** the parts

supp_id	part_id
A	1
A	2
A	3
B	1
B	2
C	3
D	3

÷

part_id
1
2
3

=

Supp_id
A

$$T_1 \div T_2 = \Pi_{s_1 - s_2}(T_1) - \Pi_{s_1 - s_2}(\Pi_{s_1 - s_2}(T_1) \times T_2 - T_1)$$

Suppliers, and the parts which the supplier ***do not*** supply

supp_id	part_id
B	3
C	1
C	2
D	1
D	2

<=

supp_id	part_id
A	1
A	2
A	3
B	1
B	2
B	3
C	1
C	2
C	3
D	1
D	2
D	3

All possible combinations of Parts and Suppliers (which supply).

-

supp_id	part_id
A	1
A	2
A	3
B	1
B	2
C	3
D	3

Supplier and parts that they **really** supply

Division Example

- Get supplier which supply **all** the parts

supp_id	part_id
A	1
A	2
A	3
B	1
B	2
C	3
D	3

÷

part_id
1
2
3

=

Supp_id
A

$$T_1 \div T_2 = \Pi_{s_1 - s_2}(T_1) - \boxed{\Pi_{s_1 - s_2}(\Pi_{s_1 - s_2}(T_1) \times T_2 - T_1)}$$

supp_id	part_id
B	3
C	1
C	2
D	1
D	2

=>

supp_id
B
C
D

Suppliers which has a/some parts **not** supplied

Division Example

- Get supplier which supply **all** the parts

supp_id	part_id
A	1
A	2
A	3
B	1
B	2
C	3
D	3

÷

part_id
1
2
3

=

Supp_id
A

$$T_1 \div T_2 = \Pi_{s_1 - s_2}(T_1) - \Pi_{s_1 - s_2}(\Pi_{s_1 - s_2}(T_1) \times T_2 - T_1)$$

Supplier which supply ***all*** the parts

Supp_id
A

=

supp_id
A
B
C
D

All suppliers that supply

-

supp_id
B
C
D

Suppliers which has <u>a/some</u> parts **not** supplied