

Variable name	Used in preliminary data (Y=yes, N=no)	Field type	Criteria for inclusion in study	Missing value criteria	Discrepant values	Description
RECORDNO	Y	Numeric				Oracle record number
HOSPITAL	Y	Numeric				SHMHS hospital code number of birth
HOSPNAME	N	Label				Hospital name
YEAR	Y	Numeric				Year of record
ED01	N	Label				Enumeration district of residence
CRD1ARS	Y	Numeric				Carstairs's deprivation index
CRSQUINT	Y	Numeric	Recode >5 to missing	6		Carstairs's deprivation quintile
MHOSPNUM	N	Label				Mother's hospital number
BIRTHORD	N	Numeric				Birth order
BIRTHMTH	Y	Numeric	Recode < 1 or > 12 to missing	99		Birth month (MM)
RECSTAT	N	Label				Record status
PREGOCC	N	Label				Pregnancy occurrence
BOOKSTAT	N	Label				Booking status
RECDA1	N	Date				Date record created (DDMMYY)
MOOB	Y	Date				Mothers date of birth (DDMMYY)
MARITAL	Y	Label	Recode other than M, N, D, S, W to missing	2, U		Marital status (M=married, N=never married, D=divorced, S=separated, W=widowed)
CATEGORY	Y	Label	Recode other than N, P, A, O to missing	M		Patient category (N=normal, P=private, A=amenity, O=overseas visitor)
DISTRES	N	Label				District of residence
MNHSNO	N	Label				Mother's NHS number
ETNIC	Y	Label				Mother's ethnic group (pre 1995) (C=Caucasian, A=Black African, W=Black Caribbean, I=Indo-Pakistani, O=Oriental, M=Mediterranean, Z=Other) (and combinations)
INTERP	N	Label	Recode W to missing	W		Interpreter needed (Y=yes, N=no)
SMOKING	Y	Label	Recode other than N, L, M, H to missing			Smoking habits (N=non smoker, L=light (1-9 per day), M=moderate (10-19 per day), H=heavy (20+ per day))
HISTDIA	Y	Label	Recode other than Y, N to missing			History of diabetes (Y=yes, N=no)
EPILEPS	Y	Label	Recode other than Y, N to missing			History of epilepsy (Y=yes, N=no)
HYPERTE	Y	Label	Recode other than Y, N to missing			Hypertension at any time (Y=yes, N=no)
BLDTRANS	Y	Label	Recode other than Y, N to missing			Previous blood transfusion (Y=yes, N=no)
BOOKCMP	Y	Label	Recode other than Y, N to missing			Other booking complications (Y=yes, N=no)
PARITY	Y	Numeric	PARITY = 0			Parity of mother (=0 for first birth)
PREVLIVE	N	Numeric				Number of previous livebirths
PROVILL	N	Numeric				Number of previous stillbirths
PREVDTHS	N	Numeric				Number of previous deaths within 28 days of birth
PREVCAES	N	Numeric				Number of previous Caesarians
PREVMISC	N	Numeric				Number of previous miscarriages
PREVTERM	N	Numeric				Number of previous terminations
LWEIGHT	N	Numeric				Weight of last infant at delivery (g)
LASTGEST	N	Numeric				Gestation of last infant at delivery (weeks)
LPERIOD	N	Date				Date of last menstrual period (DDMMYY)
CERTLPRD	Y	Label	Recode other than C, U, N to missing			Certainty of last menstrual period (C=certain, U=uncertain, N=no idea)
REGULAR	Y	Label	Recode other than R, L, A to missing			Regularity of menstrual cycle (R=regular, L=irregular, A=amenorrhoea)
EDD0MP	N	Date				Estimated date of delivery by date of last menstrual period
FIRSTAN	N	Date				Date of first antenatal visit (DDMMYY)
MWEIGHT	Y	Numeric				Maternal weight at booking (kg)
MWEIGHT	Y	Numeric	Recode < 30 or > 200 to missing	0-29 >200		Maternal weight at booking (kg)
MBOOKBP	Y	Numeric	Recode < 30 to missing	0-29		Maternal diastolic blood pressure at booking
INTPLAE	Y	Label	Recode other than T, O, H, N, U to missing			Intended place of delivery (T=this hospital, O=other hospital, H=home, N=none, U=unbooked)
INTCARE	N	Label				Intended place of antenatal care (hospital specific)
SPINTEL	N	Label				Specified intended place of delivery (N=NHS hospital, X=GP maternity home, P=private, O=other hospital, Z=other, C=consultant facility, M=mixed consultant/GP facility)
BOOKHB	Y	Numeric	Recode < 4 or > 22 to missing	0-3, >22		Maternal haemoglobin level at booking
BLOODGRP	Y	Label	Recode other than O, A, B, AB to missing	0, GP, P		Maternal bloodgroup (O, A, B, AB)
RHESUS	Y	Label	Recode other than P, N to missing			Rhesus factor (P=positive, N=negative)
ANTIBODY	Y	Label	Recode other than N, O, R to missing	M		Antibodies present (N=none, O=other, R=rhesus)
SICKLE	Y	Label	Recode other than N, D, T, X to missing			Thalassaemia or sickle cell disorders (N=not done, D=done-negative, T=sickle cell trait, X=disease, Z=other/unknown) (splits from 1995)
SICKLTRANS	N	Label				Sickle cell trait
PARTSICK	N	Label				Partner's sickle cell test
PTSKLYTR	N	Label				Partner's sickle cell trait
THALASS	N	Label				Thalassaemia or sickle cell disorders (N=not done, D=done-negative, M=major, M=minor, T=trait)
PTHALRYT	N	Label				Partner's thalassaemia test
RUBELLA	Y	Label	Recode other than N, I, S to missing			Mother's rubella status (N=not done, I=immune, S=susceptible)
SYPHILIS	Y	Label	Recode other than D, N, P to missing	D		Syphilis serology (D=done-negative, N=not done, P=positive)
CXSMEAR	Y	Label	Recode other than N, D, A, U to missing	C		Cervical cytology (N=not done, D=done-normal, A=abnormal, U=unsatisfactory)
HEPB	Y	Label	Recode other than N, D, P to missing			Hepatitis B (Australia antigen) (N=not done, D=done - normal, P=positive)
BPD	N	Numeric				Biparietal diameter (mm)
EDDUS	N	Numeric				Estimated date of delivery by ultrasound (DDMMYY)
DATUS	N	Numeric				Date of administration of ultrasound scan (DDMMYY)
SERUMTSY	N	Label				Serum screen test
ANOMALY	N	Label				Anomaly scan
AFF	Y	Label	Recode other than N, D, R, L to missing			Serum alpha foeto protein (N=not done, D=done-normal, R=raised, L=low)
CYS	Y	Label	Recode other than N, U to missing			Chronic villus biopsy performed (N=not done, D=done, U=unsuccessful)
AMNIO	Y	Label	Recode other than N, D, U to missing	A		Amniocentesis (N=not done, D=done, U=unsuccessful)
DAMNIO1	N	Date				Date of 1st amniocentesis (DDMMYY) (missing data: see DTAMNIO1)
DAMNIO2	N	Date				Date of 2nd amniocentesis (DDMMYY) (missing data: see DTAMNIO2)
PREGDIA	N	Label	Recode other than N, G, E to missing	Y		Diabetes in pregnancy (N=none, G=gestational, E=established)
INSULIN	Y	Label	Recode other than Y, N to missing	A		Insulin treatment required (Y=yes, N=no) (1995 onwards)
UTI	Y	Label	Recode other than N, A, P, O to missing	0, H, G		Urinary tract infection (N=none, A=asymptomatic bacturia, P=pyelonephritis, O=other UTI)
CARDIAC	Y	Label	Recode other than N, A, C to missing	D		History of cardiac disease (N=none, A=acquired, C=congenital)
RENAL	Y	Label	Recode other than Y, N to missing			History of renal disease (Y=yes, N=no)
HIGHBP	Y	Numeric	Recode < 30 to missing	0-29		Highest antenatal diastolic blood pressure
PROTEIN	Y	Label	Recode other than N, P to missing			Proteinuria in pregnancy (N=none, P=persistent proteinuria)
APT	Y	Label	Recode other than D, L, P, X, N, A to missing	Y		Antepartum haemorrhage (N=none, D=obstetrical cause, L=local cause, P=praevia with haemorrhage, X=praevia without haemorrhage, A=abruption proven)
OTHANCMP	Y	Label	Recode other than Y, N to missing	E		Other antenatal complications (Y=yes, N=no)
MLASTWT	Y	Numeric	Recode < 30 or > 200 to missing	0-29 >200		Mothers weight at last clinic visit (kg)
LOWHE	Y	Numeric	Recode < 4 or > 22 to missing	0-3, >22		Lowest antenatal haemoglobin level (numeric or NONE)
ANSTRANS	Y	Numeric				Number of antenatal blood transfusions given
CXSUTURE	N	Label				Cervical suture (Y=yes, N=no)
NOSCAINS	Y	Numeric				Number of ultrasound scans given
NOANAL	Y	Numeric				Number of antenatal clinic visits
ANMANAGE	N	Label				Antenatal management (hospital specific)
MEDIC	N	Label				Medication given (S=steroids, O=other, N=none)
STEROIDS	N	Date				Date steroids administered (1995 onwards)? (DDMMYY)
OTERDRUGS	N	Date				Date other drugs administered (1995 onwards)? (DDMMYY)
ANNIGHTS	Y	Numeric				Number of antenatal in-patient nights
NOADMINS	N	Numeric				Number of antenatal admissions
AGEBOOK	Y	Numeric	Recode < 10 or > 60 to missing	0-0, >60		Mothers age at booking (years)
GESTBOOK	Y	Numeric	Recode < 5 or > 44 to missing	0-4, >44		Gestation age at booking (weeks)
ANREASN	N	Label	Recode 0, C, R, X to missing	0, C, R, X		Reason for antenatal completion (A=antenatal only, L=left district, S=spontaneous abortion, I=induced abortion, E=ectopic pregnancy, M=mole, N=not pregnant, D=mother died)
DATCOMP	N	Date				Date pregnancy ended (DDMMYY)
NOINFANT	Y	Numeric	NOINFANT = 1			Number of infants delivered
SPARENT	Y	Label	Recode other than Y, N to missing			Single unsupported mother (Y=yes, N=no)
ONSETLA	Y	Label	Recode other than S, L, N to missing	E		Labour onset (S=spontaneous, I=induction, N=none)
AUGMENT	Y	Label	Recode other than Y, N to missing	A		Augmentation (Y=yes, N=no)
DAT1STG	N	Date				Date of onset of 1st stage of labour (DDMMYY)
TIM1STG	N	Numeric				Time of 1st stage of labour (H:MM)
DAT2STG	N	Date				Date of onset of 2nd stage of labour (DDMMYY)

TIM2STG	N	Numeric			Time of 2nd stage of labour (HHMM)
ANALAS	Y	Label			Analgesia administered in labour (I=inhalational, P=pethidine, E=epidural, G=G.A., S=splinal, C=CSE, T=TENS, L=local infiltration, B=pudendal block, N=none, O=other) (and combinations)
ANALDEL	Y	Label			Analgesia administered in delivery (I=inhalational, P=pethidine, E=epidural, G=G.A., S=splinal, C=CSE, T=TENS, L=local infiltration, B=pudendal block, N=none, O=other) (and combinations)
ANALPOL	Y	Label			Analgesia administered post-delivery (I=inhalational, P=pethidine, E=epidural, G=G.A., S=splinal, C=CSE, T=TENS, L=local infiltration, B=pudendal block, N=none, O=other) (and combinations)
METHRD	Y	Label	Recode other than A, O, P and combinations to missing	C, DO, EAO, EO, H, HO, IA, IO, N, NA, NAO, NO, NDA, NOP, NP, PT, PI, RO, Y, YOP	Method of induction/augmentation (A=ARM, C=oxytocin, P=prostaglandins) (and combinations)
PYREXA	Y	Label	Recode other than Y, N to missing		Pyrexia in labour of unknown cause (Y=yes, N=no)
BLDLOSS	Y	Numeric	Recode 9999 to missing	9999	Blood loss (ml)
PERINEUM	Y	Label	Recode other than E, ES, ET, F, FE, I, S, SE, T, TE to missing	ST	State of perineum (I=inlact, F=first degree tear, S=second degree tear, T=third degree tear, E=episiotomy) (and combinations)
NONPERI	Y	Label	Recode other than Y, N to missing		Non-perineal tear (Y=yes, N=no)
SUTURE	Y	Label	Recode other than Y, N to missing	&, D, R	Perineum sutured (Y=yes, N=no)
MANREMOV	Y	Label	Recode other than Y, N to missing		Manual removal of placenta (Y=yes, N=no)
PLACENTA	Y	Label	Recode other than C, I to missing		Placenta complete (C=complete, I=incomplete)
MEMBRANE	N	Label			Ragged membrane (C=complete, E=ragged)
LABCOMP	N	Label			Other labour complications (Y=yes, N=no, R=? (coding incomplete)
ECLAMP	Y	Label	Recode other than Y, N to missing		Eclampsia (Y=yes, N=no)
THROMBO	Y	Label	Recode other than Y, N to missing		Thromboembolism (Y=yes, N=no)
ERIC	Y	Label	Recode other than Y, N to missing		Evacuation of retained products of conception (Y=yes, N=no)
PSYCHO	Y	Label	Recode other than Y, N to missing		Puerperal psychosis (Y=yes, N=no)
PRINFE	Y	Label			Post partum infection (G=genital, W=wound, U=UTI, B=breast, C=chest, P=pyrexia (unknown cause), N=none) (and combinations)
DISCHRB	Y	Numeric	Recode < 4 or > 22 to missing	0-3, >22	Haemoglobin level at discharge
ANTID	Y	Label	Recode other than N, R, G to missing	D, U	Anti-D given (N=not required, R=required - not given, G=given)
RUBELVAC	N	Label			Rubella vaccination (N=not required, R=required - not given, G=given)
CONTRCEP	N	Numeric			Number of post natal blood transfusions
PNMCOMP	N	Label			Proposed contraception (U=unintended, P=progestosterone only oral contraception (OC), C=combined OC, I=IUD, S=sheath, D=diaphragm, Z=depo provera, N=none, X=for state)
METHDISH	N	Label			Other natal maternal complications (Y=yes, N=no)
MANIC0	N	Label			Method of maternal discharge
MANIC01	N	Label			Mother's antenatal complications ICD coded (Y=yes, N=no)
MANIC02	N	Label			Mother's antenatal complications ICD code 1
MANIC03	N	Label			Mother's antenatal complications ICD code 2
MANIC04	N	Label			Mother's antenatal complications ICD code 3
MICDOPS	N	Label			Mother's antenatal complications ICD code 4
MICDOPS1	N	Label			Mother's operations codes (Y=yes, N=no)
MICD1DAT	N	Date			Mother's operation 1 OPCS code
MICDOPS2	N	Label			Mother's operation 2 OPCS code
MICD2DAT	N	Date			Mother's date of operation 2 (DDMMYY)
MICDOPS3	N	Label			Mother's operation 3 OPCS code
MICD3DAT	N	Date			Mother's date of operation 3 (DDMMYY)
MICDCCOMP	N	Label			Mother's delivery complications ICD codes (Y=yes, N=no)
MICDCL1	N	Label			Mother's delivery complications ICD code 1
MICDCL2	N	Label			Mother's delivery complications ICD code 2
MICDCL3	N	Label			Mother's delivery complications ICD code 3
MICDPCS	N	Label			Mother's post-natal (puerperal) complications ICD codes (Y=yes, N=no)
MICDPCP1	N	Label			Mother's post-natal (puerperal) complications ICD code 1
MICDPCP2	N	Label			Mother's post-natal (puerperal) complications ICD code 2
MICDPCP3	N	Label			Mother's post-natal (puerperal) complications ICD code 3
MAGEDEL	Y	Numeric	Recode < 10 or > 60 to missing	0-9, >60	Maternal age at delivery (years)
LENG1STG	Y	Numeric	Recode numbers HHMM with MM=59 to missing		Length of 1st stage of labour (HHMM)
UPNSTAY	Y	Numeric			Length of mother's post-natal stay in hospital (days)
RUTMET	Y	Label	Recode other than S, A, N to missing		Method of rupture of membranes (S=spontaneous, A=artificial, N=none) (coding incomplete)
DATRUP	N	Date			Date of rupture of membranes (DDMMYY)
TIMRUP	N	Numeric	Recode numbers HHMM with MM=59 to missing		Time membranes ruptured (HHMM)
PROCLAPSE	Y	Label	Recode other than Y, N to missing	*	Cord prolapse (Y=yes, N=no)
MANIPUL	Y	Label	Recode other than N, V, B, T, O, Z to missing		Manipulation of fetus before delivery (N=normal, V=vertex, B=breach, T=transverse/oblique, O=oblique, Z=other)
CTG	Y	Label	Recode other than N, A, Z to missing		Electronic fetal heart monitor (N=normal, A=abnormal, Z=not monitored)
FETALPH	Y	Numeric	Recode > 14 to missing	>14	Lowest fetal pH (numeric or NONE)
MECONIUM	Y	Label	Recode other than Y, N to missing		Meconium stained liquor (Y=yes, N=no)
BIRTHDAT	Y	Date			Infant's date of birth (DDMMYY)
BIRTHTIM	N	Numeric			Infants time of birth (HHMM)
PLACDAT	N	Date			Date of delivery of placenta (DDMMYY)
PLACTIM	N	Numeric			Time of delivery of placenta (HHMM)
SEX	Y	Label	Recode other than M, F, I to missing	@	Sex (M=male, F=female, I=indeterminate)
BIRTHWGT	Y	Numeric	BIRTHWGT >= 200		Birthweight (g)
GEST	Y	Numeric	Recode < 5 or > 44 to missing	0-4, >44	Gestation (weeks)
CONGABS	Y	Label	Recode other than Y, N, ? to missing	@, E, P	Congenital abnormalities (Y=yes, N=no, ?=query)
PRESEDEL	Y	Label	Recode other than V, B, O, Z to missing	X	Presentation of fetus at delivery (V=vertex, B=breach, O=other cephalic, Z=other)
METHDEL	Y	Label	Recode other than S, C, E, L, R, O, V, A, B to missing		Method of delivery (S=spontaneous, C=emergency caesarean, E=elective, L=lift out forceps, R=rotational forceps, V=ventouse, A=assisted breech, B=breach)
OUTCOME	Y	Label	Recode other than L, N, A, I, X, Y, Z to missing		Outcome (L=livborn and still living, M=stillborn, A=antepartum stillbirth, I=intrapartum stillbirth, X=indeterminate stillbirth, Y=spontaneous abortion, Z=induced abortion)
PLACEDL	Y	Label	Recode other than Y, I, H, O to missing	N, Z	Place of delivery (I=in hospital, H=in transit, O=other)
REASCHG	Y	Label	Recode other than C, U, P, L, O, Z to missing	E, R	Reason for change of place of delivery (C=change of address, U=unintentionally in labour, P=pregnancy - clinical reasons, L=labour - clinical reasons, O=other reasons - preg)
DELBY	Y	Label	Recode other than M, A, H, G, C, O, U to missing	R	Person conducting delivery (M=midwife, A=agency midwife, H=hospital doctor, G=GP, C=community midwife, O=other, U=unattended in labour)
SPECDOEL	N	Label			Specified place of delivery (N=NS hospital, X=not maternity home, P=private, O=other hospital, Z=other, C=consultant facility, M=used consultant/GP facility)
BROCHDIAG	Y	Label	Recode other than D, U (u) to missing	(, /, /, ?, @, 1, 2, 3, 4, 6, a, A, b, B, c, c, E, F, g, G, H, I, K, L, M, n, N, o, O, p, P, q, Q, R, S, T, v, v, W, X, Y, Z	Undiagnosed breech delivery (D=diagnosed, U=undiagnosed)
BTHPOLY	Y	Label	Recode other than N (n), L, D, B (b), U (u) to missing	(, /, /, ?, @, 0, 3, 7, 9, a, A, c, c, D, E, f, F, G, c, H, i, I, K, M, o, O, P, r, R, s, S, t, T, v, v, W, X, Y	Use of birth pot (N=not used, L=labour only, D=delivery only, B=both labour and delivery, U=unknown)
INFETANI	Y	Label	Recode other than C, A, W, I, O, M and Z (and post 1995 to missing)	####, HIGH, XGKC	Infants ethnic group (pre 1995) (C=Caucasian, A=Black African, W=Black Caribbean, I=Indo-Pakistani, O=Oriental, M=Mediterranean, Z=Other) (and combinations)
APGAR1	Y	Numeric			Apgar score at 1 minute
APGAR5	Y	Numeric			Apgar score at 5 minutes
ONSRESP	Y	Numeric	Recode > 60 to missing	>60	Onset of regular respiration (minutes)
RESUSPP	Y	Label	Recode other than N, M, L, C to missing		Resuscitation positive pressure (N=normal, M=mask, I=intubation, C=cardiac massage and intubation)
RESUSDG	Y	Label	Recode other than N, X, S, O to missing		Resuscitation drugs used (N=none, X=naloxone, S=sodium bicarbonate, O=other)
OTHDELCAI	N	Label			Other delivery complications (Y=yes, N=no)
INFRD	N	Label			Infant's hospital number (hospital specific)
PLACE	N	Label			Birth place (hospital specific or DDM)
PAEDGEST	Y	Numeric	Recode < 5 or > 44 to missing	0-4, >44	Paediatric assessment of gestation (weeks)
HEADCIRC	Y	Numeric	Recode < 20 or > 40 to missing	0-19, >40	Birth head circumference (cm)
BLENGTH	Y	Numeric	Recode < 32 or > 65 to missing	0-31, >65	Birth length (cm)
HIP	Y	Label	Recode other than N, D, A, Z to missing	1, #	Hip examination (N=normal, D=doubtful, A=abnormal, Z=not examined)
CONVUL	Y	Label	Recode other than A, P to missing	D, #	Convulsions (A=absent, P=present)
CRANUL	N	Label			Other abnormal behaviour (A=absent, P=present)
JAUNDICE	Y	Label	Recode other than A, P to missing	D, N	Jaundice present (A=absent, P=present)
BILI	Y	Numeric	Recode < 1 or > 600 to missing	<1, >600	Maximum bilirubin level (mmol)
INBTHCMP	N	Label			Other infant post-natal complications (Y=yes, N=no)
CONGDISH	N	Label			Congenital abnormalities noted at discharge? (Y=yes, N=no, ?=query)
SCBU	Y	Label	Recode other than Y, N to missing		Infant taken to SCBU (Y=yes, N=no)
ADSCBU	N	Date			Date of admission to SCBU (DDMMYY)
DISSCBU	N	Date			Discharge date from SCBU (DDMMYY)
HIGHNEO	Y	Label	Recode other than N, S, H, I to missing	&, 0, 1, 2, 3, D, E, R	Highest level of neonatal care (N=normal, S=special, H=high intensive, I=maximum intensive)
TCARE	Y	Label	Recode other than Y, N to missing	&, S	Transitional care (Y=yes, N=no)
CORD	N	Label			Cord separation (S=separated, N=not separated)
GUTHRIE	N	Label			Guthrie test (D=done, N=not done)
BCC	N	Label			BCC vaccination given (G=given, N=not given)
HAEMPATH	N	Label			Haemoglobinopathy (D=done, N=not done)
INFB	N	Numeric			Infant's haemoglobin level
INFBGP	N	Label			Infant's blood group (A, B, O, AB)

INFCBS	N	Label			Coomb's test (D=done, N=not done)
CONDINF	Y	Label	Recode other than F, S, N, I, blank to missing	C, D, E	Condition of infant at discharge (blank=not known (presumed fit for discharge), F=fit for discharge, S=still in hospital, N=neonatal death, I=in another hospital)
DINFDISH	N	Date			Date of discharge of infant (DDMMYY)
DISCHWT	N	Numeric			Infant weight at discharge (g)
FEEDINF	N	Label			Feeding at discharge (B=breast, A=artificial, S=supplemented)
DESTINF	N	Label			Destination of infant at discharge (J=mother's home, R=relative's care, F=foster/residential care, O=other hospital - treatment, S=other hospital - social)
INFFU	N	Label			Infant follow-up (N=none, Y=this hospital, O=other hospital, B=both hospitals)
INFMEDIC	N	Label			Infant medication at discharge
INTHDEAT	N	Date			Date of infant's death (DDMMYY)
TIMEDEATH	N	Date			Time of infant's death (HHMM)
AUTOPSY	N	Label			Autopsy performed (Y=yes, N=no)
IICDCMP5	N	Label			Infant's complications ICD code 5 (Y=yes, N=no)
IICDCMP1	N	Label			Infant's complications ICD code 1
IICDCMP2	N	Label			Infant's complications ICD code 2
IICDCMP3	N	Label			Infant's complications ICD code 3
IICDCMP4	N	Label			Infant's complications ICD code 4
IICDCMP5	N	Label			Infant's complications ICD code 5
IICDCOMP	N	Label			Other infant's complications coded (coding uncertain)
IICDOCP1	N	Label			Other infant's complications code 1
IICDOCP2	N	Label			Other infant's complications code 2
IICDOCP3	N	Label			Other infant's complications code 3
IICDOCP4	N	Label			Other infant's complications code 4
IICDOCP5	N	Label			Other infant's complications code 5
ICDCNG48	N	Label			Infant's congenital abnormalities coded (Y=yes, N=no)
ICDCNGB1	N	Label			Infant's congenital abnormalities code 1
ICDCNGB2	N	Label			Infant's congenital abnormalities code 2
ICDCNGB3	N	Label			Infant's congenital abnormalities code 3
ICDCNGB4	N	Label			Infant's congenital abnormalities code 4
ICDCNGB5	N	Label			Infant's congenital abnormalities code 5
DAY28	N	Label			Infant's condition at 28 days
CENTILE	Y	Numeric			Birthweight centile
LENGLAB	N	Numeric	Recode numbers HHMM with MM>59 to missing		Length of 2nd stage of labour (HHMM)
TIMSCBU	Y	Numeric	Recode < 0 or > 365 to missing	<0,>365	Days spent in SCBU
AGEDEATH	N	Numeric	Recode to missing? (John H to give answer)		Age at neonatal death (days)
LENG2STG	Y	Numeric	Recode numbers HHMM with MM>59 to missing		Length of 2nd stage of labour (HHMM)
DAYATDTH	Y	Numeric	Any still alive		Days old at death
LENG3STG	Y	Numeric	Recode numbers HHMM with MM>59 to missing		Length of 3rd stage of labour (HHMM) (missing)
INTHOSDL	N	Label			Intended hospital of delivery
REASON	N	Label			Reason antenatal care discontinued
SPECOPDL	N	Label			Specified other place of delivery (N=NHS hospital, X=GP maternity home, P=private, O=other hospital, Z=other, C=consultant facility, M=mixed consultant/GP facility)
METHSTER	N	Label			Method of sterilization (T=tube division ligation, L=laparoscopy, O=other, N=none)
MOEST	N	Label			Destination of mother
BORNAT	N	Label			Actual hospital of delivery
INFNHSNO	N	Label			Infant's NHS number (not used?)
TIMDISH	N	Numeric			Time of discharge of infant (missing)
ETHNIC2D	N	Label			Mothers ethnic group code
ETHNICP	N	Label			Mothers ethnic group PAS code
INFETHCD	Y	Label			Infants ethnic group code
INFETHP	N	Label			Infants ethnic group PAS code
Variables not used in current dataset (were in 1988-98 version)					
TYPE	N	Label			Record type
UNBOOKED	N	Label	Recode other than B, I, N, O, blank to missing	U, Y	Reason for not booking (blank=not applicable, I=in-utero transfer, N=not formally booked, B=BBA, O=other)
ANOPS	N	Label			Antenatal operations performed (coding unknown)
MWARD	N	Label			Ward mother transferred to (hospital specific)
INFCOMP	N	Label			Infant complications (Y=yes, N=no)
INFIED	N	Label			Infant discharged against medical advice (Y=yes, N=no)
OTHCDISH	N	Label			Other conditions noted at discharge (A=absent, P=present)
INFPNST	N	Numeric			Length of infant's post-natal stay in hospital (days)?
DOWNRISK	N	Numeric			Down's syndrome risk factor?
BMI	N	Numeric	Recode to missing if MHEIGHT or MWEIGHT are missing		Maternal body mass index
TIMPLDEL	N	Numeric			?
MRUGION	N	Label			Mother's religion
INFCOUPS	N	Label			?
MPCDEVAL	N	Label			?
YR	N	Numeric			Year? (duplicates YEAR?)
New Variables					
BMICD	Y	Numeric			Body mass index (recalculated so as to be missing when height and weight are)
RMBOOKBP	Y	Numeric			Maternal diastolic blood pressure at booking rounded to nearest 5
RBMI	Y	Numeric			Body mass index rounded to nearest 1
RHIGHBP	Y	Numeric			Highest antenatal diastolic blood pressure rounded to nearest 5
RBOOKHB	Y	Numeric			Maternal haemoglobin level at booking rounded to nearest 1
RLOWHB	Y	Numeric			Lowest antenatal haemoglobin level rounded to nearest 1
LATEBOOK	Y	Numeric			Those booking after 20 weeks (0=0-20 weeks gestation at booking, 1=21+ weeks gestation at booking)
PET	Y	Numeric	Recode any with booking BP>90 and highest BP<=90 or with gestation age at booking >20	Any with booking BP>90 and highest BP<=90 or with gestation age at booking >20	Preeclamptic toxemia (0=normotensive (booking BP<=90, gestation age at booking<=20, highest BP<=90, no proteinuria), 1=kidney disease (booking BP<=90, gestation age increase in antenatal maternal diastolic blood pressure =>HIGHBP-MBOOKBP)
INCRBP2D	Y	Numeric			Decrease in antenatal maternal haemoglobin (=MBOOKHB-LOWHB)
DECRHB2D	Y	Numeric			Perinatal mortality (0=liveborn and still living (OUTCOME=L and CONDINF=not equal to N), 1=liveborn but neonatal death (either OUTCOME=N or CONDINF=N), 2=partus dead)
PERDTNCD	N	Numeric	Recode any with CONDINF=D to missing	Any with CONDINF=D	Date of death
INFDDTHC	N	Numeric	Any still alive		Perinatal mortality (0=liveborn and living >365 days after birth, 1=liveborn and living 28-365 days after birth, 2=liveborn and living 7-27 days after birth, 3=liveborn and living 0-6 days of gestation predicted from ultrasound)
PERDTNCD	Y	Numeric	Recode any with OUTCOME missing to missing		Days of gestation predicted from last menstrual period
DGESUS	Y	Numeric			Best estimate of completed weeks of gestation (using ultrasound, LMP)
DGESLMP	Y	Numeric			Best estimate of days of gestation (using ultrasound, LMP)
WGEST	Y	Numeric			Sex code (0=male, 1=female)
DGEST	Y	Numeric			Perinatal mortality (up to 7 days after birth) (0=no, 1=yes)
SEXKRD	Y	Numeric			Perinatal mortality (up to 28 days after birth) (0=no, 1=yes)
PERDT7	Y	Numeric			Perinatal mortality (up to year after birth) (0=no, 1=yes)
PERDT28	Y	Numeric			Neonatal mortality (up to 1 year after birth) (0=no, 1=yes)
PERDTYR	Y	Numeric			Neonatal mortality (up to 28 days after birth) (0=no, 1=yes)
NEODT7	Y	Numeric			Neonatal mortality (up to year after birth) (0=no, 1=yes)
NEODT28	Y	Numeric			Birthweight rounded to nearest 100 g
NEODTYR	Y	Numeric			Intermittent positive pressure ventilation
RBIRTHWT	Y	Numeric			Masked intermittent positive pressure ventilation
IPPV	Y	Numeric			Total (masked + intubated) intermittent positive pressure ventilation
MPPV	Y	Numeric			Rounded decrease in maternal Hb (rounded to nearest 1)
TIPPV	Y	Numeric			
RDECRHB	Y	Numeric			

[illegible]

[illegible]