Matriz de Risco — Abusadores (Smartico DWH)

Documento técnico — SQL por mapeamento/item (Mateus)

Ambiente: BigQuery | Dataset: smartico-bq6.dwh_ext_24105 | Janela: 90 dias | Timezone: UTC
Versão: v1.4 | Data: 2026-03-03

1. Escopo

Regras/tags cobertas nesta entrega:

- CASHOUT_AND_RUN
- REINVEST_PLAYER
- NON_PROMO_PLAYER
- ENGAGED_PLAYER
- RG_ALERT_PLAYER
- BEHAV_RISK_PLAYER
- POTENCIAL_ABUSER
- PLAYER_NOT_VALID
- PLAYER_REENGAGED
- SLEEPER_LOW_PLAYER
- VIP_WHALE_PLAYER
- WINBACK_HI_VAL_PLAYER
- BEHAV_SLOTGAMER

2. Decisões e definições (congeladas)

- Promo: qualquer registro em j_engagements. Exclusão: from_control_group = TRUE.
- Sessão: tr_login.event_time (proxy de sessão).
- Saque final: tr_acc_withdrawal_approved.
- Atividade: login OR aposta (casino_bet ou sport_bet_settled) OR depósito.
- Janela: 90 dias para extração. Sub-janelas: 7d (NON_PROMO), 30d (SESSÕES), 48h (POTENCIAL_ABUSER), 14d (REENGAGED/SLEEPER/WINBACK).
- GGR (base): Casino = SUM(bcat_last_bet_amount_base_cur) - SUM(bcat_last_win_amount_base_cur). Sports = SUM(sport_last_bet_amount_real * user_to_label_cur_rate) - SUM(sport_last_bet_win_amount_real * user_to_label_cur_rate).
- Slots: slot types = dm_casino_game_type.game_type contém 'slot' (case-insensitive). Slot share = soma das shares em ml_player_preferences.favorite_casino_game_types.
- Validação de conta: Email válido = user_email_status = 'VERIFIED' e core_email_confirmed=TRUE e core_phone_confirmed=TRUE. Demais casos = inválido.

- Qualidade: excluir rollbacks e registros com core_is_exclude_from_report=TRUE quando disponível. Excluir core_is_test_account=TRUE em j_user.
- Deduplicação: para tabelas tr_* e bônus, manter somente a última versão do mesmo event_id por ingest_time (ROW_NUMBER() OVER (PARTITION BY event_id ORDER BY ingest_time DESC)=1).

3. Fontes de dados e colunas usadas

- j_user: user_id, user_ext_id, crm_brand_id, core_registration_date, core_account_status, core_email_confirmed, core_phone_confirmed, user_email_status, core_is_test_account
- dm_brand: crm_brand_id, crm_brand_name, is_deleted
- j_engagements: user_id, create_date, from_control_group, event_type_id, activity_type_id, crm_brand_id
- tr_login: user_id, event_time, event_id, ingest_time
- tr_acc_deposit_approved: user_id, event_time, event_id, ingest_time, acc_last_deposit_amount, bcat_last_deposit_amount_base_cur, user_to_label_cur_rate, acc_is_rollback, core_is_exclude_from_report
- tr_acc_withdrawal_approved: user_id, event_time, event_id, ingest_time, acc_last_withdrawal_amount, user_to_label_cur_rate, acc_is_rollback, core_is_exclude_from_report
- tr_casino_bet: user_id, event_time, event_id, ingest_time, bcat_last_bet_amount_base_cur, casino_is_free_bet, casino_is_rollback, core_is_exclude_from_report
- tr_casino_win: user_id, event_time, event_id, ingest_time, bcat_last_win_amount_base_cur, casino_is_rollback, core_is_exclude_from_report
- tr_sport_bet_settled: user_id, event_time, event_id, ingest_time, sport_last_bet_amount_real, sport_last_bet_win_amount_real, user_to_label_cur_rate, winb_is_real_money_bet, sport_is_rollback, core_is_exclude_from_report
- tr_core_bonus_given: user_id, event_time, event_id, ingest_time
- tr_core_dynamic_bonus_issued: user_id, event_time, event_id, ingest_time, core_dynamic_bonus_amount
- tr_ach_achievement_completed: user_id, event_time, event_id, ingest_time, ach_achievement_last_completed_id
- ml_player_preferences: user_id, favorite_casino_game_types (ARRAY<STRUCT<smr_game_type_id, share>>)
- dm_casino_game_type: smr_game_type_id, game_type

4. Regras e SQL por item

CASHOUT_AND_RUN (-25)

Bônus (tr_core_bonus_given ou tr_core_dynamic_bonus_issued) → saque (tr_acc_withdrawal_approved) em até 7 dias → nenhuma atividade (login/bet/dep) por 48h após o saque.

Definição operacional (congelada):

- Bônus detectado via tr_core_bonus_given ou tr_core_dynamic_bonus_issued (dedup por event_id).
- Saque aprovado em até 7 dias após o bônus (dedup por event_id; excluir rollback/exclude_from_report).
- Flag dispara se não existir atividade (login/aposta/dep) no intervalo [wd_ts, wd_ts + 48h).

Fontes/colunas:

- `smartico-bq6.dwh_ext_24105.tr_core_bonus_given`: user_id, event_time, event_id, ingest_time
- `smartico-bq6.dwh_ext_24105.tr_core_dynamic_bonus_issued`: user_id, event_time, event_id, ingest_time
- `smartico-bq6.dwh_ext_24105.tr_acc_withdrawal_approved`: user_id, event_time, acc_last_withdrawal_amount, user_to_label_cur_rate, acc_is_rollback, core_is_exclude_from_report, event_id, ingest_time
- `smartico-bq6.dwh_ext_24105.tr_login`: user_id, event_time, event_id, ingest_time
- `smartico-bq6.dwh_ext_24105.tr_casino_bet`: user_id, event_time, casino_is_rollback, core_is_exclude_from_report, casino_is_free_bet, event_id, ingest_time
- `smartico-bq6.dwh_ext_24105.tr_sport_bet_settled`: user_id, event_time, sport_is_rollback, core_is_exclude_from_report, winb_is_real_money_bet, event_id, ingest_time
- `smartico-bq6.dwh_ext_24105.tr_acc_deposit_approved`: user_id, event_time, acc_is_rollback, core_is_exclude_from_report, event_id, ingest_time
- `smartico-bq6.dwh_ext_24105.j_user`: user_id, core_is_test_account (exclusão)

Saída (colunas):

- user_id
- user_ext_id
- crm_brand_name
- flag
- score
- tag
- computed_at

SQL (BigQuery):

```
WITH params AS (
  SELECT
    TIMESTAMP_TRUNC(TIMESTAMP_SUB(CURRENT_TIMESTAMP(), INTERVAL 90 DAY), DAY)
AS start_ts,
    CURRENT_TIMESTAMP() AS end_ts,
    TIMESTAMP_TRUNC(TIMESTAMP_SUB(CURRENT_TIMESTAMP(), INTERVAL 7 DAY), DAY) AS
start_7d_ts,
    TIMESTAMP_TRUNC(TIMESTAMP_SUB(CURRENT_TIMESTAMP(), INTERVAL 30 DAY), DAY)
AS start_30d_ts
),
u AS (
  SELECT
    user_id,
    user_ext_id,
    crm_brand_id,
    core_registration_date,
    core_email_confirmed,
    core_phone_confirmed,
    user_email_status
  FROM `smartico-bq6.dwh_ext_24105.j_user`
  WHERE COALESCE(core_is_test_account, FALSE) = FALSE
),
brand AS (
  SELECT crm_brand_id, crm_brand_name
  FROM `smartico-bq6.dwh_ext_24105.dm_brand`
  WHERE COALESCE(is_deleted, FALSE) = FALSE
)
,
bonus AS (
  SELECT user_id, event_time AS bonus_ts
  FROM `smartico-bq6.dwh_ext_24105.tr_core_bonus_given`
  WHERE event_time >= (SELECT start_ts FROM params)
    AND event_time <  (SELECT end_ts FROM params)
  QUALIFY ROW_NUMBER() OVER (PARTITION BY event_id ORDER BY ingest_time DESC) =
1

  UNION ALL

  SELECT user_id, event_time AS bonus_ts
  FROM `smartico-bq6.dwh_ext_24105.tr_core_dynamic_bonus_issued`
  WHERE event_time >= (SELECT start_ts FROM params)
    AND event_time <  (SELECT end_ts FROM params)
  QUALIFY ROW_NUMBER() OVER (PARTITION BY event_id ORDER BY ingest_time DESC) =
1
)
,
dep AS (
  SELECT
    user_id,
    event_time AS dep_ts
  FROM `smartico-bq6.dwh_ext_24105.tr_acc_deposit_approved`
  WHERE event_time >= (SELECT start_ts FROM params)
    AND event_time <  (SELECT end_ts FROM params)
    AND COALESCE(acc_is_rollback, FALSE) = FALSE
    AND COALESCE(core_is_exclude_from_report, FALSE) = FALSE
```

```
  QUALIFY ROW_NUMBER() OVER (PARTITION BY event_id ORDER BY ingest_time DESC) =
1
)
,
wd AS (
  SELECT
    user_id,
    event_time AS wd_ts,
    acc_last_withdrawal_amount * user_to_label_cur_rate AS wd_base_cur
  FROM `smartico-bq6.dwh_ext_24105.tr_acc_withdrawal_approved`
  WHERE event_time >= (SELECT start_ts FROM params)
    AND event_time <  (SELECT end_ts FROM params)
    AND COALESCE(acc_is_rollback, FALSE) = FALSE
    AND COALESCE(core_is_exclude_from_report, FALSE) = FALSE
  QUALIFY ROW_NUMBER() OVER (PARTITION BY event_id ORDER BY ingest_time DESC) =
1
)
,
casino_bet AS (
  SELECT
    user_id,
    event_time AS bet_ts,
    bcat_last_bet_amount_base_cur AS bet_base_cur
  FROM `smartico-bq6.dwh_ext_24105.tr_casino_bet`
  WHERE event_time >= (SELECT start_ts FROM params)
    AND event_time <  (SELECT end_ts FROM params)
    AND COALESCE(casino_is_rollback, FALSE) = FALSE
    AND COALESCE(core_is_exclude_from_report, FALSE) = FALSE
    AND COALESCE(casino_is_free_bet, FALSE) = FALSE
  QUALIFY ROW_NUMBER() OVER (PARTITION BY event_id ORDER BY ingest_time DESC) =
1
)
,
sport AS (
  SELECT
    user_id,
    event_time AS sport_ts,
    sport_last_bet_amount_real * user_to_label_cur_rate AS sport_bet_base_cur,
    sport_last_bet_win_amount_real * user_to_label_cur_rate AS
sport_win_base_cur
  FROM `smartico-bq6.dwh_ext_24105.tr_sport_bet_settled`
  WHERE event_time >= (SELECT start_ts FROM params)
    AND event_time <  (SELECT end_ts FROM params)
    AND COALESCE(sport_is_rollback, FALSE) = FALSE
    AND COALESCE(core_is_exclude_from_report, FALSE) = FALSE
    AND COALESCE(winb_is_real_money_bet, TRUE) = TRUE
  QUALIFY ROW_NUMBER() OVER (PARTITION BY event_id ORDER BY ingest_time DESC) =
1
)
,
login AS (
  SELECT
    user_id,
    event_time AS login_ts
  FROM `smartico-bq6.dwh_ext_24105.tr_login`
```

```
  WHERE event_time >= (SELECT start_ts FROM params)
    AND event_time <  (SELECT end_ts FROM params)
  QUALIFY ROW_NUMBER() OVER (PARTITION BY event_id ORDER BY ingest_time DESC) =
1
)
,
activity AS (
  SELECT user_id, login_ts AS act_ts FROM login
  UNION ALL SELECT user_id, bet_ts  AS act_ts FROM casino_bet
  UNION ALL SELECT user_id, sport_ts AS act_ts FROM sport
  UNION ALL SELECT user_id, dep_ts  AS act_ts FROM dep
),
bet_activity AS (
  SELECT user_id, bet_ts FROM casino_bet
  UNION ALL
  SELECT user_id, sport_ts AS bet_ts FROM sport
)

, b2w AS (
  SELECT
    b.user_id,
    b.bonus_ts,
    MIN(w.wd_ts) AS wd_ts
  FROM bonus b
  JOIN wd w
    ON w.user_id = b.user_id
   AND w.wd_ts > b.bonus_ts
   AND w.wd_ts <= TIMESTAMP_ADD(b.bonus_ts, INTERVAL 7 DAY)
  GROUP BY 1,2
),
flag AS (
  SELECT
    user_id,
    LOGICAL_OR(
      NOT EXISTS (
        SELECT 1
        FROM activity a
        WHERE a.user_id = b2w.user_id
          AND a.act_ts >= b2w.wd_ts
          AND a.act_ts < TIMESTAMP_ADD(b2w.wd_ts, INTERVAL 48 HOUR)
      )
    ) AS flag
  FROM b2w
  GROUP BY 1
)
SELECT
  u.user_id,
  u.user_ext_id,
  br.crm_brand_name,
  f.flag,
  -25 AS score,
  'CASHOUT_AND_RUN' AS tag,
  CURRENT_TIMESTAMP() AS computed_at
FROM u
LEFT JOIN brand br USING (crm_brand_id)
```

```
JOIN flag f USING (user_id)
WHERE f.flag = TRUE
;
```

REINVEST_PLAYER (+15)

Engagement (j_engagements) → depósito aprovado em até 7 dias → aposta (casino/sport) em até 24h após o depósito.

Definição operacional (congelada):

- Promo/engagement = registro em j_engagements (excluir from_control_group=TRUE).
- Depósito aprovado em até 7 dias após eng.
- Flag dispara se existir ao menos 1 bet (casino_bet ou sport_bet_settled) no intervalo [dep_ts, dep_ts + 24h).

Fontes/colunas:

- `smartico-bq6.dwh_ext_24105.j_engagements`: user_id, create_date, from_control_group
- `smartico-bq6.dwh_ext_24105.tr_acc_deposit_approved`: user_id, event_time, acc_is_rollback, core_is_exclude_from_report, event_id, ingest_time
- `smartico-bq6.dwh_ext_24105.tr_casino_bet`: user_id, event_time, casino_is_rollback, core_is_exclude_from_report, casino_is_free_bet, event_id, ingest_time
- `smartico-bq6.dwh_ext_24105.tr_sport_bet_settled`: user_id, event_time, sport_is_rollback, core_is_exclude_from_report, winb_is_real_money_bet, event_id, ingest_time
- `smartico-bq6.dwh_ext_24105.j_user`: user_id, core_is_test_account (exclusão)

Saída (colunas):

- user_id
- user_ext_id
- crm_brand_name
- flag
- score
- tag
- computed_at

SQL (BigQuery):

```
WITH params AS (
  SELECT
    TIMESTAMP_TRUNC(TIMESTAMP_SUB(CURRENT_TIMESTAMP(), INTERVAL 90 DAY), DAY)
AS start_ts,
    CURRENT_TIMESTAMP() AS end_ts,
    TIMESTAMP_TRUNC(TIMESTAMP_SUB(CURRENT_TIMESTAMP(), INTERVAL 7 DAY), DAY) AS
start_7d_ts,
    TIMESTAMP_TRUNC(TIMESTAMP_SUB(CURRENT_TIMESTAMP(), INTERVAL 30 DAY), DAY)
AS start_30d_ts
),
```

```
u AS (
  SELECT
    user_id,
    user_ext_id,
    crm_brand_id,
    core_registration_date,
    core_email_confirmed,
    core_phone_confirmed,
    user_email_status
  FROM `smartico-bq6.dwh_ext_24105.j_user`
  WHERE COALESCE(core_is_test_account, FALSE) = FALSE
),
brand AS (
  SELECT crm_brand_id, crm_brand_name
  FROM `smartico-bq6.dwh_ext_24105.dm_brand`
  WHERE COALESCE(is_deleted, FALSE) = FALSE
)
,
eng AS (
  SELECT
    user_id,
    create_date AS eng_ts,
    event_type_id,
    activity_type_id
  FROM `smartico-bq6.dwh_ext_24105.j_engagements`
  WHERE create_date >= (SELECT start_ts FROM params)
    AND create_date <  (SELECT end_ts FROM params)
    AND COALESCE(from_control_group, FALSE) = FALSE
)
,
dep AS (
  SELECT
    user_id,
    event_time AS dep_ts
  FROM `smartico-bq6.dwh_ext_24105.tr_acc_deposit_approved`
  WHERE event_time >= (SELECT start_ts FROM params)
    AND event_time <  (SELECT end_ts FROM params)
    AND COALESCE(acc_is_rollback, FALSE) = FALSE
    AND COALESCE(core_is_exclude_from_report, FALSE) = FALSE
  QUALIFY ROW_NUMBER() OVER (PARTITION BY event_id ORDER BY ingest_time DESC) =
1
)
,
casino_bet AS (
  SELECT
    user_id,
    event_time AS bet_ts,
    bcat_last_bet_amount_base_cur AS bet_base_cur
  FROM `smartico-bq6.dwh_ext_24105.tr_casino_bet`
  WHERE event_time >= (SELECT start_ts FROM params)
    AND event_time <  (SELECT end_ts FROM params)
    AND COALESCE(casino_is_rollback, FALSE) = FALSE
    AND COALESCE(core_is_exclude_from_report, FALSE) = FALSE
    AND COALESCE(casino_is_free_bet, FALSE) = FALSE
  QUALIFY ROW_NUMBER() OVER (PARTITION BY event_id ORDER BY ingest_time DESC) =
```

```
1
)
,
sport AS (
  SELECT
    user_id,
    event_time AS sport_ts,
    sport_last_bet_amount_real * user_to_label_cur_rate AS sport_bet_base_cur,
    sport_last_bet_win_amount_real * user_to_label_cur_rate AS
sport_win_base_cur
  FROM `smartico-bq6.dwh_ext_24105.tr_sport_bet_settled`
  WHERE event_time >= (SELECT start_ts FROM params)
    AND event_time <  (SELECT end_ts FROM params)
    AND COALESCE(sport_is_rollback, FALSE) = FALSE
    AND COALESCE(core_is_exclude_from_report, FALSE) = FALSE
    AND COALESCE(winb_is_real_money_bet, TRUE) = TRUE
  QUALIFY ROW_NUMBER() OVER (PARTITION BY event_id ORDER BY ingest_time DESC) =
1
)

, bet_activity AS (
  SELECT user_id, bet_ts FROM casino_bet
  UNION ALL
  SELECT user_id, sport_ts AS bet_ts FROM sport
),
e2d AS (
  SELECT
    e.user_id,
    e.eng_ts,
    MIN(d.dep_ts) AS dep_ts
  FROM eng e
  JOIN dep d
    ON d.user_id = e.user_id
   AND d.dep_ts > e.eng_ts
   AND d.dep_ts <= TIMESTAMP_ADD(e.eng_ts, INTERVAL 7 DAY)
  GROUP BY 1,2
),
flag AS (
  SELECT
    e2d.user_id,
    LOGICAL_OR(
      EXISTS (
        SELECT 1
        FROM bet_activity b
        WHERE b.user_id = e2d.user_id
          AND b.bet_ts >= e2d.dep_ts
          AND b.bet_ts < TIMESTAMP_ADD(e2d.dep_ts, INTERVAL 24 HOUR)
      )
    ) AS flag
  FROM e2d
  GROUP BY 1
)
SELECT
  u.user_id,
  u.user_ext_id,
```

```
  br.crm_brand_name,
  f.flag,
  15 AS score,
  'REINVEST_PLAYER' AS tag,
  CURRENT_TIMESTAMP() AS computed_at
FROM u
LEFT JOIN brand br USING (crm_brand_id)
JOIN flag f USING (user_id)
WHERE f.flag = TRUE
;
```

NON_PROMO_PLAYER (+10)

Ativo nos últimos 7 dias e sem engagement (promo) nos últimos 7 dias.

Definição operacional (congelada):

- Atividade = login OR aposta (casino_bet / sport_bet_settled) OR depósito.
- Ativo_7d = existe atividade em [start_7d_ts, end_ts).
- Promo_7d = existe eng em [start_7d_ts, end_ts) (excluir from_control_group=TRUE).
- Flag dispara se ativo_7d=TRUE e promo_7d=FALSE.

Fontes/colunas:

- `smartico-bq6.dwh_ext_24105.tr_login`: user_id, event_time, event_id, ingest_time
- `smartico-bq6.dwh_ext_24105.tr_casino_bet`: user_id, event_time, casino_is_rollback, core_is_exclude_from_report, casino_is_free_bet, event_id, ingest_time
- `smartico-bq6.dwh_ext_24105.tr_sport_bet_settled`: user_id, event_time, sport_is_rollback, core_is_exclude_from_report, winb_is_real_money_bet, event_id, ingest_time
- `smartico-bq6.dwh_ext_24105.tr_acc_deposit_approved`: user_id, event_time, acc_is_rollback, core_is_exclude_from_report, event_id, ingest_time
- `smartico-bq6.dwh_ext_24105.j_engagements`: user_id, create_date, from_control_group
- `smartico-bq6.dwh_ext_24105.j_user`: user_id, core_is_test_account (exclusão)

Saída (colunas):

- user_id
- user_ext_id
- crm_brand_name
- flag
- score
- tag
- computed_at

SQL (BigQuery):

```
WITH params AS (
  SELECT
    TIMESTAMP_TRUNC(TIMESTAMP_SUB(CURRENT_TIMESTAMP(), INTERVAL 90 DAY), DAY)
```

```
AS start_ts,
    CURRENT_TIMESTAMP() AS end_ts,
    TIMESTAMP_TRUNC(TIMESTAMP_SUB(CURRENT_TIMESTAMP(), INTERVAL 7 DAY), DAY) AS
start_7d_ts,
    TIMESTAMP_TRUNC(TIMESTAMP_SUB(CURRENT_TIMESTAMP(), INTERVAL 30 DAY), DAY)
AS start_30d_ts
),
u AS (
  SELECT
    user_id,
    user_ext_id,
    crm_brand_id,
    core_registration_date,
    core_email_confirmed,
    core_phone_confirmed,
    user_email_status
  FROM `smartico-bq6.dwh_ext_24105.j_user`
  WHERE COALESCE(core_is_test_account, FALSE) = FALSE
),
brand AS (
  SELECT crm_brand_id, crm_brand_name
  FROM `smartico-bq6.dwh_ext_24105.dm_brand`
  WHERE COALESCE(is_deleted, FALSE) = FALSE
)
,
eng AS (
  SELECT
    user_id,
    create_date AS eng_ts,
    event_type_id,
    activity_type_id
  FROM `smartico-bq6.dwh_ext_24105.j_engagements`
  WHERE create_date >= (SELECT start_ts FROM params)
    AND create_date <  (SELECT end_ts FROM params)
    AND COALESCE(from_control_group, FALSE) = FALSE
)
,
dep AS (
  SELECT
    user_id,
    event_time AS dep_ts
  FROM `smartico-bq6.dwh_ext_24105.tr_acc_deposit_approved`
  WHERE event_time >= (SELECT start_ts FROM params)
    AND event_time <  (SELECT end_ts FROM params)
    AND COALESCE(acc_is_rollback, FALSE) = FALSE
    AND COALESCE(core_is_exclude_from_report, FALSE) = FALSE
  QUALIFY ROW_NUMBER() OVER (PARTITION BY event_id ORDER BY ingest_time DESC) =
1
)
,
casino_bet AS (
  SELECT
    user_id,
    event_time AS bet_ts,
    bcat_last_bet_amount_base_cur AS bet_base_cur
```

```
  FROM `smartico-bq6.dwh_ext_24105.tr_casino_bet`
  WHERE event_time >= (SELECT start_ts FROM params)
    AND event_time <  (SELECT end_ts FROM params)
    AND COALESCE(casino_is_rollback, FALSE) = FALSE
    AND COALESCE(core_is_exclude_from_report, FALSE) = FALSE
    AND COALESCE(casino_is_free_bet, FALSE) = FALSE
  QUALIFY ROW_NUMBER() OVER (PARTITION BY event_id ORDER BY ingest_time DESC) =
1
)
,
sport AS (
  SELECT
    user_id,
    event_time AS sport_ts,
    sport_last_bet_amount_real * user_to_label_cur_rate AS sport_bet_base_cur,
    sport_last_bet_win_amount_real * user_to_label_cur_rate AS
sport_win_base_cur
  FROM `smartico-bq6.dwh_ext_24105.tr_sport_bet_settled`
  WHERE event_time >= (SELECT start_ts FROM params)
    AND event_time <  (SELECT end_ts FROM params)
    AND COALESCE(sport_is_rollback, FALSE) = FALSE
    AND COALESCE(core_is_exclude_from_report, FALSE) = FALSE
    AND COALESCE(winb_is_real_money_bet, TRUE) = TRUE
  QUALIFY ROW_NUMBER() OVER (PARTITION BY event_id ORDER BY ingest_time DESC) =
1
)
,
login AS (
  SELECT
    user_id,
    event_time AS login_ts
  FROM `smartico-bq6.dwh_ext_24105.tr_login`
  WHERE event_time >= (SELECT start_ts FROM params)
    AND event_time <  (SELECT end_ts FROM params)
  QUALIFY ROW_NUMBER() OVER (PARTITION BY event_id ORDER BY ingest_time DESC) =
1
)
,
activity AS (
  SELECT user_id, login_ts AS act_ts FROM login
  UNION ALL SELECT user_id, bet_ts  AS act_ts FROM casino_bet
  UNION ALL SELECT user_id, sport_ts AS act_ts FROM sport
  UNION ALL SELECT user_id, dep_ts  AS act_ts FROM dep
),
bet_activity AS (
  SELECT user_id, bet_ts FROM casino_bet
  UNION ALL
  SELECT user_id, sport_ts AS bet_ts FROM sport
)

, active_7d AS (
  SELECT DISTINCT user_id
  FROM activity
  WHERE act_ts >= (SELECT start_7d_ts FROM params)
    AND act_ts <  (SELECT end_ts FROM params)
```

```
),
promo_7d AS (
  SELECT DISTINCT user_id
  FROM eng
  WHERE eng_ts >= (SELECT start_7d_ts FROM params)
    AND eng_ts <  (SELECT end_ts FROM params)
),
flag AS (
  SELECT
    a.user_id,
    (p.user_id IS NULL) AS flag
  FROM active_7d a
  LEFT JOIN promo_7d p USING (user_id)
)
SELECT
  u.user_id,
  u.user_ext_id,
  br.crm_brand_name,
  f.flag,
  10 AS score,
  'NON_PROMO_PLAYER' AS tag,
  CURRENT_TIMESTAMP() AS computed_at
FROM u
LEFT JOIN brand br USING (crm_brand_id)
JOIN flag f USING (user_id)
WHERE f.flag = TRUE
;
```

ENGAGED_PLAYER (+10) e RG_ALERT_PLAYER (+1)

Últimos 30 dias (login): calcular ENGAGED_PLAYER e RG_ALERT_PLAYER em um único SQL.

Definição operacional (congelada):

- Sessão = tr_login.event_time (dedup por event_id).
- Considerar janela [start_30d_ts, end_ts).
- Para cada user e dia: sessions_cnt = COUNT(logins).
- active_days_30d = número de dias com >=1 login.
- avg_sessions_per_active_day_30d = AVG(sessions_cnt) nos dias ativos.
- max_sessions_in_day_30d = MAX(sessions_cnt).

ENGAGED_PLAYER: active_days_30d >= 5 e avg_sessions_per_active_day_30d BETWEEN 3 AND 10.

- RG_ALERT_PLAYER: max_sessions_in_day_30d >= 10.
- Fontes/colunas:

`smartico-bq6.dwh_ext_24105.tr_login`: user_id, event_time, event_id, ingest_time

- `smartico-bq6.dwh_ext_24105.j_user`: user_id, core_is_test_account (exclusão)
- Saída (colunas):
- user_id

- tag
- points
- Observação: 1 linha por user_id por tag acionada (UNION ALL).
-
-
-

SQL (BigQuery):

```
WITH params AS (
  SELECT
    TIMESTAMP_TRUNC(TIMESTAMP_SUB(CURRENT_TIMESTAMP(), INTERVAL 90 DAY), DAY) AS
start_ts,
    CURRENT_TIMESTAMP() AS end_ts,
    TIMESTAMP_TRUNC(TIMESTAMP_SUB(CURRENT_TIMESTAMP(), INTERVAL 7 DAY), DAY) AS
start_7d_ts,
    TIMESTAMP_TRUNC(TIMESTAMP_SUB(CURRENT_TIMESTAMP(), INTERVAL 30 DAY), DAY) AS
start_30d_ts
),
u AS (
  SELECT user_id
  FROM `smartico-bq6.dwh_ext_24105.j_user`
  WHERE COALESCE(core_is_test_account, FALSE) = FALSE
),
login_raw AS (
  SELECT
    user_id,
    event_time,
    event_id
  FROM `smartico-bq6.dwh_ext_24105.tr_login`
  WHERE event_time >= (SELECT start_30d_ts FROM params)
    AND event_time <  (SELECT end_ts FROM params)
  QUALIFY ROW_NUMBER() OVER (PARTITION BY event_id ORDER BY ingest_time DESC) = 1
),
sessions_day AS (
  SELECT
    user_id,
    DATE(event_time) AS dt,
    COUNT(*) AS sessions_cnt
  FROM login_raw
  GROUP BY 1,2
),
per_user AS (
```

```
  SELECT
    user_id,
    COUNT(*) AS active_days_30d,
    AVG(sessions_cnt) AS avg_sessions_per_active_day_30d,
    MAX(sessions_cnt) AS max_sessions_in_day_30d
  FROM sessions_day
  GROUP BY 1
),
engaged_flag AS (
  SELECT
    user_id,
    (active_days_30d >= 5 AND avg_sessions_per_active_day_30d BETWEEN 3 AND 10) AS flag
  FROM per_user
),
rg_flag AS (
  SELECT
    user_id,
    (max_sessions_in_day_30d >= 10) AS flag
  FROM per_user
)
SELECT DISTINCT
  u.user_id,
  'ENGAGED_PLAYER' AS tag,
  10 AS points
FROM u
JOIN engaged_flag e USING (user_id)
WHERE e.flag = TRUE

UNION ALL

SELECT DISTINCT
  u.user_id,
  'RG_ALERT_PLAYER' AS tag,
  1 AS points
FROM u
JOIN rg_flag r USING (user_id)
WHERE r.flag = TRUE
;
```

BEHAV_RISK_PLAYER (-10)

Saque em horário extremo (UTC 00–06) e valor do saque >= p95 dos saques do próprio usuário (90 dias).

Definição operacional (congelada):

- Saque = tr_acc_withdrawal_approved (dedup; excluir rollback/exclude_from_report).
- Horário extremo: EXTRACT(HOUR FROM wd_ts) BETWEEN 0 AND 6.
- p95_wd_base_cur: APPROX_QUANTILES(wd_base_cur, 100)[OFFSET(95)] por usuário.
- Flag dispara se existir saque com horário extremo e wd_base_cur >= p95_wd_base_cur.

Fontes/colunas:

- `smartico-bq6.dwh_ext_24105.tr_acc_withdrawal_approved`: user_id, event_time, acc_last_withdrawal_amount, user_to_label_cur_rate, acc_is_rollback, core_is_exclude_from_report, event_id, ingest_time
- `smartico-bq6.dwh_ext_24105.j_user`: user_id, core_is_test_account (exclusão)

Saída (colunas):

- user_id
- user_ext_id
- crm_brand_name
- example_wd_base_cur
- flag
- score
- tag
- computed_at

SQL (BigQuery):

```
WITH params AS (
  SELECT
    TIMESTAMP_TRUNC(TIMESTAMP_SUB(CURRENT_TIMESTAMP(), INTERVAL 90 DAY), DAY)
AS start_ts,
    CURRENT_TIMESTAMP() AS end_ts,
    TIMESTAMP_TRUNC(TIMESTAMP_SUB(CURRENT_TIMESTAMP(), INTERVAL 7 DAY), DAY) AS
start_7d_ts,
    TIMESTAMP_TRUNC(TIMESTAMP_SUB(CURRENT_TIMESTAMP(), INTERVAL 30 DAY), DAY)
AS start_30d_ts
),
u AS (
  SELECT
    user_id,
    user_ext_id,
    crm_brand_id,
    core_registration_date,
    core_email_confirmed,
    core_phone_confirmed,
    user_email_status
  FROM `smartico-bq6.dwh_ext_24105.j_user`
```

```
  WHERE COALESCE(core_is_test_account, FALSE) = FALSE
),
brand AS (
  SELECT crm_brand_id, crm_brand_name
  FROM `smartico-bq6.dwh_ext_24105.dm_brand`
  WHERE COALESCE(is_deleted, FALSE) = FALSE
)
,
wd AS (
  SELECT
    user_id,
    event_time AS wd_ts,
    acc_last_withdrawal_amount * user_to_label_cur_rate AS wd_base_cur
  FROM `smartico-bq6.dwh_ext_24105.tr_acc_withdrawal_approved`
  WHERE event_time >= (SELECT start_ts FROM params)
    AND event_time <  (SELECT end_ts FROM params)
    AND COALESCE(acc_is_rollback, FALSE) = FALSE
    AND COALESCE(core_is_exclude_from_report, FALSE) = FALSE
  QUALIFY ROW_NUMBER() OVER (PARTITION BY event_id ORDER BY ingest_time DESC) =
1
)

, wd_stats AS (
  SELECT
    user_id,
    APPROX_QUANTILES(wd_base_cur, 100)[OFFSET(95)] AS p95_wd_base_cur
  FROM wd
  GROUP BY 1
),
wd_flag AS (
  SELECT
    w.user_id,
    w.wd_ts,
    w.wd_base_cur,
    (EXTRACT(HOUR FROM w.wd_ts) BETWEEN 0 AND 6) AS is_extreme_hour,
    (w.wd_base_cur >= s.p95_wd_base_cur) AS is_unusual_amount
  FROM wd w
  JOIN wd_stats s USING (user_id)
),
flag AS (
  SELECT
    user_id,
    LOGICAL_OR(is_extreme_hour AND is_unusual_amount) AS flag,
    MAX(IF(is_extreme_hour AND is_unusual_amount, wd_base_cur, NULL)) AS
example_wd_base_cur
  FROM wd_flag
  GROUP BY 1
)
SELECT
  u.user_id,
  u.user_ext_id,
  br.crm_brand_name,
  f.example_wd_base_cur,
  f.flag,
  -10 AS score,
```

```
  'BEHAV_RISK_PLAYER' AS tag,
  CURRENT_TIMESTAMP() AS computed_at
FROM u
LEFT JOIN brand br USING (crm_brand_id)
JOIN flag f USING (user_id)
WHERE f.flag = TRUE
;
```

POTENCIAL_ABUSER (-5)

Conta com idade <48h e GGR_48h < 0 (GGR calculado no intervalo [registration, registration+48h)).

Definição operacional (congelada):

- Novo usuário: TIMESTAMP_DIFF(end_ts, core_registration_date, HOUR) < 48.
- GGR_48h_base_cur = (casino_bet + sport_bet) - (casino_win + sport_win) no intervalo [reg_ts, reg_ts + 48h).
- Flag dispara se ggr_48h_base_cur < 0.

Fontes/colunas:

- `smartico-bq6.dwh_ext_24105.j_user`: user_id, core_registration_date, core_is_test_account (exclusão)
- `smartico-bq6.dwh_ext_24105.tr_casino_bet`: user_id, event_time, bcat_last_bet_amount_base_cur, casino_is_rollback, core_is_exclude_from_report, casino_is_free_bet, event_id, ingest_time
- `smartico-bq6.dwh_ext_24105.tr_casino_win`: user_id, event_time, bcat_last_win_amount_base_cur, casino_is_rollback, core_is_exclude_from_report, event_id, ingest_time
- `smartico-bq6.dwh_ext_24105.tr_sport_bet_settled`: user_id, event_time, sport_last_bet_amount_real, sport_last_bet_win_amount_real, user_to_label_cur_rate, winb_is_real_money_bet, sport_is_rollback, core_is_exclude_from_report, event_id, ingest_time

Saída (colunas):

- user_id
- user_ext_id
- crm_brand_name
- ggr_48h_base_cur
- flag
- score
- tag
- computed_at

SQL (BigQuery):

```
WITH params AS (
  SELECT
    TIMESTAMP_TRUNC(TIMESTAMP_SUB(CURRENT_TIMESTAMP(), INTERVAL 90 DAY), DAY)
AS start_ts,
    CURRENT_TIMESTAMP() AS end_ts,
    TIMESTAMP_TRUNC(TIMESTAMP_SUB(CURRENT_TIMESTAMP(), INTERVAL 7 DAY), DAY) AS
start_7d_ts,
    TIMESTAMP_TRUNC(TIMESTAMP_SUB(CURRENT_TIMESTAMP(), INTERVAL 30 DAY), DAY)
AS start_30d_ts
),
u AS (
  SELECT
    user_id,
    user_ext_id,
    crm_brand_id,
    core_registration_date,
    core_email_confirmed,
    core_phone_confirmed,
    user_email_status
  FROM `smartico-bq6.dwh_ext_24105.j_user`
  WHERE COALESCE(core_is_test_account, FALSE) = FALSE
),
brand AS (
  SELECT crm_brand_id, crm_brand_name
  FROM `smartico-bq6.dwh_ext_24105.dm_brand`
  WHERE COALESCE(is_deleted, FALSE) = FALSE
)
,
casino_bet AS (
  SELECT
    user_id,
    event_time AS bet_ts,
    bcat_last_bet_amount_base_cur AS bet_base_cur
  FROM `smartico-bq6.dwh_ext_24105.tr_casino_bet`
  WHERE event_time >= (SELECT start_ts FROM params)
    AND event_time <  (SELECT end_ts FROM params)
    AND COALESCE(casino_is_rollback, FALSE) = FALSE
    AND COALESCE(core_is_exclude_from_report, FALSE) = FALSE
    AND COALESCE(casino_is_free_bet, FALSE) = FALSE
  QUALIFY ROW_NUMBER() OVER (PARTITION BY event_id ORDER BY ingest_time DESC) =
1
)
,
casino_win AS (
  SELECT
    user_id,
    event_time AS win_ts,
    bcat_last_win_amount_base_cur AS win_base_cur
  FROM `smartico-bq6.dwh_ext_24105.tr_casino_win`
  WHERE event_time >= (SELECT start_ts FROM params)
    AND event_time <  (SELECT end_ts FROM params)
    AND COALESCE(casino_is_rollback, FALSE) = FALSE
    AND COALESCE(core_is_exclude_from_report, FALSE) = FALSE
  QUALIFY ROW_NUMBER() OVER (PARTITION BY event_id ORDER BY ingest_time DESC) =
1
```

```
)
,
sport AS (
  SELECT
    user_id,
    event_time AS sport_ts,
    sport_last_bet_amount_real * user_to_label_cur_rate AS sport_bet_base_cur,
    sport_last_bet_win_amount_real * user_to_label_cur_rate AS
sport_win_base_cur
  FROM `smartico-bq6.dwh_ext_24105.tr_sport_bet_settled`
  WHERE event_time >= (SELECT start_ts FROM params)
    AND event_time <  (SELECT end_ts FROM params)
    AND COALESCE(sport_is_rollback, FALSE) = FALSE
    AND COALESCE(core_is_exclude_from_report, FALSE) = FALSE
    AND COALESCE(winb_is_real_money_bet, TRUE) = TRUE
  QUALIFY ROW_NUMBER() OVER (PARTITION BY event_id ORDER BY ingest_time DESC) =
1
)

, new_users AS (
  SELECT
    user_id,
    core_registration_date AS reg_ts
  FROM u
  WHERE core_registration_date IS NOT NULL
    AND TIMESTAMP_DIFF((SELECT end_ts FROM params), core_registration_date,
HOUR) < 48
),
ggr_48h AS (
  SELECT
    n.user_id,
    COALESCE(SUM(cb.bet_base_cur), 0) + COALESCE(SUM(s.sport_bet_base_cur), 0)
    - (COALESCE(SUM(cw.win_base_cur), 0) + COALESCE(SUM(s.sport_win_base_cur),
0)) AS ggr_48h_base_cur
  FROM new_users n
  LEFT JOIN casino_bet cb
    ON cb.user_id = n.user_id
   AND cb.bet_ts >= n.reg_ts
   AND cb.bet_ts < TIMESTAMP_ADD(n.reg_ts, INTERVAL 48 HOUR)
  LEFT JOIN casino_win cw
    ON cw.user_id = n.user_id
   AND cw.win_ts >= n.reg_ts
   AND cw.win_ts < TIMESTAMP_ADD(n.reg_ts, INTERVAL 48 HOUR)
  LEFT JOIN sport s
    ON s.user_id = n.user_id
   AND s.sport_ts >= n.reg_ts
   AND s.sport_ts < TIMESTAMP_ADD(n.reg_ts, INTERVAL 48 HOUR)
  GROUP BY 1
),
flag AS (
  SELECT
    user_id,
    ggr_48h_base_cur,
    (ggr_48h_base_cur < 0) AS flag
  FROM ggr_48h
```

```
)
SELECT
  u.user_id,
  u.user_ext_id,
  br.crm_brand_name,
  f.ggr_48h_base_cur,
  f.flag,
  -5 AS score,
  'POTENCIAL_ABUSER' AS tag,
  CURRENT_TIMESTAMP() AS computed_at
FROM u
LEFT JOIN brand br USING (crm_brand_id)
JOIN flag f USING (user_id)
WHERE f.flag = TRUE
;
```

PLAYER_NOT_VALID (-20)

Email/telefone pendente ou user_email_status != VERIFIED.

Definição operacional (congelada):

- Conta inválida se: core_email_confirmed=FALSE OR core_phone_confirmed=FALSE OR UPPER(user_email_status) != 'VERIFIED'.
- Exclusão: core_is_test_account=TRUE.

Fontes/colunas:

- `smartico-bq6.dwh_ext_24105.j_user`: user_id, core_email_confirmed, core_phone_confirmed, user_email_status, core_is_test_account

Saída (colunas):

- user_id
- user_ext_id
- crm_brand_name
- core_email_confirmed
- core_phone_confirmed
- user_email_status
- flag
- score
- tag
- computed_at

SQL (BigQuery):

```
WITH params AS (
  SELECT
    TIMESTAMP_TRUNC(TIMESTAMP_SUB(CURRENT_TIMESTAMP(), INTERVAL 90 DAY), DAY)
AS start_ts,
    CURRENT_TIMESTAMP() AS end_ts,
    TIMESTAMP_TRUNC(TIMESTAMP_SUB(CURRENT_TIMESTAMP(), INTERVAL 7 DAY), DAY) AS
```

```
start_7d_ts,
    TIMESTAMP_TRUNC(TIMESTAMP_SUB(CURRENT_TIMESTAMP(), INTERVAL 30 DAY), DAY)
AS start_30d_ts
),
u AS (
  SELECT
    user_id,
    user_ext_id,
    crm_brand_id,
    core_registration_date,
    core_email_confirmed,
    core_phone_confirmed,
    user_email_status
  FROM `smartico-bq6.dwh_ext_24105.j_user`
  WHERE COALESCE(core_is_test_account, FALSE) = FALSE
),
brand AS (
  SELECT crm_brand_id, crm_brand_name
  FROM `smartico-bq6.dwh_ext_24105.dm_brand`
  WHERE COALESCE(is_deleted, FALSE) = FALSE
)

, flag AS (
  SELECT
    user_id,
    (
      COALESCE(core_email_confirmed, FALSE) = FALSE
      OR COALESCE(core_phone_confirmed, FALSE) = FALSE
      OR UPPER(COALESCE(user_email_status, '')) != 'VERIFIED'
    ) AS flag,
    COALESCE(core_email_confirmed, FALSE) AS core_email_confirmed,
    COALESCE(core_phone_confirmed, FALSE) AS core_phone_confirmed,
    UPPER(COALESCE(user_email_status, '')) AS user_email_status_norm
  FROM u
)
SELECT
  u.user_id,
  u.user_ext_id,
  br.crm_brand_name,
  f.core_email_confirmed,
  f.core_phone_confirmed,
  f.user_email_status_norm AS user_email_status,
  f.flag,
  -20 AS score,
  'PLAYER_NOT_VALID' AS tag,
  CURRENT_TIMESTAMP() AS computed_at
FROM u
LEFT JOIN brand br USING (crm_brand_id)
JOIN flag f USING (user_id)
WHERE f.flag = TRUE
;
```

PLAYER_REENGAGED (+30)

Engagement precedido por inatividade >=14 dias e >=3 dias ativos no intervalo de 7 dias após engagement.

Definição operacional (congelada):

- Engagement = j_engagements (excluir from_control_group=TRUE).
- Atividade = login OR aposta OR depósito.
- Inatividade antes do eng = (eng_ts - last_act_before) >= 14 dias.
- Atividade pós: active_days_post = COUNT(DISTINCT DATE(act_ts)) em [eng_ts, eng_ts + 7 dias).
- Flag dispara se active_days_post >= 3.

Fontes/colunas:

- `smartico-bq6.dwh_ext_24105.j_engagements`: user_id, create_date, from_control_group
- `smartico-bq6.dwh_ext_24105.tr_login`: user_id, event_time, event_id, ingest_time
- `smartico-bq6.dwh_ext_24105.tr_casino_bet`: user_id, event_time, casino_is_rollback, core_is_exclude_from_report, casino_is_free_bet, event_id, ingest_time
- `smartico-bq6.dwh_ext_24105.tr_sport_bet_settled`: user_id, event_time, sport_is_rollback, core_is_exclude_from_report, winb_is_real_money_bet, event_id, ingest_time
- `smartico-bq6.dwh_ext_24105.tr_acc_deposit_approved`: user_id, event_time, acc_is_rollback, core_is_exclude_from_report, event_id, ingest_time
- `smartico-bq6.dwh_ext_24105.j_user`: user_id, core_is_test_account (exclusão)

Saída (colunas):

- user_id
- user_ext_id
- crm_brand_name
- active_days_post
- flag
- score
- tag
- computed_at

SQL (BigQuery):

```
WITH params AS (
  SELECT
    TIMESTAMP_TRUNC(TIMESTAMP_SUB(CURRENT_TIMESTAMP(), INTERVAL 90 DAY), DAY)
AS start_ts,
    CURRENT_TIMESTAMP() AS end_ts,
    TIMESTAMP_TRUNC(TIMESTAMP_SUB(CURRENT_TIMESTAMP(), INTERVAL 7 DAY), DAY) AS
start_7d_ts,
    TIMESTAMP_TRUNC(TIMESTAMP_SUB(CURRENT_TIMESTAMP(), INTERVAL 30 DAY), DAY)
AS start_30d_ts
),
```

```
u AS (
  SELECT
    user_id,
    user_ext_id,
    crm_brand_id,
    core_registration_date,
    core_email_confirmed,
    core_phone_confirmed,
    user_email_status
  FROM `smartico-bq6.dwh_ext_24105.j_user`
  WHERE COALESCE(core_is_test_account, FALSE) = FALSE
),
brand AS (
  SELECT crm_brand_id, crm_brand_name
  FROM `smartico-bq6.dwh_ext_24105.dm_brand`
  WHERE COALESCE(is_deleted, FALSE) = FALSE
)
,
eng AS (
  SELECT
    user_id,
    create_date AS eng_ts,
    event_type_id,
    activity_type_id
  FROM `smartico-bq6.dwh_ext_24105.j_engagements`
  WHERE create_date >= (SELECT start_ts FROM params)
    AND create_date <  (SELECT end_ts FROM params)
    AND COALESCE(from_control_group, FALSE) = FALSE
)
,
dep AS (
  SELECT
    user_id,
    event_time AS dep_ts
  FROM `smartico-bq6.dwh_ext_24105.tr_acc_deposit_approved`
  WHERE event_time >= (SELECT start_ts FROM params)
    AND event_time <  (SELECT end_ts FROM params)
    AND COALESCE(acc_is_rollback, FALSE) = FALSE
    AND COALESCE(core_is_exclude_from_report, FALSE) = FALSE
  QUALIFY ROW_NUMBER() OVER (PARTITION BY event_id ORDER BY ingest_time DESC) =
1
)
,
casino_bet AS (
  SELECT
    user_id,
    event_time AS bet_ts,
    bcat_last_bet_amount_base_cur AS bet_base_cur
  FROM `smartico-bq6.dwh_ext_24105.tr_casino_bet`
  WHERE event_time >= (SELECT start_ts FROM params)
    AND event_time <  (SELECT end_ts FROM params)
    AND COALESCE(casino_is_rollback, FALSE) = FALSE
    AND COALESCE(core_is_exclude_from_report, FALSE) = FALSE
    AND COALESCE(casino_is_free_bet, FALSE) = FALSE
  QUALIFY ROW_NUMBER() OVER (PARTITION BY event_id ORDER BY ingest_time DESC) =
```

```
1
)
,
sport AS (
  SELECT
    user_id,
    event_time AS sport_ts,
    sport_last_bet_amount_real * user_to_label_cur_rate AS sport_bet_base_cur,
    sport_last_bet_win_amount_real * user_to_label_cur_rate AS
sport_win_base_cur
  FROM `smartico-bq6.dwh_ext_24105.tr_sport_bet_settled`
  WHERE event_time >= (SELECT start_ts FROM params)
    AND event_time <  (SELECT end_ts FROM params)
    AND COALESCE(sport_is_rollback, FALSE) = FALSE
    AND COALESCE(core_is_exclude_from_report, FALSE) = FALSE
    AND COALESCE(winb_is_real_money_bet, TRUE) = TRUE
  QUALIFY ROW_NUMBER() OVER (PARTITION BY event_id ORDER BY ingest_time DESC) =
1
)
,
login AS (
  SELECT
    user_id,
    event_time AS login_ts
  FROM `smartico-bq6.dwh_ext_24105.tr_login`
  WHERE event_time >= (SELECT start_ts FROM params)
    AND event_time <  (SELECT end_ts FROM params)
  QUALIFY ROW_NUMBER() OVER (PARTITION BY event_id ORDER BY ingest_time DESC) =
1
)
,
activity AS (
  SELECT user_id, login_ts AS act_ts FROM login
  UNION ALL SELECT user_id, bet_ts  AS act_ts FROM casino_bet
  UNION ALL SELECT user_id, sport_ts AS act_ts FROM sport
  UNION ALL SELECT user_id, dep_ts  AS act_ts FROM dep
),
bet_activity AS (
  SELECT user_id, bet_ts FROM casino_bet
  UNION ALL
  SELECT user_id, sport_ts AS bet_ts FROM sport
)

, prev_act AS (
  SELECT
    e.user_id,
    e.eng_ts,
    MAX(a.act_ts) AS last_act_before
  FROM eng e
  LEFT JOIN activity a
    ON a.user_id = e.user_id
   AND a.act_ts < e.eng_ts
  GROUP BY 1,2
),
eligible AS (
```

```
  SELECT
    user_id,
    eng_ts
  FROM prev_act
  WHERE last_act_before IS NOT NULL
    AND TIMESTAMP_DIFF(eng_ts, last_act_before, DAY) >= 14
),
post AS (
  SELECT
    e.user_id,
    e.eng_ts,
    COUNT(DISTINCT DATE(a.act_ts)) AS active_days_post
  FROM eligible e
  LEFT JOIN activity a
    ON a.user_id = e.user_id
   AND a.act_ts >= e.eng_ts
   AND a.act_ts < TIMESTAMP_ADD(e.eng_ts, INTERVAL 7 DAY)
  GROUP BY 1,2
),
flag AS (
  SELECT
    user_id,
    MAX(active_days_post) AS active_days_post,
    LOGICAL_OR(active_days_post >= 3) AS flag
  FROM post
  GROUP BY 1
)
SELECT
  u.user_id,
  u.user_ext_id,
  br.crm_brand_name,
  f.active_days_post,
  f.flag,
  30 AS score,
  'PLAYER_REENGAGED' AS tag,
  CURRENT_TIMESTAMP() AS computed_at
FROM u
LEFT JOIN brand br USING (crm_brand_id)
JOIN flag f USING (user_id)
WHERE f.flag = TRUE
;
```

SLEEPER_LOW_PLAYER (+5)

Concluiu achievement e não teve atividade por 14 dias após o último achievement.

Definição operacional (congelada):

- Achievement = tr_ach_achievement_completed (dedup).
- last_ach_ts = MAX(event_time) por usuário.
- Flag dispara se: (end_ts - last_ach_ts) >= 14 dias AND não existe atividade em (last_ach_ts, last_ach_ts + 14 dias).

Fontes/colunas:

- `smartico-bq6.dwh_ext_24105.tr_ach_achievement_completed`: user_id, event_time, event_id, ingest_time
- `smartico-bq6.dwh_ext_24105.tr_login`: user_id, event_time, event_id, ingest_time
- `smartico-bq6.dwh_ext_24105.tr_casino_bet`: user_id, event_time, casino_is_rollback, core_is_exclude_from_report, casino_is_free_bet, event_id, ingest_time
- `smartico-bq6.dwh_ext_24105.tr_sport_bet_settled`: user_id, event_time, sport_is_rollback, core_is_exclude_from_report, winb_is_real_money_bet, event_id, ingest_time
- `smartico-bq6.dwh_ext_24105.tr_acc_deposit_approved`: user_id, event_time, acc_is_rollback, core_is_exclude_from_report, event_id, ingest_time
- `smartico-bq6.dwh_ext_24105.j_user`: user_id, core_is_test_account (exclusão)

Saída (colunas):

- user_id
- user_ext_id
- crm_brand_name
- last_ach_ts
- flag
- score
- tag
- computed_at

SQL (BigQuery):

```
WITH params AS (
  SELECT
    TIMESTAMP_TRUNC(TIMESTAMP_SUB(CURRENT_TIMESTAMP(), INTERVAL 90 DAY), DAY)
AS start_ts,
    CURRENT_TIMESTAMP() AS end_ts,
    TIMESTAMP_TRUNC(TIMESTAMP_SUB(CURRENT_TIMESTAMP(), INTERVAL 7 DAY), DAY) AS
start_7d_ts,
    TIMESTAMP_TRUNC(TIMESTAMP_SUB(CURRENT_TIMESTAMP(), INTERVAL 30 DAY), DAY)
AS start_30d_ts
),
u AS (
  SELECT
    user_id,
    user_ext_id,
    crm_brand_id,
    core_registration_date,
    core_email_confirmed,
    core_phone_confirmed,
    user_email_status
  FROM `smartico-bq6.dwh_ext_24105.j_user`
  WHERE COALESCE(core_is_test_account, FALSE) = FALSE
),
brand AS (
```

```
  SELECT crm_brand_id, crm_brand_name
  FROM `smartico-bq6.dwh_ext_24105.dm_brand`
  WHERE COALESCE(is_deleted, FALSE) = FALSE
)
,
dep AS (
  SELECT
    user_id,
    event_time AS dep_ts
  FROM `smartico-bq6.dwh_ext_24105.tr_acc_deposit_approved`
  WHERE event_time >= (SELECT start_ts FROM params)
    AND event_time <  (SELECT end_ts FROM params)
    AND COALESCE(acc_is_rollback, FALSE) = FALSE
    AND COALESCE(core_is_exclude_from_report, FALSE) = FALSE
  QUALIFY ROW_NUMBER() OVER (PARTITION BY event_id ORDER BY ingest_time DESC) =
1
)
,
casino_bet AS (
  SELECT
    user_id,
    event_time AS bet_ts,
    bcat_last_bet_amount_base_cur AS bet_base_cur
  FROM `smartico-bq6.dwh_ext_24105.tr_casino_bet`
  WHERE event_time >= (SELECT start_ts FROM params)
    AND event_time <  (SELECT end_ts FROM params)
    AND COALESCE(casino_is_rollback, FALSE) = FALSE
    AND COALESCE(core_is_exclude_from_report, FALSE) = FALSE
    AND COALESCE(casino_is_free_bet, FALSE) = FALSE
  QUALIFY ROW_NUMBER() OVER (PARTITION BY event_id ORDER BY ingest_time DESC) =
1
)
,
sport AS (
  SELECT
    user_id,
    event_time AS sport_ts,
    sport_last_bet_amount_real * user_to_label_cur_rate AS sport_bet_base_cur,
    sport_last_bet_win_amount_real * user_to_label_cur_rate AS
sport_win_base_cur
  FROM `smartico-bq6.dwh_ext_24105.tr_sport_bet_settled`
  WHERE event_time >= (SELECT start_ts FROM params)
    AND event_time <  (SELECT end_ts FROM params)
    AND COALESCE(sport_is_rollback, FALSE) = FALSE
    AND COALESCE(core_is_exclude_from_report, FALSE) = FALSE
    AND COALESCE(winb_is_real_money_bet, TRUE) = TRUE
  QUALIFY ROW_NUMBER() OVER (PARTITION BY event_id ORDER BY ingest_time DESC) =
1
)
,
login AS (
  SELECT
    user_id,
    event_time AS login_ts
  FROM `smartico-bq6.dwh_ext_24105.tr_login`
```

```
  WHERE event_time >= (SELECT start_ts FROM params)
    AND event_time <  (SELECT end_ts FROM params)
  QUALIFY ROW_NUMBER() OVER (PARTITION BY event_id ORDER BY ingest_time DESC) =
1
)
,
activity AS (
  SELECT user_id, login_ts AS act_ts FROM login
  UNION ALL SELECT user_id, bet_ts  AS act_ts FROM casino_bet
  UNION ALL SELECT user_id, sport_ts AS act_ts FROM sport
  UNION ALL SELECT user_id, dep_ts  AS act_ts FROM dep
),
bet_activity AS (
  SELECT user_id, bet_ts FROM casino_bet
  UNION ALL
  SELECT user_id, sport_ts AS bet_ts FROM sport
)

, ach_dedup AS (
  SELECT
    user_id,
    event_time
  FROM `smartico-bq6.dwh_ext_24105.tr_ach_achievement_completed`
  WHERE event_time >= (SELECT start_ts FROM params)
    AND event_time <  (SELECT end_ts FROM params)
  QUALIFY ROW_NUMBER() OVER (PARTITION BY event_id ORDER BY ingest_time DESC) =
1
),
last_ach AS (
  SELECT
    user_id,
    MAX(event_time) AS last_ach_ts
  FROM ach_dedup
  GROUP BY 1
),
flag AS (
  SELECT
    l.user_id,
    l.last_ach_ts,
    (
      TIMESTAMP_DIFF((SELECT end_ts FROM params), l.last_ach_ts, DAY) >= 14
      AND NOT EXISTS (
        SELECT 1
        FROM activity a
        WHERE a.user_id = l.user_id
          AND a.act_ts > l.last_ach_ts
          AND a.act_ts < TIMESTAMP_ADD(l.last_ach_ts, INTERVAL 14 DAY)
      )
    ) AS flag
  FROM last_ach l
)
SELECT
  u.user_id,
  u.user_ext_id,
  br.crm_brand_name,
```

```
  f.last_ach_ts,
  f.flag,
  5 AS score,
  'SLEEPER_LOW_PLAYER' AS tag,
  CURRENT_TIMESTAMP() AS computed_at
FROM u
LEFT JOIN brand br USING (crm_brand_id)
JOIN flag f USING (user_id)
WHERE f.flag = TRUE
;
```

VIP_WHALE_PLAYER (+30)

GGR_90d >= 15000 e bet_days_90d >= 20.

Definição operacional (congelada):

- GGR_90d_base_cur = (casino_bet + sport_bet) - (casino_win + sport_win) no intervalo [start_ts, end_ts).
- bet_days_90d = COUNT(DISTINCT DATE(bet_ts)) considerando casino_bet e sport_bet_settled.
- Flag dispara se ggr_90d_base_cur >= 15000 e bet_days_90d >= 20.

Fontes/colunas:

- `smartico-bq6.dwh_ext_24105.tr_casino_bet`: user_id, event_time, bcat_last_bet_amount_base_cur, casino_is_rollback, core_is_exclude_from_report, casino_is_free_bet, event_id, ingest_time
- `smartico-bq6.dwh_ext_24105.tr_casino_win`: user_id, event_time, bcat_last_win_amount_base_cur, casino_is_rollback, core_is_exclude_from_report, event_id, ingest_time
- `smartico-bq6.dwh_ext_24105.tr_sport_bet_settled`: user_id, event_time, sport_last_bet_amount_real, sport_last_bet_win_amount_real, user_to_label_cur_rate, winb_is_real_money_bet, sport_is_rollback, core_is_exclude_from_report, event_id, ingest_time
- `smartico-bq6.dwh_ext_24105.j_user`: user_id, core_is_test_account (exclusão)

Saída (colunas):

- user_id
- user_ext_id
- crm_brand_name
- ggr_90d_base_cur
- bet_days_90d
- flag
- score
- tag
- computed_at

SQL (BigQuery):

```
WITH params AS (
  SELECT
    TIMESTAMP_TRUNC(TIMESTAMP_SUB(CURRENT_TIMESTAMP(), INTERVAL 90 DAY), DAY)
AS start_ts,
    CURRENT_TIMESTAMP() AS end_ts,
    TIMESTAMP_TRUNC(TIMESTAMP_SUB(CURRENT_TIMESTAMP(), INTERVAL 7 DAY), DAY) AS
start_7d_ts,
    TIMESTAMP_TRUNC(TIMESTAMP_SUB(CURRENT_TIMESTAMP(), INTERVAL 30 DAY), DAY)
AS start_30d_ts
),
u AS (
  SELECT
    user_id,
    user_ext_id,
    crm_brand_id,
    core_registration_date,
    core_email_confirmed,
    core_phone_confirmed,
    user_email_status
  FROM `smartico-bq6.dwh_ext_24105.j_user`
  WHERE COALESCE(core_is_test_account, FALSE) = FALSE
),
brand AS (
  SELECT crm_brand_id, crm_brand_name
  FROM `smartico-bq6.dwh_ext_24105.dm_brand`
  WHERE COALESCE(is_deleted, FALSE) = FALSE
)
,
casino_bet AS (
  SELECT
    user_id,
    event_time AS bet_ts,
    bcat_last_bet_amount_base_cur AS bet_base_cur
  FROM `smartico-bq6.dwh_ext_24105.tr_casino_bet`
  WHERE event_time >= (SELECT start_ts FROM params)
    AND event_time <  (SELECT end_ts FROM params)
    AND COALESCE(casino_is_rollback, FALSE) = FALSE
    AND COALESCE(core_is_exclude_from_report, FALSE) = FALSE
    AND COALESCE(casino_is_free_bet, FALSE) = FALSE
  QUALIFY ROW_NUMBER() OVER (PARTITION BY event_id ORDER BY ingest_time DESC) =
1
)
,
casino_win AS (
  SELECT
    user_id,
    event_time AS win_ts,
    bcat_last_win_amount_base_cur AS win_base_cur
  FROM `smartico-bq6.dwh_ext_24105.tr_casino_win`
  WHERE event_time >= (SELECT start_ts FROM params)
    AND event_time <  (SELECT end_ts FROM params)
    AND COALESCE(casino_is_rollback, FALSE) = FALSE
    AND COALESCE(core_is_exclude_from_report, FALSE) = FALSE
```

```
  QUALIFY ROW_NUMBER() OVER (PARTITION BY event_id ORDER BY ingest_time DESC) =
1
)
,
sport AS (
  SELECT
    user_id,
    event_time AS sport_ts,
    sport_last_bet_amount_real * user_to_label_cur_rate AS sport_bet_base_cur,
    sport_last_bet_win_amount_real * user_to_label_cur_rate AS
sport_win_base_cur
  FROM `smartico-bq6.dwh_ext_24105.tr_sport_bet_settled`
  WHERE event_time >= (SELECT start_ts FROM params)
    AND event_time <  (SELECT end_ts FROM params)
    AND COALESCE(sport_is_rollback, FALSE) = FALSE
    AND COALESCE(core_is_exclude_from_report, FALSE) = FALSE
    AND COALESCE(winb_is_real_money_bet, TRUE) = TRUE
  QUALIFY ROW_NUMBER() OVER (PARTITION BY event_id ORDER BY ingest_time DESC) =
1
)

, bet_activity AS (
  SELECT user_id, bet_ts FROM casino_bet
  UNION ALL
  SELECT user_id, sport_ts AS bet_ts FROM sport
),
ggr_90d AS (
  SELECT
    u.user_id,
    COALESCE(cb.bet_sum, 0) + COALESCE(sb.bet_sum, 0)
    - (COALESCE(cw.win_sum, 0) + COALESCE(sw.win_sum, 0)) AS ggr_90d_base_cur,
    COALESCE(bd.bet_days_90d, 0) AS bet_days_90d
  FROM u
  LEFT JOIN (SELECT user_id, SUM(bet_base_cur) AS bet_sum FROM casino_bet GROUP
BY 1) cb USING (user_id)
  LEFT JOIN (SELECT user_id, SUM(win_base_cur) AS win_sum FROM casino_win GROUP
BY 1) cw USING (user_id)
  LEFT JOIN (SELECT user_id, SUM(sport_bet_base_cur) AS bet_sum FROM sport
GROUP BY 1) sb USING (user_id)
  LEFT JOIN (SELECT user_id, SUM(sport_win_base_cur) AS win_sum FROM sport
GROUP BY 1) sw USING (user_id)
  LEFT JOIN (SELECT user_id, COUNT(DISTINCT DATE(bet_ts)) AS bet_days_90d FROM
bet_activity GROUP BY 1) bd USING (user_id)
),
flag AS (
  SELECT
    user_id,
    ggr_90d_base_cur,
    bet_days_90d,
    (ggr_90d_base_cur >= 15000 AND bet_days_90d >= 20) AS flag
  FROM ggr_90d
)
SELECT
  u.user_id,
  u.user_ext_id,
```

```
  br.crm_brand_name,
  f.ggr_90d_base_cur,
  f.bet_days_90d,
  f.flag,
  30 AS score,
  'VIP_WHALE_PLAYER' AS tag,
  CURRENT_TIMESTAMP() AS computed_at
FROM u
LEFT JOIN brand br USING (crm_brand_id)
JOIN flag f USING (user_id)
WHERE f.flag = TRUE
;
```

WINBACK_HI_VAL_PLAYER (+25)

Ativação = 1° dia com aposta após gap >=14 dias. Pós-ativação (14 dias): 8000 < GGR < 15000 e bet_days_post >= 5. (Otimizado: agregação diária; ativação procurada nos últimos 30 dias; scan 60d).

Definição operacional (congelada):

- Ativação = dia de aposta (activation_dt) tal que DATE_DIFF(activation_dt, prev_act_dt, DAY) >= 14 (prev_act_dt via LAG em activity_days).
- Janela pós-ativação: [activation_dt, activation_dt + 14 dias).
- GGR_post_base_cur = (casino_bet + sport_bet) - (casino_win + sport_win) na janela pós.
- bet_days_post = COUNT(DISTINCT act_dt) na janela pós (casino_bet ou sport_bet_settled).
- Flag dispara se ggr_post_base_cur > 8000 AND < 15000 e bet_days_post >= 5.

Fontes/colunas:

- `smartico-bq6.dwh_ext_24105.tr_casino_bet`: user_id, event_time, bcat_last_bet_amount_base_cur, casino_is_rollback, core_is_exclude_from_report, casino_is_free_bet, event_id, ingest_time
- `smartico-bq6.dwh_ext_24105.tr_casino_win`: user_id, event_time, bcat_last_win_amount_base_cur, casino_is_rollback, core_is_exclude_from_report, event_id, ingest_time
- `smartico-bq6.dwh_ext_24105.tr_sport_bet_settled`: user_id, event_time, sport_last_bet_amount_real, sport_last_bet_win_amount_real, user_to_label_cur_rate, winb_is_real_money_bet, sport_is_rollback, core_is_exclude_from_report, event_id, ingest_time
- `smartico-bq6.dwh_ext_24105.j_user`: user_id, core_is_test_account (exclusão)

Saída (colunas):

- user_id
- tag
- points

SQL (BigQuery):

```
WITH params AS (
  SELECT
    -- Performance: esta regra só precisa de histórico suficiente para detectar gap>=14 e calcular
pós-ativação.
    -- scan_days=60 cobre (activation_lookback_days=30) + gap (14) + janela pós (14) + folga.
    60 AS scan_days,
    30 AS activation_lookback_days,
    14 AS inactivity_days,
    14 AS post_window_days,
    5  AS min_bet_days_post,
    8000  AS ggr_min_base_cur,
    15000 AS ggr_max_base_cur,
    TIMESTAMP_TRUNC(TIMESTAMP_SUB(CURRENT_TIMESTAMP(), INTERVAL 60 DAY), DAY) AS
start_ts,
    CURRENT_TIMESTAMP() AS end_ts
),
u AS (
  SELECT user_id
  FROM `smartico-bq6.dwh_ext_24105.j_user`
  WHERE COALESCE(core_is_test_account, FALSE) = FALSE
),
casino_bet AS (
  SELECT
    user_id,
    event_time AS bet_ts,
    DATE(event_time) AS bet_dt,
    bcat_last_bet_amount_base_cur AS bet_base_cur
  FROM `smartico-bq6.dwh_ext_24105.tr_casino_bet`
  WHERE event_time >= (SELECT start_ts FROM params)
    AND event_time <  (SELECT end_ts FROM params)
    AND COALESCE(casino_is_rollback, FALSE) = FALSE
    AND COALESCE(core_is_exclude_from_report, FALSE) = FALSE
    AND COALESCE(casino_is_free_bet, FALSE) = FALSE
  QUALIFY ROW_NUMBER() OVER (PARTITION BY event_id ORDER BY ingest_time DESC) = 1
),
casino_win AS (
  SELECT
    user_id,
    event_time AS win_ts,
    DATE(event_time) AS win_dt,
    bcat_last_win_amount_base_cur AS win_base_cur
  FROM `smartico-bq6.dwh_ext_24105.tr_casino_win`
```

```
  WHERE event_time >= (SELECT start_ts FROM params)
    AND event_time <  (SELECT end_ts FROM params)
    AND COALESCE(casino_is_rollback, FALSE) = FALSE
    AND COALESCE(core_is_exclude_from_report, FALSE) = FALSE
  QUALIFY ROW_NUMBER() OVER (PARTITION BY event_id ORDER BY ingest_time DESC) = 1
),
sport AS (
  SELECT
    user_id,
    event_time AS sport_ts,
    DATE(event_time) AS sport_dt,
    sport_last_bet_amount_real * user_to_label_cur_rate AS sport_bet_base_cur,
    sport_last_bet_win_amount_real * user_to_label_cur_rate AS sport_win_base_cur
  FROM `smartico-bq6.dwh_ext_24105.tr_sport_bet_settled`
  WHERE event_time >= (SELECT start_ts FROM params)
    AND event_time <  (SELECT end_ts FROM params)
    AND COALESCE(sport_is_rollback, FALSE) = FALSE
    AND COALESCE(core_is_exclude_from_report, FALSE) = FALSE
    AND COALESCE(winb_is_real_money_bet, TRUE) = TRUE
  QUALIFY ROW_NUMBER() OVER (PARTITION BY event_id ORDER BY ingest_time DESC) = 1
),
activity_days AS (
  SELECT DISTINCT user_id, bet_dt AS act_dt
  FROM casino_bet
  UNION DISTINCT
  SELECT DISTINCT user_id, sport_dt AS act_dt
  FROM sport
),
ordered_days AS (
  SELECT
    user_id,
    act_dt,
    LAG(act_dt) OVER (PARTITION BY user_id ORDER BY act_dt) AS prev_dt
  FROM activity_days
),
activation AS (
  SELECT
    user_id,
    act_dt AS activation_dt
  FROM ordered_days
  WHERE prev_dt IS NOT NULL
    AND DATE_DIFF(act_dt, prev_dt, DAY) >= (SELECT inactivity_days FROM params)
```

```
    AND act_dt >= DATE_SUB(CURRENT_DATE(), INTERVAL (SELECT activation_lookback_days
FROM params) DAY)
  QUALIFY ROW_NUMBER() OVER (PARTITION BY user_id ORDER BY act_dt DESC) = 1
),
post_window AS (
  SELECT
    user_id,
    activation_dt,
    DATE_ADD(activation_dt, INTERVAL ((SELECT post_window_days FROM params) - 1) DAY) AS
end_dt
  FROM activation
),
casino_bet_day AS (
  SELECT user_id, bet_dt AS dt, SUM(bet_base_cur) AS bet_base_cur
  FROM casino_bet
  GROUP BY 1,2
),
casino_win_day AS (
  SELECT user_id, win_dt AS dt, SUM(win_base_cur) AS win_base_cur
  FROM casino_win
  GROUP BY 1,2
),
sport_day AS (
  SELECT
    user_id,
    sport_dt AS dt,
    SUM(sport_bet_base_cur) AS bet_base_cur,
    SUM(sport_win_base_cur) AS win_base_cur
  FROM sport
  GROUP BY 1,2
),
post_ggr AS (
  SELECT
    w.user_id,
    w.activation_dt,
    COALESCE(SUM(cb.bet_base_cur), 0) + COALESCE(SUM(sd.bet_base_cur), 0)
    - (COALESCE(SUM(cw.win_base_cur), 0) + COALESCE(SUM(sd.win_base_cur), 0)) AS
ggr_post_base_cur
  FROM post_window w
  LEFT JOIN casino_bet_day cb
    ON cb.user_id = w.user_id
   AND cb.dt BETWEEN w.activation_dt AND w.end_dt
```

```
  LEFT JOIN casino_win_day cw
    ON cw.user_id = w.user_id
   AND cw.dt BETWEEN w.activation_dt AND w.end_dt
  LEFT JOIN sport_day sd
    ON sd.user_id = w.user_id
   AND sd.dt BETWEEN w.activation_dt AND w.end_dt
  GROUP BY 1,2
),
post_bet_days AS (
  SELECT
    w.user_id,
    COUNT(*) AS bet_days_post
  FROM post_window w
  JOIN activity_days a
    ON a.user_id = w.user_id
   AND a.act_dt BETWEEN w.activation_dt AND w.end_dt
  GROUP BY 1
),
flag AS (
  SELECT
    g.user_id,
    g.ggr_post_base_cur,
    d.bet_days_post,
    (g.ggr_post_base_cur > (SELECT ggr_min_base_cur FROM params)
     AND g.ggr_post_base_cur < (SELECT ggr_max_base_cur FROM params)
     AND d.bet_days_post >= (SELECT min_bet_days_post FROM params)
    ) AS flag
  FROM post_ggr g
  JOIN post_bet_days d USING (user_id)
)
SELECT DISTINCT
  u.user_id,
  'WINBACK_HI_VAL_PLAYER' AS tag,
  25 AS points
FROM u
JOIN flag f USING (user_id)
WHERE f.flag = TRUE
;
```

BEHAV_SLOTGAMER (+5)

Slot share >= 0.6 (ml_player_preferences + dm_casino_game_type).

Definição operacional (congelada):

- Extrair favorite_casino_game_types (ARRAY<STRUCT<smr_game_type_id, share>>) via UNNEST.
- Mapear quais game types são slots: LOWER(dm_casino_game_type.game_type) LIKE '%slot%'.
- slot_share = SUM(share) apenas para os smr_game_type_id classificados como slot.
- Flag dispara se slot_share >= 0.6.

Fontes/colunas:

- `smartico-bq6.dwh_ext_24105.ml_player_preferences`: user_id, favorite_casino_game_types
- `smartico-bq6.dwh_ext_24105.dm_casino_game_type`: smr_game_type_id, game_type
- `smartico-bq6.dwh_ext_24105.j_user`: user_id, core_is_test_account (exclusão)

Saída (colunas):

- user_id
- user_ext_id
- crm_brand_name
- slot_share
- flag
- score
- tag
- computed_at

SQL (BigQuery):

```
WITH params AS (
  SELECT
    TIMESTAMP_TRUNC(TIMESTAMP_SUB(CURRENT_TIMESTAMP(), INTERVAL 90 DAY), DAY)
AS start_ts,
    CURRENT_TIMESTAMP() AS end_ts,
    TIMESTAMP_TRUNC(TIMESTAMP_SUB(CURRENT_TIMESTAMP(), INTERVAL 7 DAY), DAY) AS
start_7d_ts,
    TIMESTAMP_TRUNC(TIMESTAMP_SUB(CURRENT_TIMESTAMP(), INTERVAL 30 DAY), DAY)
AS start_30d_ts
),
u AS (
  SELECT
    user_id,
    user_ext_id,
    crm_brand_id,
    core_registration_date,
    core_email_confirmed,
    core_phone_confirmed,
    user_email_status
  FROM `smartico-bq6.dwh_ext_24105.j_user`
  WHERE COALESCE(core_is_test_account, FALSE) = FALSE
),
brand AS (
```

```
  SELECT crm_brand_id, crm_brand_name
  FROM `smartico-bq6.dwh_ext_24105.dm_brand`
  WHERE COALESCE(is_deleted, FALSE) = FALSE
)

, prefs AS (
  SELECT
    p.user_id,
    gt.smr_game_type_id,
    gt.share
  FROM `smartico-bq6.dwh_ext_24105.ml_player_preferences` p,
  UNNEST(p.favorite_casino_game_types) gt
),
slot_types AS (
  SELECT smr_game_type_id
  FROM `smartico-bq6.dwh_ext_24105.dm_casino_game_type`
  WHERE LOWER(game_type) LIKE '%slot%'
),
slot_share AS (
  SELECT
    user_id,
    SUM(share) AS slot_share
  FROM prefs
  WHERE smr_game_type_id IN (SELECT smr_game_type_id FROM slot_types)
  GROUP BY 1
),
flag AS (
  SELECT
    u.user_id,
    COALESCE(s.slot_share, 0) AS slot_share,
    (COALESCE(s.slot_share, 0) >= 0.6) AS flag
  FROM u
  LEFT JOIN slot_share s USING (user_id)
)
SELECT
  u.user_id,
  u.user_ext_id,
  br.crm_brand_name,
  f.slot_share,
  f.flag,
  5 AS score,
  'BEHAV_SLOTGAMER' AS tag,
  CURRENT_TIMESTAMP() AS computed_at
FROM u
LEFT JOIN brand br USING (crm_brand_id)
JOIN flag f USING (user_id)
WHERE f.flag = TRUE
;
```

Anexo A — Export CSV (tags legíveis)

Para export de CSV com tags legíveis, sugere-se manter uma coluna textual por tag e/ou retornar apenas as linhas com flag=TRUE por query.

Exemplo (para qualquer query acima):

```
SELECT * FROM (<COLE A QUERY DO ITEM AQUI>) ORDER BY user_id;
```