Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source   ☐ outline   ☐ image report

[Options…]

Check by [text input ▾]   ☐ css

```
                <h2>High Score</h2>
                <p><i class="fas fa-trophy"></i></p>
                <p  id="highScore" class="hScore">

                </p>
                <p class="pb-3 hScore">Points<p>
            </div>
            <div class="col-md-8 text-center">
                <div class="row text-center">
                    <div class="col-12 col-sm-6 text-center">
                        <!--Category level-->
                        <h2><span>CATEGORIES</span></h2>
                        <label for="categories"></label>
                        <select name="cars" id="categories">
                            <option value="" selected>SELECT
```

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

---

1.   [**Warning**] **Empty heading.**

   [From line 102, column 17; to line 102, column 34](#)

   ```
           <h1 id="question"></h1>↵
   ```

Document checking completed.

Source

```
1.  <!DOCTYPE html>↵
2.  <html lang="en" class="h-100">↵
3.  ↵
4.  <head>↵
5.      <meta charset="UTF-8">↵
6.      <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
7.      <meta name="viewport" content="width=device-width, initial-scale=1.0">↵
8.      <meta name="description" content="Quiz Game with multiple and true/false
    questions ">↵
9.      <link rel="stylesheet"
    href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.0/dist/css/bootstrap.min.css">↵
```

```
10.          integrity="sha384-
    B0vP5xmATw1+K9KRQjQERJvTumQW0nPEzvF6L/Z6nronJ3oUOFUFpCjEUQouq2+l"
    crossorigin="anonymous">↵
11.      <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
    awesome/5.15.0/css/all.min.css">↵
12.      <link rel="stylesheet" href="assets/css/style.css">↵
13.      <link rel="apple-touch-icon" sizes="180x180" href="assets/favicon/apple-
    touch-icon.png">↵
14.      <link rel="icon" type="image/png" sizes="32x32"
    href="assets/favicon/favicon-32x32.png">↵
15.      <link rel="icon" type="image/png" sizes="16x16"
    href="assets/favicon/favicon-16x16.png">↵
16.      <link rel="manifest" href="assets/favicon/site.webmanifest">↵
17.      <title>Quiz Game</title>↵
18.  </head>↵
19.  ↵
20.  <body class="d-flex flex-column h-100">↵
21.      <main class="flex-shrink-0">↵
22.      <!--Navigation bar with sound on/off icon,game name in the center, and info
    icon-->↵
23.      <nav class="navbar fixed-top navbar-light qz-navbar">↵
24.          <button class="btn btn-mute" id='btnMute' aria-label="Mute Button"><i
    id="off"↵
25.              class="fas fa-volume-mute fa-fw"></i></button>↵
26.          <img src="assets/images/logoQuiz.jpg" alt="logo" id="logo">↵
27.          <button type="button" class="btn " id="openModal" aria-label="Game
    Info"><i↵
28.              class="fas fa-info-circle"></i></button>↵
29.      </nav>↵
30.      <!-- Player dashboard with name and high scores, categories to select and
    difficulty level -->↵
31.      <section>↵
32.          <div id="gameDashboard" class="container-fluid">↵
33.              <div class="row text-center">↵
34.                  <div class="col-md-4 qz-hud">↵
35.                      <!--Player name and high score-->↵
36.                      <h2>Player Name</h2>↵
37.                      <i class="fas fa-user-tag"></i>↵
38.                      <p id="userName"></p>↵
39.                      <h2>High Score</h2>↵
40.                      <p><i class="fas fa-trophy"></i></p>↵
41.                      <p  id="highScore" class="hScore">↵
42.                          ↵
43.                      </p>↵
44.                      <p class="pb-3 hScore">Points<p>↵
45.                  </div>↵
46.                  <div class="col-md-8 text-center">↵
47.                      <div class="row text-center">↵
48.                          <div class="col-12 col-sm-6 text-center">↵
49.                              <!--Category level-->↵
50.                              <h2><span>CATEGORIES</span></h2>↵
51.                              <label for="categories"></label>↵
52.                              <select name="cars" id="categories">↵
53.                                  <option value="" selected>SELECT
    CATEGORY</option>↵
54.                                  <option value="23">HISTORY</option>↵
55.                                  <option value="22">GEOGRAPHY</option>↵
56.                                  <option value="27">ANIMALS</option>↵
57.                                  <option value="21">SPORTS</option>↵
58.                              </select>↵
59.  ↵
60.                          </div>↵
61.                          <div class="col-12 col-sm-6">↵
62.                              <!--Difficulty level-->↵
63.                              <h2><span>DIFFICULTY</span> </h2>↵
64.                              <label for="difficulty"></label>↵
65.  ↵
66.                              <select name="cars" id="difficulty">↵
67.                                  <option value="" selected>SELECT
    DIFFICULTY</option>↵
68.                                  <option value="easy">EASY</option>↵
```

```
69.                                      <option value="medium">MEDIUM</option>↵
70.                                      <option value="hard">HARD</option>↵
71.                                  </select>↵
72.                              </div>↵
73.                          </div>↵
74.                      </div>↵
75.                  </div>↵
76.              </div>↵
77.              <div class="container-fluid text-center">↵
78.                  <div class="row">↵
79.                      <div class="col mt-4">↵
80.                          <button class="btn btn-dark" id="start">Start
      game</button>↵
81.                      </div>↵
82.                  </div>↵
83.              </div>↵
84.          </section>↵
85.          <!-- Game live porogress bar and current question-->↵
86.          <div class="container-fluid mt-5 text-center align-self-center hide"
      id="wrapper">↵
87.              <h2 class="title"><span>GAME PROGRESS</span></h2>↵
88.              <div class="progress progress-wraper align-self-center text-center">↵
89.                  <div class="progress-bar  ↵
90.                  qz-progress-bar " role="progressbar" aria-valuenow="1" aria-
      valuemin="0" aria-valuemax="10"↵
91.                      aria-label="progress bar"></div>↵
92.              </div>↵
93.              <div class="row justify-content-center ">↵
94.                  <div class="col-12 col-sm-6 col-md-4 order-fist text-center align-
      self-center " id="score">↵
95.                      <div class=" text-center qz-score--box">↵
96.                          <p>SCORE</p>↵
97.                          <p id="currentScore"></p>↵
98.                      </div>↵
99.                  </div>↵
100.                  <div class="col-12 col-md-9 " id="qz-game">↵
101.                      <h2><span>QUESTION</span></h2>↵
102.                      <h1 id="question"></h1>↵
103.                      <div class="container-fluid">↵
104.                          <div class="row justify-content-center" id="answers">
      </div>↵
105.                      </div>↵
106.                  </div>↵
107.              </div>↵
108.          </div>↵
109.          <!--Section for three modals- Username,info modal, and Win modal  -->↵
110.          <section>↵
111.              <!--username Modal-->↵
112.              <div class="modal" id="playerModal" tabindex="-1" aria-
      labelledby="playerModal" aria-hidden="true"↵
113.                  data-keyboard="false" data-backdrop="static">↵
114.                  <div class="modal-dialog">↵
115.                      <div class="modal-content qz-Modal--bg"
      id="#usernameContent">↵
116.                          <div class="modal-body qz-Modal--content">↵
117.                              <form>↵
118.                                  <div class="mb-3 text-center">↵
119.                                      <label for="user" class="col-form-label">PLAYER
      NAME</label>↵
120.                                      <input type="text" class="form-control"
      id="user" name="user" required>↵
121.                                  </div>↵
122.                                  <div class="modal-footer">↵
123.                                      <button type="button" class="btn btn-primary"
      id="submitName">Confrim</button>↵
124.                                  </div>↵
125.                              </form>↵
126.                          </div>↵
127.                      </div>↵
128.                  </div>↵
129.              </div>↵
```

```
130.            <!-- Settings modal-->↵
131.            <div class="modal" id="settingsModal" tabindex="-1" role="dialog">↵
132.                <div class="modal-dialog" role="document">↵
133.                    <div class="modal-content qz-Modal--bg">↵
134.                        <div class="modal-header">↵
135.                            <h2 class="modal-title">SELECT</h2>↵
136.                            <button type="button" class="btn close" data-
      dismiss="modal" aria-label="Close">↵
137.                                <span aria-hidden="true">X</span>↵
138.                            </button>↵
139.                        </div>↵
140.                        <div class="modal-body qz-Modal--content">↵
141.                            <p class="py-3">Please select you category and
      difficulty level</p>↵
142.                        </div>↵
143.                    </div>↵
144.                </div>↵
145.            </div>↵
146.            <!--Info modal-->↵
147.            <div class="modal fade" id="qz-Modal" tabindex="-1" aria-
      labelledby="qz-Modal" aria-modal="true" role="dialog">↵
148.                <div class="modal-dialog modal-fullscreen-sm-down "
      role="document">↵
149.                    <div class="modal-content qz-Modal--bg">↵
150.                        <div class="modal-header">↵
151.                            <h2 class="modal-title">GAME INSTRUCTIONS</h2>↵
152.                            <button type="button" class="btn close" aria-
      label="Close">↵
153.                                <span aria-hidden="true">X</span>↵
154.                            </button>↵
155.                        </div>↵
156.                        <div class="modal-body qz-Modal--content py-3">↵
157.                            <p>This quiz consists of 10 multiple or TRUE/FALSE
      questions.<br>↵
158.                                Player can select 1 of 4 categories and 3 diffiulty
      levels.<br>↵
159.                                Depending on difficulty Bonus point will be added
      per correct answer:</p>↵
160.                            <hr>↵
161.                            <p id="underline">↵
162.                                Easy Mode = 10 points <br>↵
163.                                Medium Level = 12 points <br>↵
164.                                Hard Level = 15 points <br></p>↵
165.                            <hr>↵
166.                            <p> The High Score will be displayed under player name
      after answering final question. <br>↵
167.                            <p>Answers - Correct answers will display with green
      background and an incorrect selection will↵
168.                                display with red background. <br>↵
169.                            <p> Select your category and difficulty level.</p>
      <br>↵
170.                            <p>When you ready, click the "Start" button to start
      the Quiz.↵
171.                            </p>↵
172.                        </div>↵
173.                    </div>↵
174.                </div>↵
175.            </div>↵
176.            <!--Final Score Modal-->↵
177.            <div class="modal fade" id="finalModal" tabindex="-1" aria-
      labelledby="finalModal" aria-hidden="true" data-backdrop="static" data-
      keyboard="false">↵
178.                <div class="modal-dialog modal-dialog-center modal-fullscreen-sm-
      down">↵
179.                    <div class="modal-content qz-Modal--bg">↵
180.                        <div class="modal-header ">↵
181.                            <h2 class="modal-title"
      id="finalModalLabel">CONGRATULATIONS</h2>↵
182.                            <button type="button" class="btn close closeHighScore"
      data-bs-dismiss="modal"↵
```

```
183.                          aria-label="Close"><span aria-
      hidden="true">X</span></button>↵
184.                      </div>↵
185.                      <div class="modal-body qz-Modal--content"
      id="finalScore">↵
186.                      </div>↵
187.                  </div>↵
188.              </div>↵
189.          </div>↵
190.      </section>↵
191.      </main>↵
192.          <!-- Footer with GitHub icon and email link to contact-->↵
193.          <footer class="footer mt-auto py-3" id="qz-footer">↵
194.              <div class="container-fluid">↵
195.                  <div class="row ">↵
196.                      <div class="col-12 col-lg-4 text-center text-lg-left
      mail">↵
197.  ↵
198.                          <a href="mailto:niechwiej.mateusz@gmail.com"><i
      class="far fa-envelope"></i><span>↵
199.                              niechwiej.mateusz@gmail.com</span></a>↵
200.                      </div>↵
201.                      <div class="col-12 col-lg-4 text-center mt-3 copy">↵
202.                          <p>Copyright &copy;2021 by Mateusz Niechwiej</p>↵
203.                      </div>↵
204.                      <div class="col-12 col-lg-4 text-center text-lg-right
      GitHub">↵
205.                          <a href="https://github.com/mateuszniechwiej"
      target="_blank" rel="noopener"><i↵
206.                              class="fab fa-github"></i>↵
207.                              <span class="sr-only">Link to GitHub
      account</span></a>↵
208.                      </div>↵
209.                  </div>↵
210.              </div>↵
211.          </footer>↵
212.      <!--Audio-->  ↵
213.      <audio id="btnClick" src="assets/audio/click.mp3"></audio>↵
214.      <audio id="incorrect" src="assets/audio/incorrect.wav"></audio>↵
215.      <audio id="correct" src="assets/audio/correct.wav"></audio>↵
216.      <audio id="finalSound" src="assets/audio/final_success.wav"></audio>↵
217.      <audio id="fanfare" src="assets/audio/tada.mp3"></audio>↵
218.      <audio id="noPoints" src="assets/audio/noPoints.wav"></audio>↵
219.      <!--Scripts-->↵
220.      <script src="https://code.jquery.com/jquery-3.5.1.slim.min.js"↵
221.          integrity="sha384-
      DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj"↵
222.          crossorigin="anonymous"></script>↵
223.      <script
      src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.0/dist/js/bootstrap.bundle.min.
      js"↵
224.          integrity="sha384-
      Piv4xVNRyMGpqkS2by6br4gNJ7DXjqk09RmUpJ8jgGtD7zP9yug3goQfGII0yAns"↵
225.          crossorigin="anonymous"></script>↵
226.      <script src="assets/js/settings.js"></script>↵
227.      <script src="assets/js/user.js"></script>↵
228.      <script src="assets/js/fetch.js"></script>↵
229.      <script src="assets/js/game.js"></script>↵
230.  ↵
231.  ↵
232.  </body>↵
233.  ↵
234.  </html>
```

Used the HTML parser.

Total execution time 23 milliseconds.