



```
lll> cat ${CURRENT_LAB}
```

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title> WEB APPS </title>
```

```
</head>
```

```
<body>
```

```
<h1> LAB 0 </h1>
```

```
<p> Documenting changes </p>
```

```
</body>
```

```
</html>
```



```
lll> echo "by ${AUTHOR}"
```

by Mateusz Węglewski

Task 0.1.

Dopasuj termin do definicji. Wpisz literę przy każdym numerze.

1. endpoint ____	a) an operation that produces the same result no matter how many times it's repeated
2. idempotent ____	b) a function that processes requests before they reach the final handler
3. deprecated ____	c) the actual data transmitted in a request or response
4. payload ____	d) a specific URL where an API can be accessed
5. middleware ____	e) no longer recommended for use and likely to be removed in a future release
6. breaking change ____	f) extra rework caused by choosing a quick fix over a better long-term solution
7. technical debt ____	g) a change that makes existing client code stop working correctly

Task 0.2.

Dopasuj kod do jego znaczenia (wpisz cyfry).

Kod	Nazwa	Znaczenie — wpisz literę
200	OK	a) Authentication is missing or invalid. ____
201	Created	b) The request succeeded and a new resource was created. ____
400	Bad Request	c) The requested resource doesn't exist. ____
401	Unauthorized	d) The request conflicts with the current state of the resource. ____
403	Forbidden	e) A generic error indicating something went wrong on the server. ____
404	Not Found	f) The client is authenticated but not allowed to perform this action. ____
409	Conflict	g) The request succeeded; the standard success response. ____
500	Internal Server Error	h) The server can't process the request due to a client error. ____



Task 0.3.

Dla każdego przypadku: (a) określ, co jest w nim nie tak, (b) napisz poprawną wersję zgodną ze specyfikacją.

0.3.1: "fixed stuff"

Co jest nie tak: _____

Poprawiona wersja: _____

0.3.2: "added new thing for task priority, also updated readme and fixed a small bug in the tags field"

Co jest nie tak: _____

Poprawiona wersja: _____

0.3.3: "poprawki w kontrolerze tasks"

Co jest nie tak: _____

Poprawiona wersja: _____

0.3.4: "WIP"

Co jest nie tak: _____

Poprawiona wersja: _____

Task 0.4.

Przypisz każdy opis zmiany do właściwej kategorii z tabeli powyżej.

Kategoria	1. Task list can now be filtered by due date. Kategoria: _____
Added	2. The /api/tasks/list endpoint response format changed from an array to a paginated object. Kategoria: _____
Changed	3. Duplicate task titles no longer cause a server crash. Kategoria: _____
Deprecated	4. The old /api/tasks/all endpoint will be removed in v3.0 — use /api/tasks/list instead. Kategoria: _____
Removed	5. A flaw allowing users to view other users' private tasks has been patched. Kategoria: _____
Fixed	
Security	



Task 0.5.

W parach, w języku angielskim, wykonajcie:

1. napiszcie komentarz JSDoc opisujący ten endpoint (@param dla każdego pola, @returns, @throws dla błędu),
2. napiszcie fragment sekcji README (Method, Endpoint, Request body, Success response, Error response),
3. napiszcie jeden wpis do CHANGELOG.md w formacie Keep a Changelog dla tej funkcjonalności.

```
router.post('/api/tasks', authenticate, async (req, res) => {
  const { title, dueDate, priority } = req.body;

  const existingTask = await Task.findOne({ title, ownerId: req.user.id });
  if (existingTask) {
    return res.status(409).json({ error: 'A task with this title already exists' });
  }

  const task = await Task.create({
    title,
    dueDate,
    priority: priority || 'normal',
    ownerId: req.user.id,
    status: 'open'
  });

  res.status(201).json({ id: task.id, title: task.title, status: task.status });
});
```

JSDoc

```
/**
 * _____
 *
 * @param {string} req.body.title - _____
 * @param {string} req.body.dueDate - _____
 * @param {string} [req.body.priority] - _____
 * @returns {201} _____
 * @throws {409} _____
 */
```



📝 README

POST /api/tasks

Method: _____ Endpoint: _____

Request body: _____

Success response: _____

Error response: _____

📝 CHANGELOG.md

[____] - _____

- _____



Napiszcie krótką notatkę o wycofaniu (deprecation notice) starszego endpointu GET /api/tasks/all na rzecz GET /api/tasks. Użyjcie słów: deprecated, breaking change, backward compatible, migration.

Check your knowledge

- Podaj angielski termin oznaczający "punkt końcowy API, pod którym dostępny jest zasób".
- Jaki kod statusu HTTP zwrócisz, gdy użytkownik próbuje utworzyć zasób, który już istnieje (duplikat)?
a) 200 b) 404 c) 409 d) 500
- Popraw poniższy commit message zgodnie ze specyfikacją Conventional Commits:
„fixed stuff in login”
- Jaki typ commita (wg Conventional Commits) zastosujesz dla zmiany, która tylko aktualizuje dokumentację?
- W formacie Keep a Changelog, do której kategorii (Added / Changed / Deprecated / Removed / Fixed / Security) przypiszesz zmianę:
„The old /api/v1/users endpoint has been removed”?
- Co oznacza wykrzyknik w zapisie feat!: lub stopka BREAKING CHANGE: w commit message?
- Uzupełnij zdanie po angielsku (JSDoc), używając poprawnej formy czasownika:
/** * _____ (create) a new task for the authenticated user. */
- Wyjaśnij krótko po angielsku różnicę między request body a response.

